

Appendix E Loading Platform Area Investigation Work Plan, Report, and NYSDEC Approvals

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION

Division of Environmental Remediation, Remedial Bureau C
625 Broadway, 11th Floor, Albany, NY 12233-7014
P: (518) 402-9662 | F: (518) 402-9679
www.dec.ny.gov

November 23, 2016

Mr. William Ryan, Project Manager
Site Investigation & Remediation
National Grid
175 East Old Country Road
Hicksville, NY 11801

RE: Greenpoint Energy Center
Former MGP
Remedial Investigation
Areas 1 and 2
Additional Investigation
Site No. 224052

Dear Mr. Ryan:

The New York State Department of Environmental Conservation (Department) has recently reviewed and transmitted to National Grid a video clip which clearly shows NAPL seeping from the southern portion of the Greenpoint Energy Center bulkhead and discharging into Newtown Creek. In order to prevent further discharge to the creek it is essential that National Grid take immediate action to contain any further discharge and to perform appropriate investigative and remedial actions to determine the source of the discharge and control the source.

The Department hereby directs National Grid to perform the following actions to control and evaluate the discharge:

- install absorbent booms at the areas of discharge;
- initiate observation and documentation of discharge areas, particularly at low tide.

Furthermore, additional investigation will be required to determine the source of the seepage and to inform the appropriate remedial actions. Within 10 business days please provide a Work Plan for review by the Department that includes the following:




Department of
Environmental
Conservation

- Soil borings advanced through the dock structure adjacent to the observed NAPL seeps. These borings should be advanced to approximately 20 feet below the elevation of the Newtown Creek mudline.
- Soil borings in the upland adjacent to the areas where seepage has been observed.
- Replacement monitoring wells GPEC-MW01R and GPEC-MW205 with 6-inch diameter recovery wells installed with appropriately sized screens and sumps to facilitate NAPL recovery.

Please feel free to contact me if you have any questions.

Sincerely,

A handwritten signature in black ink, appearing to read "H. T. Willems", with a long horizontal flourish extending to the right.

Henry T. Willems
Engineering Geologist 2

cc: W. Ryan, National Grid
T. Leissing, National Grid
G. Cross, NYSDEC
G. Heitzman, NYSDEC
D. Hetrick, NYSDOH



November 30, 2017
Project 125180

Consulting
Engineers and
Scientists

Mr. Brian Bermingham
Project Manager
National Grid
Site Investigation & Remediation
287 Maspeth Avenue
Brooklyn, NY 11211

Re: Loading Platform Area Investigation Report
Remedial Investigation Areas 1 and 2
Greenpoint Energy Center Former Manufactured Gas Plant
287 Maspeth Avenue, Brooklyn, New York
Site No. 224052

Dear Mr. Bermingham:

GEI Consultants, Inc., P.C. (GEI) has prepared this letter report summarizing the findings of the Loading Platform area investigation at the Greenpoint Energy Center (the Site). The investigation was performed to evaluate whether non-aqueous phase liquid (NAPL) observed by New York City floating on the water surface off the southern portion of the Greenpoint Energy Center (GPEC) loading platform was related to migration of NAPL from the GPEC upland site. The work was performed from February 20, 2017 through June 8, 2017 in accordance with GEI's January 11, 2017 work plan, which was approved by the New York State Department of Environmental Conservation (NYSDEC) by email on February 13, 2017.

The GPEC sits adjacent to the Turning Basin portion of the Newtown Creek Superfund site. Immediately adjacent to the GPEC loading platform, the Turning Basin represents a depositional environment with up to 15 feet of accumulated soft sediments having been deposited near the south end of the loading platform.

As described further in this memo, the investigation did not identify any evidence of potentially mobile NAPL land-side of the loading platform that could be the source of the alleged NAPL seep observed by New York City. Based on the extensive soil boring observations collected along the loading platform, GEI concludes there is no mobile NAPL in soils adjacent to the loading platform that can account for the floating NAPL observation or that can impact the shallow sediments of Newtown Creek. The observation made by New York City is most likely the result of recent petroleum from other sources.

Scope of Work

A total of 17 soil borings were advanced to investigate the source of the alleged NAPL seepage near the southern portion of the GPEC loading platform. The locations of the soil borings are shown on **Figure 1**. The borings were advanced to a minimum elevation (El.) of -40 above mean sea level (12 feet below the original design dredge depth at El. -28), which corresponds to approximately 28 feet below the current mudline at El. -12 along southern portion of the loading platform.

Eight soil borings (GPEC-MW403 through GPEC-MW410) were originally advanced, along with a monitoring well installed at each of the soil boring locations. The screen zones were selected based on their proximity to impacted zones identified during boring advancement. Five additional soil borings (GPEC-SB404A through GPEC-SB408A) were subsequently advanced to further decrease the spacing between the existing borings in the area.

One 6-inch recovery well (GPEC-RW409) was also installed along with monitoring well GPEC-MW409 based on the presence of observed saturated NAPL in soils identified in the adjacent boring (discussed further below). Four soil borings (GPEC-SB414 through GPEC-SB417) were then advanced to delineate the area of saturated NAPL intervals identified in the GPEC-MW409 soil boring.

The soil borings were advanced and the monitoring and recovery wells installed using rotary-sonic and direct-push techniques. The monitoring wells were installed with Schedule 40 polyvinyl chloride (PVC) screen (0.020-inch slot) and riser. Each of the wells was installed with a 10-foot section of screen excluding GPEC-MW406 (5-foot screen interval). The recovery well was installed with a stainless-steel wire-wrapped screen (0.020-inch slot), a 5-foot stainless-steel sump, and a Schedule 40 PVC riser. Boreholes in which a well was not installed, as well as any open sections of boreholes beneath the installed wells, were tremie grouted to the surface with a cement/bentonite grout.

The soil borings and monitoring and recovery wells were installed in accordance with procedures included the previously-approved Phase 2/3 Remedial Investigation Work Plan (RIWP) for the GPEC site. Well development, investigative-derived waste (IDW) management and the implementation of a community air monitoring program (CAMP) were also conducted in accordance with the RIWP.

No analytical soil samples were collected during the installation of the 17 borings, monitoring wells, or recovery well. Groundwater from the monitoring wells was sampled following development of each well. The monitoring wells were purged and sampled using low-flow groundwater sampling procedures in accordance with the RIWP. The recovery well was developed by alternatively surging, with a surge block, and pumping in accordance with the RIWP.

Findings

Soil Borings and Well Installations

In each of the soil borings, soil samples were collected at continuous intervals to the termination depth and screened with a photoionization detector (PID). Soil boring logs and well construction logs are included in **Attachment 1**. The boring locations along with the greatest degree of observed impacts at each location are shown on **Figure 1**. A cross-section showing the subsurface stratigraphy and impacted intervals in the various wells and soil borings advanced along the bulkhead at the Site is shown on **Figure 2**. A second cross-section extending from the inland area through the GPEC-MW409 area into Newtown Creek is shown on **Figure 3**.

The only saturated NAPL interval observed in the 17 soil borings was at boring GPEC-MW409. An interval of NAPL-saturated soil was observed from approximately El. -23 to -30, at the base of the fill unit. Underlying the interval of NAPL-saturated soil was a 2 to 3-foot layer of sandy silt to silty sand that was NAPL-coated. Naphthalene-like odors were observed intermittently underlying the silt layer to approximately El. -47, but no impacts were observed in the bottom 16 feet of the boring. Residual impacts including NAPL blebs, sheen, black staining, and/or naphthalene-like odors were observed in the soil above the NAPL-saturated interval.

A recovery well (GPEC-RW409) was installed adjacent to monitoring well GPEC-MW409 and was screened from El. -22 to -32, encompassing the entire interval of the observed saturated NAPL. This well has been monitored monthly for NAPL recovery since it was developed in March 2017, but NAPL has not accumulated in the well.

Four soil borings were advanced approximately 25 feet to the north, south, and west of GPEC-MW409 to delineate the area of NAPL observed in soil at GPEC-MW409. NAPL-saturated soil was not observed in these four borings. These findings confirm that the NAPL observed in soils at GPEC-MW409 is isolated to the immediate vicinity of GPEC-MW409 and has not migrated to the sediments of Newtown Creek.

NAPL-coated soil was observed from approximately El. -25.5 to -28.5 in soil boring GPEC-SB414 and from approximately El. -23.5 to -28.5 in soil boring GPEC-SB417. Soil borings GPEC-SB414 and GPEC-SB417 are located to the south and north of GPEC-MW409, respectively. Impacts including sheen, staining, and/or a naphthalene-like odor were noted in the soil above and below the NAPL-coated interval in each boring. No impacts were observed in the bottom 7 feet of each boring. Impacts including NAPL blebs, sheen, staining, and/or a naphthalene-like odor were observed from approximately El. -23 to -36 in soil boring GPEC-SB415 and from approximately El. -23 to -38.5 in soil boring GPEC-SB416. These borings are located to the west of soil boring GPEC-MW409. No impacts were observed in the bottom 5 to 7 feet (approximate) of each boring. Fill material was observed in these four borings to a

maximum depth of El. -28.5. All of these observations soil are residual in nature and do not indicate the presence of potentially mobile NAPL at the locations of these 3 borings.

Figure 2 indicates that the NAPL saturated interval in the GPEC-MW409 and GPEC-RW409 (not shown) locations accumulated in a small pocket created by a confining layer of silt.

Various impacts were observed in the remaining borings, but no potentially mobile NAPL was identified. NAPL-coated soil was identified from approximately El. -27 to -30 and -58 to -62.5 in soil boring GPEC-MW407 and from approximately El. -25 to -26.5 in soil boring GPEC-MW410. Lesser impacts were observed in each of the remaining borings excluding GPEC-MW404 as shown on **Figure 1** and in the boring logs in **Attachment 1**. Fill material was observed to a minimum depth of El. +6.5 to a maximum depth of El. -30 across during the investigation.

In the southernmost portion of the investigation area, believed to be nearest the location of the NAPL reported by New York City, impacts were limited to staining and odor from approximately El. -16 to -18 at the GPEC-MW403 location, and staining and sheen from approximately El. -11 to -12 at GPEC-MW404A. No potentially mobile NAPL was identified in the area where New York City observed NAPL to be floating on the water near GPEC. Potentially mobile NAPL is present within two existing monitoring wells in the area (GPEC-MW01R and GPECC-MW205); however, as discussed in the previously submitted Interim Remedial Investigation Report for the Site dated November 2016, the depth at which the land-side occurrence of NAPL is present cannot account for the shallower sediment NAPL observations in Newtown Creek. As such, the deep NAPL in this area also cannot be the source of the NAPL observed by New York City.

Up to approximately 15 feet of sediment has accumulated in this depositional area of the Turning Basin. The NAPL observed by NYC on the water surface may be related to recent NAPL deposited with shallow sediments, or may be associated with NAPL spilled or released from a vessel that was trapped behind the wooden facing of the GPEC loading platform. Regardless, the NAPL observation does not represent a source associated with the GPEC site.

Groundwater Sampling

The groundwater sample analytical results are shown on **Table 1** and are compared to the NYSDEC Ambient Water Quality Standards (AWQS). Groundwater sampling forms are included in **Attachment 2**. NAPL was not observed in any of the newly installed wells during development or sampling.

The exceedances of the AWQS for benzene, toluene, ethylbenzene, and xylene (BTEX) compounds were limited to two wells and included: benzene (2.62 micrograms per liter

[µg/L)] in well GPEC-MW410; ethylbenzene (137 µg/L) in GPEC-MW407; and total xylenes (91 µg/L) in GPEC-MW407.

Chlorinated volatile organic compounds (VOCs) exceeded the AWQS, including: 1,2-dichloroethane (max 1.34 µg/L) in GPEC-MW404 through GPEC-MW407; cis-1,2-dichloroethene (8.73 µg/L) in GPEC-MW407; and tetrachloroethene (max 8.14 µg/L)] in GPEC-MW406 and GPEC-MW407. The chlorinated VOC detections are not known to be related to historical or current Site operations.

Polycyclic aromatic hydrocarbons (PAHs) were detected in each of the wells sampled. PAHs exceeding the AWQS include: acenaphthene (max 37.5 µg/L) in GPEC-MW405, GPEC-MW407, and GPEC-MW410; benzo(a)anthracene (max 0.528 µg/L) in GPEC-MW405, GPEC-MW409, and GPEC-MW410; chrysene (0.334 µg/L) in GPEC-MW410; naphthalene (max 627 µg/L) in GPEC-MW407 and GPEC-MW410; and nitrobenzene (0.43 J µg/L) in GPEC-MW410.

Metals were also detected in each of the wells sampled. Metals exceeding the AWQS include: iron (max 13,700 µg/L) in GPEC-MW403 through GPEC-MW408 and GPEC-MW410; magnesium (max 367,000 µg/L) in GPEC-MW405 through GPEC-MW407 and GPEC-MW410; manganese (max 2,090 µg/L) in GPEC-MW403 through GPEC-MW408 and GPEC-MW410; and sodium (max 3,190,000 µg/L) in all eight wells. Metals analysis was limited to total metals. The detections of these metals do not represent contaminants, but rather naturally occurring metals associated with the soils and sodium in particular is representative of the saline conditions observed in Newtown Creek.

Polychlorinated biphenyls (PCBs) were not detected in any of the wells sampled.

Conclusions

NAPL-saturated soil identified during the investigation was limited to soil boring GPEC-MW409 from approximately El. -23 to -30. The interval of NAPL-saturated soil was at the base of a fill layer and is confined within a small pocket created by a confining layer of fine grained soil. The lack of NAPL-saturated soil in the four delineation borings advanced to the north, south, and west and the diminishing impacts observed beneath the silt layer in boring GPEC-MW409 indicate that the NAPL in this area is not mobile. As depicted on Figure 3, the observed NAPL corresponds to the base of the accumulated sediment wedge in Newtown Creek. A 6-inch recovery well (GPEC-RW409) was installed in this area, and NAPL has not been observed in the well since it was developed, further indicating that the NAPL is not mobile.

No potentially mobile NAPL was identified at any other soil boring location. NAPL was not observed in any of the newly installed monitoring wells during the groundwater sampling event.

Mr. Brian Bermingham
National Grid
November 30, 2017
Page 6


Based on these findings, there is no identified pathway for NAPL migration to the shallow sediments in Newtown Creek. No potentially mobile NAPL was identified that could account for the NAPL observed floating on the water surface at the southern portion of the site. As stated above, previously identified deep NAPL present in two monitoring wells in the area also cannot account for the shallower sediment NAPL observations in Newtown Creek or the observed NAPL floating at the southern portion of the Loading Dock.

If you have any questions or require additional information, please feel free to contact Chris Morris at 516-545-2586 or Dave Terry at 860-368-5396.

Sincerely,



Chris Morris
Project Manager



David B. Terry
V.P., Principal, LEP, P.G.

Enclosures

c: D. Hetrick (NYSDOH)

Table

Table 1. GPEC Loading Platform Area Investigation
Groundwater Analysis Results
National Grid
Brooklyn, New York

				Sample Name Sample Date Parent Sample	GPEC-MW403 3/24/2017	GPEC-MW404 3/28/2017	GPEC-MW405 3/28/2017	GPEC-MW406 3/27/2017	GPEC-MW407 3/27/2017	GPEC-MW408 3/27/2017	GPEC-MW409 3/24/2017	GPEC-MW-XX-032417 3/24/2017 GPEC-MW409	GPEC-MW409 FILT 3/24/2017
Analyte	units	CAS No.	NYS AWQS										
BTEX	µg/L												
Benzene		71-43-2	1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
Toluene		108-88-3	5	0.5 U	0.5 U	0.5 U	0.5 U	3.17	0.5 U	0.5 U	0.5 U	0.5 U	
Ethylbenzene		100-41-4	5	0.5 U	0.5 U	2.21	0.5 U	137	0.484 J	0.545	0.42 J		
Total Xylene		1330-20-7	5	1 U	1 U	1.07	1 U	91	1 U	1 U	1 U	1 U	
Total BTEX (ND=0)		TBTEX_ND0	NE	ND	ND	3.28	ND	231.2	0.484	0.545	0.42		
Other VOCs	µg/L												
Acetone		67-64-1	50*	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	
Acrolein (propenal)		107-02-8	5	20 U	20 U	20 U	20 U	20 U	20 U	10 U	10 U	10 U	
Acrylonitrile		107-13-1	5	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	
Bromodichloromethane		75-27-4	50*	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
Bromoform		75-25-2	50*	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
Bromomethane		74-83-9	5	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	
t-Butyl alcohol (Tertiary Butyl Alcohol)		75-65-0	NE	2 U	2 U	2 U	2 U	2 U	2 U	2 R	2 R	2 R	
Carbon disulfide		75-15-0	60*	1 U	0.535 J	1 U	1 U	1 U	1 U	0.5 U	0.5 U	0.5 U	
Carbon tetrachloride		56-23-5	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
Chlorobenzene		108-90-7	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
Chloroethane		75-00-3	5	1 U	1 U	1 U	1 U	1 U	1 U	0.5 U	0.5 U	0.5 U	
2-Chloroethyl vinyl ether		110-75-8	NE	1 U	1 U	1 U	1 U	1 U	1 U	2 R	2 R	2 R	
Chloroform (Trichloromethane)		67-66-3	7	0.5 U	1.26	0.5 U	0.537	2.12	0.5 U	0.5 U	0.5 U	0.5 U	
Chloromethane		74-87-3	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
Dibromochloromethane		124-48-1	50*	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	
Dichlorodifluoromethane (Freon 12)		75-71-8	5	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	
1,1-Dichloroethane		75-34-3	5	0.5 U	0.523	3.5	2.3	0.57	0.5 U	0.5 U	0.5 U	0.5 U	
1,2-Dichloroethane		107-06-2	0.6	0.5 U	0.755	0.86	1.34	0.91	0.5 U	0.5 U	0.5 U	0.5 U	
1,1-Dichloroethene		75-35-4	5	0.5 U	0.5 U	0.832	0.719	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
cis-1,2-Dichloroethene		156-59-2	5	0.5 U	0.717	0.584	0.632	8.73	0.5 U	1.1	0.991	0.991	
trans-1,2-Dichloroethene		156-60-5	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
1,2-Dichloropropane		78-87-5	1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
cis-1,3-Dichloropropene		10061-01-5	0.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
trans-1,3-Dichloropropene		10061-02-6	0.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
Diisopropyl ether (DIPE)		108-20-3	NE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
2-Hexanone		591-78-6	50*	1 U	1 U	1 U	1 U	1 U	1 U	2 U	2 U	2 U	
Methyl ethyl ketone (2-Butanone)		78-93-3	50*	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	
Methyl tert-butyl ether (MTBE)		1634-04-4	10*	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
4-Methyl-2-pentanone (MIBK)		108-10-1	NE	1 U	1 U	1 U	1 U	1 U	1 U	2 U	2 U	2 U	
Methylene chloride		75-09-2	5	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	
Styrene		100-42-5	5	1 U	1 U	1 U	1 U	1 U	1 U	0.5 U	0.5 U	0.5 U	
1,1,2,2-Tetrachloroethane		79-34-5	5	1 U	1 U	1 U	1 U	1 U	1 U	0.5 U	0.5 U	0.5 U	
Tetrachloroethene (PCE)		127-18-4	5	0.5 U	0.5 U	1.49	8.14	5.59	0.5 U	0.5 U	0.5 U	0.5 U	
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)		76-13-1	5	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	
1,2,4-Trichlorobenzene		120-82-1	5	1 U	1 U	1 U	1 U	1 U	1 U	0.5 U	0.5 U	0.5 U	
1,1,1-Trichloroethane (TCA)		71-55-6	5	0.5 U	0.5 U	0.5 U	0.606	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
1,1,2-Trichloroethane		79-00-5	1	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	

Table 1. GPEC Loading Platform Area Investigation
Groundwater Analysis Results
National Grid
Brooklyn, New York

				Sample Name Sample Date Parent Sample	GPEC-MW403 3/24/2017	GPEC-MW404 3/28/2017	GPEC-MW405 3/28/2017	GPEC-MW406 3/27/2017	GPEC-MW407 3/27/2017	GPEC-MW408 3/27/2017	GPEC-MW409 3/24/2017	GPEC-MW-XX-032417 3/24/2017 GPEC-MW409	GPEC-MW409 FILT 3/24/2017
Analyte	units	CAS No.	NYS AWQS										
Trichloroethene (TCE)		79-01-6	5		0.5 U	0.692	1.21	1.42	1.57	0.5 U	0.5 U	0.5 U	
Trichlorofluoromethane (Freon 11)		75-69-4	5		1 U	1 U	1 U	1 U	1 U	1 U	0.5 U	0.5 U	
1,2,3-Trichloropropane		96-18-4	0.04		0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
Vinyl acetate		108-05-4	NE		1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	
Vinyl chloride		75-01-4	2		1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	
NYSDEC PAH17	µg/L												
Acenaphthene		83-32-9	20*		0.224 J	0.89 J	28.4	2.51	37.5	1.78	0.946 J	0.924 J	
Acenaphthylene		208-96-8	NE		1 U	0.349 J	21.1	0.39 J	6.8	1 U	1 U	1 U	
Anthracene		120-12-7	50*		1 U	0.675 J	4.58	0.622 J	4.39	0.245 J	0.286 J	0.247 J	
Benzo(a)anthracene		56-55-3	0.002*		1 U	1 U	0.296 J	1 U	1 U	1 U	0.274 J	1 U	
Benzo(b)fluoranthene		205-99-2	0.002*		1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	
Benzo(k)fluoranthene		207-08-9	0.002*		1 U	1 U	1 U	1 U	1 U	1 U	1 UJ	1 UJ	
Benzo(g,h,i)perylene		191-24-2	NE		1 U	1 U	1 U	1 U	1 U	1 U	1 UJ	1 UJ	
Benzo(a)pyrene		50-32-8	ND		1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	
Chrysene		218-01-9	0.002*		1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	
Dibenz(a,h)anthracene		53-70-3	NE		1 U	1 U	1 U	1 U	1 U	1 U	1 UJ	1 UJ	
Fluoranthene		206-44-0	50*		1 U	0.58 J	1.87	0.916 J	1.38	0.227 J	0.247 J	0.29 J	
Fluorene		86-73-7	50*		1 U	0.649 J	2.28	2.2	23.7	0.389 J	0.504 J	0.462 J	
Indeno(1,2,3-cd)pyrene		193-39-5	0.002*		1 U	1 U	1 U	1 U	1 U	1 U	1 UJ	1 UJ	
2-Methylnaphthalene		91-57-6	NE		1 U	0.198 J	3.17	0.826 J	18.4	0.967 J	1 U	1 U	
Naphthalene		91-20-3	10*		1 U	0.533 J	6.52	1.34	627 D	1.96	0.284 J	0.282 J	
Phenanthrene		85-01-8	50*		0.229 J	0.857 J	21.6	1.85	24.1	0.91 J	1.12	0.562 J	
Pyrene		129-00-0	50*		1 U	1.15	2.66	1.53	2.01	0.411 J	0.396 J	0.423 J	
Total PAH (17) (ND=0)		TPAH17_ND0	NE		0.453	5.881	92.48	12.18	745.3	6.889	4.057	3.19	
NYSDEC PAH17 Other SVOCs	µg/L												
Aniline		62-53-3	5		1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	
Benzidine		92-87-5	5		1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	
Benzoic acid		65-85-0	NE		1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	
Benzyl alcohol		100-51-6	NE		1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	
Bis(2-chloroethoxy)methane		111-91-1	5		1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	
Bis(2-chloroethyl)ether		111-44-4	1		1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	
2,2-oxybis(1-Chloropropane)		108-60-1	5		1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	
Bis(2-ethylhexyl)phthalate		117-81-7	5		1 U	0.463 J	1.08	1 U	1 U	0.616 J	1 U	1 U	
4-Bromophenyl phenyl ether		101-55-3	NE		1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	
Butyl benzyl phthalate		85-68-7	50*		1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	
Carbazole		86-74-8	NE		1 U	1 U	1 U	1 U	1.99	1 U	1 U	1 U	
4-Chloro-3-methylphenol		59-50-7	NE		1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	
4-Chloroaniline		106-47-8	5		1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	
2-Chloronaphthalene		91-58-7	10*		1 U	1 U	0.165 J	0.211 J	1.54	1 U	1 U	1 U	
2-Chlorophenol		95-57-8	NE		1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	
4-Chlorophenyl phenyl ether		7005-72-3	NE		1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	
Dibenzofuran		132-64-9	NE		1 U	1 U	1.69	0.222 J	3.77	1 U	1 U	1 U	
1,2-Dichlorobenzene		95-50-1	3		1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	
1,3-Dichlorobenzene		541-73-1	3		1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	

Table 1. GPEC Loading Platform Area Investigation
Groundwater Analysis Results
National Grid
Brooklyn, New York

				Sample Name Sample Date Parent Sample	GPEC-MW403 3/24/2017	GPEC-MW404 3/28/2017	GPEC-MW405 3/28/2017	GPEC-MW406 3/27/2017	GPEC-MW407 3/27/2017	GPEC-MW408 3/27/2017	GPEC-MW409 3/24/2017	GPEC-MW-XX-032417 3/24/2017 GPEC-MW409	GPEC-MW409 FILT 3/24/2017
Analyte	units	CAS No.	NYS AWQS										
1,4-Dichlorobenzene		106-46-7	3	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	
3,3-Dichlorobenzidine		91-94-1	5	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	
2,4-Dichlorophenol		120-83-2	5	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	
Diethyl phthalate		84-66-2	50*	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	
Dimethyl phthalate		131-11-3	50*	1 U	1 U	0.159 J	1 U	1 U	1 U	1 U	1 U	1 U	
2,4-Dimethylphenol		105-67-9	50*	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	
Di-n-butyl phthalate		84-74-2	50	1 U	1 U	1 U	1 U	0.865 J	1 U	0.49 J	0.373 J		
4,6-Dinitro-2-methylphenol		534-52-1	NE	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	
2,4-Dinitrophenol		51-28-5	10*	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	
2,4-Dinitrotoluene		121-14-2	5	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	
2,6-Dinitrotoluene		606-20-2	5	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	
Di-n-octyl phthalate		117-84-0	50*	1 U	1 U	0.319 J	1 U	1 U	1 U	1 U	1 U	1 U	
1,2-Diphenylhydrazine		122-66-7	0	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	
Hexachlorobenzene		118-74-1	0.04	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	
1,3-Hexachlorobutadiene (C-46)		87-68-3	0.5	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	
Hexachlorocyclopentadiene		77-47-4	5	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	
Hexachloroethane		67-72-1	5	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	
Isophorone		78-59-1	50*	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	
2-Methylphenol (o-Cresol)		95-48-7	1	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	
4-Methylphenol (p-Cresol)		106-44-5	1	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	
2-Nitroaniline		88-74-4	5	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	
3-Nitroaniline		99-09-2	5	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	
4-Nitroaniline		100-01-6	5	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	
Nitrobenzene		98-95-3	0.4	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	
2-Nitrophenol		88-75-5	NE	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	
4-Nitrophenol		100-02-7	NE	1 U	1 U	1 U	1 U	1.13	1 U	1 U	1 U	1 U	
N-Nitrosodimethylamine (NDMA)		62-75-9	NE	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	
N-Nitrosodiphenylamine (NDFA)		86-30-6	50*	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	
N-Nitrosodi-n-propylamine (NDPA)		621-64-7	NE	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	
Pentachlorophenol		87-86-5	1	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	
Phenol		108-95-2	1	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	
Pyridine		110-86-1	50*	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	
1,2,4-Trichlorobenzene		120-82-1	5	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	
2,4,5-Trichlorophenol		95-95-4	NE	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	
2,4,6-Trichlorophenol		88-06-2	NE	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	
PCB Aroclors	µg/L												
Aroclor 1016		12674-11-2	NE	0.05 U	0.05 U	0.05 U	0.05 U	0.05 U	0.05 U	0.05 U	0.05 UJ	0.05 UJ	
Aroclor 1221		11104-28-2	NE	0.05 U	0.05 U	0.05 U	0.05 U	0.05 U	0.05 U	0.05 U	0.05 UJ	0.05 UJ	
Aroclor 1232		11141-16-5	NE	0.05 U	0.05 U	0.05 U	0.05 U	0.05 U	0.05 U	0.05 U	0.05 UJ	0.05 UJ	
Aroclor 1242		53469-21-9	NE	0.05 U	0.05 U	0.05 U	0.05 U	0.05 U	0.05 U	0.05 U	0.05 UJ	0.05 UJ	
Aroclor 1248		12672-29-6	NE	0.05 U	0.05 U	0.05 U	0.05 U	0.05 U	0.05 U	0.05 U	0.05 UJ	0.05 UJ	
Aroclor 1254		11097-69-1	NE	0.05 U	0.05 U	0.05 U	0.05 U	0.05 U	0.05 U	0.05 U	0.05 UJ	0.05 UJ	
Aroclor 1260		11096-82-5	NE	0.05 U	0.05 U	0.05 U	0.05 U	0.05 U	0.05 U	0.05 U	0.05 UJ	0.05 UJ	
Aroclor 1262		37324-23-5	NE	0.05 U	0.05 U	0.05 U	0.05 U	0.05 U	0.05 U	0.05 U	0.05 UJ	0.05 UJ	

Table 1. GPEC Loading Platform Area Investigation
Groundwater Analysis Results
National Grid
Brooklyn, New York

				Sample Name Sample Date Parent Sample	GPEC-MW403 3/24/2017	GPEC-MW404 3/28/2017	GPEC-MW405 3/28/2017	GPEC-MW406 3/27/2017	GPEC-MW407 3/27/2017	GPEC-MW408 3/27/2017	GPEC-MW409 3/24/2017	GPEC-MW-XX-032417 3/24/2017 GPEC-MW409	GPEC-MW409 FILT 3/24/2017
Analyte	units	CAS No.	NYS AWQS										
Aroclor 1268		11100-14-4	NE		0.05 U	0.05 U	0.05 U	0.05 U	0.05 U	0.05 U	0.05 UJ	0.05 UJ	
Total PCBs (Lab calculated)		1336-36-3	0.09		0.05 U	0.05 U	0.05 U	0.05 U	0.05 U	0.05 U	0.05 UJ	0.05 UJ	
Total Metals	µg/L												
Aluminum		7429-90-5	NE		78.6	103	151	72.1	138	19.3 J	17.2	17.5	
Antimony		7440-36-0	3		2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	
Arsenic		7440-38-2	25		2 U	1.33 J	2 U	3.87	2.5	8.71	6.67	7.2	
Barium		7440-39-3	1000		40	107	65.5	51.4	101	20.6	12.5	13.5	
Beryllium		7440-41-7	3*		2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	
Cadmium		7440-43-9	5		2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	
Calcium		7440-70-2	NE		87300	73300	73400	113000	114000	32900	37100	38500	
Chromium		7440-47-3	50		2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	
Cobalt		7440-48-4	NE		2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	
Copper		7440-50-8	200		2.34	7.53	7.48	2.88	7.28	1.92 J	6.49	5.35	
Iron		7439-89-6	300		3620	4540	13700	8550	8660	1280	294	298	16.7 J
Lead		7439-92-1	25		3.87	7.26	5.3	0.787 J	1.25 J	2 U	2 U	2 U	
Magnesium		7439-95-4	35000*		32900	33800	41300	55400	60200	16900	16000	16400	
Manganese		7439-96-5	300		2090	1490	1570	1620	1380	339	263	273	
Mercury		7439-97-6	0.7		0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
Nickel		7440-02-0	100		2 U	2 U	2 U	2 U	24.1	2 U	1.91 J	1.18 J	
Potassium		7440-09-7	NE		9980	13300	13100	6290	7350	6790	7010	7210	
Selenium		7782-49-2	10		8 U	5.16 J	1.67 J	8 U	8 U	3 J	2.55	2 U	
Silver		7440-22-4	50		2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	
Sodium		7440-23-5	20000		140000	130000	228000	230000	279000	131000	98100	101000	
Thallium		7440-28-0	0.5*		2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	
Vanadium		7440-62-2	NE		2.26	2.32	1.84 J	1.32 J	1.33 J	2 U	2 U	2 U	
Zinc		7440-66-6	2000*		5.1	11.9	8.34	14.1	7.75	3.01	1.42 J	2 U	
Cyanides	µg/L												
Free Cyanide		FREECN	NE		5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	
Total Cyanide		57-12-5	200		20 U	20 U	29	133	20	20 U	20 U	20 U	
Other													
Nitrate as Nitrogen	µg/L	14797-55-8	10000								500 U	500 U	
Sulfate	µg/L	14808-79-8	250000								27600 J	45400 J	

Table 1. GPEC Loading Platform Area Investigation
Groundwater Analysis Results
National Grid
Brooklyn, New York

				Sample Name	GPEC-MW-XX-032417 FILT	GPEC-MW410
				Sample Date	3/24/2017	3/27/2017
				Parent Sample	GPEC-MW409 FILT	
Analyte	units	CAS No.	NYS AWQS			
BTEX	µg/L					
Benzene		71-43-2	1			2.62
Toluene		108-88-3	5			0.5 U
Ethylbenzene		100-41-4	5			1.86
Total Xylene		1330-20-7	5			4.1
Total BTEX (ND=0)		TBTEX_ND0	NE			8.58
Other VOCs	µg/L					
Acetone		67-64-1	50*			2 U
Acrolein (propenal)		107-02-8	5			20 U
Acrylonitrile		107-13-1	5			10 U
Bromodichloromethane		75-27-4	50*			0.5 U
Bromoform		75-25-2	50*			0.5 U
Bromomethane		74-83-9	5			1 U
t-Butyl alcohol (Tertiary Butyl Alcohol)		75-65-0	NE			2 U
Carbon disulfide		75-15-0	60*			1 U
Carbon tetrachloride		56-23-5	5			0.5 U
Chlorobenzene		108-90-7	5			0.5 U
Chloroethane		75-00-3	5			1 U
2-Chloroethyl vinyl ether		110-75-8	NE			1 U
Chloroform (Trichloromethane)		67-66-3	7			0.5 U
Chloromethane		74-87-3	5			0.5 U
Dibromochloromethane		124-48-1	50*			1 U
Dichlorodifluoromethane (Freon 12)		75-71-8	5			1 U
1,1-Dichloroethane		75-34-3	5			0.5 U
1,2-Dichloroethane		107-06-2	0.6			0.5 U
1,1-Dichloroethene		75-35-4	5			0.5 U
cis-1,2-Dichloroethene		156-59-2	5			0.5 U
trans-1,2-Dichloroethene		156-60-5	5			0.5 U
1,2-Dichloropropane		78-87-5	1			0.5 U
cis-1,3-Dichloropropene		10061-01-5	0.4			0.5 U
trans-1,3-Dichloropropene		10061-02-6	0.4			0.5 U
Diisopropyl ether (DIPE)		108-20-3	NE			0.5 U
2-Hexanone		591-78-6	50*			1 U
Methyl ethyl ketone (2-Butanone)		78-93-3	50*			2 U
Methyl tert-butyl ether (MTBE)		1634-04-4	10*			0.5 U
4-Methyl-2-pentanone (MIBK)		108-10-1	NE			1 U
Methylene chloride		75-09-2	5			1 U
Styrene		100-42-5	5			1 U
1,1,2,2-Tetrachloroethane		79-34-5	5			1 U
Tetrachloroethene (PCE)		127-18-4	5			0.5 U
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)		76-13-1	5			1 U
1,2,4-Trichlorobenzene		120-82-1	5			1 U
1,1,1-Trichloroethane (TCA)		71-55-6	5			0.5 U
1,1,2-Trichloroethane		79-00-5	1			1 U

Table 1. GPEC Loading Platform Area Investigation
Groundwater Analysis Results
National Grid
Brooklyn, New York

				Sample Name	GPEC-MW-XX-032417 FILT	GPEC-MW410
				Sample Date	3/24/2017	3/27/2017
				Parent Sample	GPEC-MW409 FILT	
Analyte	units	CAS No.	NYS AWQS			
Trichloroethene (TCE)		79-01-6	5			0.5 U
Trichlorofluoromethane (Freon 11)		75-69-4	5			1 U
1,2,3-Trichloropropane		96-18-4	0.04			0.5 U
Vinyl acetate		108-05-4	NE			1 U
Vinyl chloride		75-01-4	2			1 U
NYSDEC PAH17	µg/L					
Acenaphthene		83-32-9	20*			37.2
Acenaphthylene		208-96-8	NE			1.74
Anthracene		120-12-7	50*			3.41
Benzo(a)anthracene		56-55-3	0.002*			0.528 J
Benzo(b)fluoranthene		205-99-2	0.002*			1 U
Benzo(k)fluoranthene		207-08-9	0.002*			1 U
Benzo(g,h,i)perylene		191-24-2	NE			1 U
Benzo(a)pyrene		50-32-8	ND			1 U
Chrysene		218-01-9	0.002*			0.334 J
Dibenz(a,h)anthracene		53-70-3	NE			1 U
Fluoranthene		206-44-0	50*			2.11
Fluorene		86-73-7	50*			2.26
Indeno(1,2,3-cd)pyrene		193-39-5	0.002*			1 U
2-Methylnaphthalene		91-57-6	NE			2.76
Naphthalene		91-20-3	10*			16.8
Phenanthrene		85-01-8	50*			10.7
Pyrene		129-00-0	50*			3.53
Total PAH (17) (ND=0)		TPAH17_ND0	NE			81.37
NYSDEC PAH17 Other SVOCs	µg/L					
Aniline		62-53-3	5			1 U
Benzidine		92-87-5	5			1 U
Benzoic acid		65-85-0	NE			1 U
Benzyl alcohol		100-51-6	NE			1 U
Bis(2-chloroethoxy)methane		111-91-1	5			1 U
Bis(2-chloroethyl)ether		111-44-4	1			1 U
2,2-oxybis(1-Chloropropane)		108-60-1	5			1 U
Bis(2-ethylhexyl)phthalate		117-81-7	5			1 U
4-Bromophenyl phenyl ether		101-55-3	NE			1 U
Butyl benzyl phthalate		85-68-7	50*			1 U
Carbazole		86-74-8	NE			0.617 J
4-Chloro-3-methylphenol		59-50-7	NE			1 U
4-Chloroaniline		106-47-8	5			1 U
2-Chloronaphthalene		91-58-7	10*			3.33
2-Chlorophenol		95-57-8	NE			1 U
4-Chlorophenyl phenyl ether		7005-72-3	NE			1 U
Dibenzofuran		132-64-9	NE			0.649 J
1,2-Dichlorobenzene		95-50-1	3			1 U
1,3-Dichlorobenzene		541-73-1	3			1 U

Table 1. GPEC Loading Platform Area Investigation
Groundwater Analysis Results
National Grid
Brooklyn, New York

				Sample Name	GPEC-MW-XX-032417 FILT	GPEC-MW410
				Sample Date	3/24/2017	3/27/2017
				Parent Sample	GPEC-MW409 FILT	
Analyte	units	CAS No.	NYS AWQS			
1,4-Dichlorobenzene		106-46-7	3			1 U
3,3-Dichlorobenzidine		91-94-1	5			1 U
2,4-Dichlorophenol		120-83-2	5			1 U
Diethyl phthalate		84-66-2	50*			1 U
Dimethyl phthalate		131-11-3	50*			1 U
2,4-Dimethylphenol		105-67-9	50*			1 U
Di-n-butyl phthalate		84-74-2	50			0.203 J
4,6-Dinitro-2-methylphenol		534-52-1	NE			1 U
2,4-Dinitrophenol		51-28-5	10*			1 U
2,4-Dinitrotoluene		121-14-2	5			1 U
2,6-Dinitrotoluene		606-20-2	5			2.73
Di-n-octyl phthalate		117-84-0	50*			1 U
1,2-Diphenylhydrazine		122-66-7	0			1 U
Hexachlorobenzene		118-74-1	0.04			1 U
1,3-Hexachlorobutadiene (C-46)		87-68-3	0.5			1 U
Hexachlorocyclopentadiene		77-47-4	5			1 U
Hexachloroethane		67-72-1	5			1 U
Isophorone		78-59-1	50*			1 U
2-Methylphenol (o-Cresol)		95-48-7	1			1 U
4-Methylphenol (p-Cresol)		106-44-5	1			1 U
2-Nitroaniline		88-74-4	5			1 U
3-Nitroaniline		99-09-2	5			1 U
4-Nitroaniline		100-01-6	5			1 U
Nitrobenzene		98-95-3	0.4			0.43 J
2-Nitrophenol		88-75-5	NE			1 U
4-Nitrophenol		100-02-7	NE			1 U
N-Nitrosodimethylamine (NDMA)		62-75-9	NE			1 U
N-Nitrosodiphenylamine (NDFA)		86-30-6	50*			1 U
N-Nitrosodi-n-propylamine (NDPA)		621-64-7	NE			1 U
Pentachlorophenol		87-86-5	1			1 U
Phenol		108-95-2	1			1 U
Pyridine		110-86-1	50*			1 U
1,2,4-Trichlorobenzene		120-82-1	5			1 U
2,4,5-Trichlorophenol		95-95-4	NE			1 U
2,4,6-Trichlorophenol		88-06-2	NE			1 U
PCB Aroclors	µg/L					
Aroclor 1016		12674-11-2	NE			0.05 U
Aroclor 1221		11104-28-2	NE			0.05 U
Aroclor 1232		11141-16-5	NE			0.05 U
Aroclor 1242		53469-21-9	NE			0.05 U
Aroclor 1248		12672-29-6	NE			0.05 U
Aroclor 1254		11097-69-1	NE			0.05 U
Aroclor 1260		11096-82-5	NE			0.05 U
Aroclor 1262		37324-23-5	NE			0.05 U

Table 1. GPEC Loading Platform Area Investigation
Groundwater Analysis Results
National Grid
Brooklyn, New York

				Sample Name	GPEC-MW-XX-032417 FILT	GPEC-MW410
				Sample Date	3/24/2017	3/27/2017
				Parent Sample	GPEC-MW409 FILT	
Analyte	units	CAS No.	NYS AWQS			
Aroclor 1268		11100-14-4	NE			0.05 U
Total PCBs (Lab calculated)		1336-36-3	0.09			0.05 U
Total Metals	µg/L					
Aluminum		7429-90-5	NE			146
Antimony		7440-36-0	3			2 U
Arsenic		7440-38-2	25			1.8 J
Barium		7440-39-3	1000			260
Beryllium		7440-41-7	3*			2 U
Cadmium		7440-43-9	5			2 U
Calcium		7440-70-2	NE			153000
Chromium		7440-47-3	50			2 U
Cobalt		7440-48-4	NE			2 U
Copper		7440-50-8	200			6.78
Iron		7439-89-6	300	31.8		1450
Lead		7439-92-1	25			2.97
Magnesium		7439-95-4	35000*			367000
Manganese		7439-96-5	300			393
Mercury		7439-97-6	0.7			0.5 U
Nickel		7440-02-0	100			2 U
Potassium		7440-09-7	NE			109000
Selenium		7782-49-2	10			8 U
Silver		7440-22-4	50			2 U
Sodium		7440-23-5	20000			3190000 D
Thallium		7440-28-0	0.5*			2 U
Vanadium		7440-62-2	NE			3.55
Zinc		7440-66-6	2000*			5.62
Cyanides	µg/L					
Free Cyanide		FREECN	NE			5 U
Total Cyanide		57-12-5	200			20 U
Other						
Nitrate as Nitrogen	µg/L	14797-55-8	10000			
Sulfate	µg/L	14808-79-8	250000			

Table 1. GPEC Loading Platform Area Investigation
Groundwater Analysis Results
National Grid
Brooklyn, New York

Notes:

Analytes in blue are not detected in any sample

µg/L= micrograms per liter or parts per billion (ppb)

BTEX = Benzene, Toluene, Ethylbenzene, and Xylenes

PAH = Polycyclic Aromatic Hydrocarbon

PCB = Polychlorinated Biphenyl

SVOC = Semi-Volatile Organic Compound

VOC = Volatile Organic Compound

Total BTEX, Total VOCs, Total PAHs, Total SVOCs, and Total PCBs are calculated using detects only.

Total PAH16 is calculated using the EPA16 list of analytes: Acenaphthene, Acenaphthylene, Anthracene, Benz[a]anthracene, Benzo[a]pyrene, Benzo[b]fluoranthene, Benzo[g,h,i]perylene, Benzo[k]fluoranthene, Chrysene, Dibenzo[a,h]anthracene, Fluoranthene, Fluorene, Indeno[1,2,3-cd]pyrene, Naphthalene, Phenanthrene, and Pyrene
Total PAH17 is calculated using the EPA16 list of analytes plus 2-Methylnaphthalene

NYS AWQS = New York State Ambient Water Quality Standards and Guidance Values for GA groundwater
* indicates the value is a guidance value and not a standard


CAS No. = Chemical Abstracts Service Number
ND = Not Detected
NE = Not Established
NYSDEC = New York State Department of Environmental Conservation



Bolding indicates a detected result concentration
Shading and bolding indicates that the detected concentration is above the NYSDOH guidance it was compared to
Gray shading and bolding indicates that the detected result value exceeds the NYS AWQS

Data Qualifiers:


D = The result is for a diluted sample.
J = The result is an estimated value.
R = The result is rejected.
U = The result was not detected above the reporting limit.
UJ = The results was not detected at or above the reporting limit shown and the reporting limit is estimated.

Figures





PROFILE LOCATION MAP



- LEGEND**
- BORING NUMBER
 - ELEVATION OF GROUND SURFACE AND OFFSET OF BORING FROM PROFILE LINE
 - EXISTING GROUND SURFACE
 - GROUNDWATER ELEVATION (FT)
 - INTERPRETIVE STRATUM BOUNDARY
 - GROUNDWATER LEVEL MEASURED AT COMPLETION OF DRILLING
 - GROUNDWATER LEVEL MEASURED IN MONITORING WELL
 - SCREENED SECTION OF OBSERVATION WELL

- LITHOLOGY**
- ASPHALT
 - FILL
 - OH, MODERATE TO HIGHLY PLASTIC ORGANIC SILTS AND CLAYS
 - CH, FAT CLAY
 - MH, ELASTIC SILT
 - OL, LOW PLASTICITY ORGANIC SILTS AND CLAYS
 - CL, LEAN CLAY OR SANDY LEAN CLAY
 - ML, SILT OR SANDY SILT
 - SC, CLAYEY SAND
 - SM, SILTY SAND, SILTY SAND WITH GRAVEL
 - SP, POORLY GRADED SAND, POORLY GRADED SAND WITH GRAVEL
 - SW, WELL GRADED SAND, WELL GRADED SAND WITH GRAVEL
 - GC, CLAYEY GRAVEL
 - GM, SILTY GRAVEL, SILTY GRAVEL WITH SAND
 - GP, POORLY GRADED GRAVEL, POORLY GRADED GRAVEL WITH SAND
 - GW, WELL GRADED GRAVEL, WELL GRADED GRAVEL WITH SAND
 - BOULDERS AND COBBLES
 - CREEK SEDIMENT
 - PEAT/MEADOW MAT

- STRATIGRAPHY**
- FILL
 - SEDIMENTS
 - ORGANIC CLAY
 - CLAY/SILT
 - SILT
 - SAND WITH SILT AND GRAVEL
 - SAND
 - WATER
 - PEAT/MEADOW MAT
- PHYSICAL OBSERVATIONS**
- NAPL SATURATED
 - NAPL COATED MATERIAL
 - SOLID NAPL
 - NAPL BLEBS, GLOBS, SHEEN
 - STAINING, ODOR
 - INDUSTRIAL IMPACTS - (PETROLEUM OR OTHER UNNATURAL) SATURATION & SHEENS
 - INDUSTRIAL IMPACTS - (PETROLEUM OR OTHER UNNATURAL) STAINING & ODORS
 - WOOD CHIPS/BLUE DISCOLORATION/SULFER-LIKE ODOR
 - NO OBSERVED IMPACTS

NOTE: SEVERAL BORINGS SHIFTED SLIGHTLY FROM SURVEYED LOCATION FOR VISIBILITY.


Loading Platform Area Investigation
Remedial Investigation Areas 1 and 2
Greenpoint Energy Center Former Manufactured Gas Plant Site
Brooklyn, New York

Project 125180

SUBSURFACE PROFILE A

September 2017

Fig. 2



LEGEND

BORING NUMBER

ELEVATION OF GROUND SURFACE AND
OFFSET OF BORING FROM PROFILE LINE

EXISTING GROUND SURFACE

GROUNDWATER ELEVATION (FT)

INTERPRETIVE STRATUM BOUNDARY

GROUNDWATER LEVEL MEASURED AT
COMPLETION OF DRILLING

GROUNDWATER LEVEL MEASURED IN
MONITORING WELL

SCREENED SECTION OF OBSERVATION WELL

- ASPHALT
- FILL
- OH, MODERATE TO HIGHLY PLASTIC
ORGANIC SILTS AND CLAYS
- CH, FAT CLAY
- MH, ELASTIC SILT
- OL, LOW PLASTICITY ORGANIC SILTS
AND CLAYS
- CL, LEAN CLAY OR SANDY LEAN CLAY
- ML, SILT OR SANDY SILT
- SC, CLAYEY SAND

LITHOLOGY


- SM, SILTY SAND, SILTY SAND WITH
GRAVEL
- SP, POORLY GRADED SAND, POORLY
GRADED SAND WITH GRAVEL
- SW, WELL GRADED SAND, WELL
GRADED SAND WITH GRAVEL
- GC, CLAYEY GRAVEL
- GM, SILTY GRAVEL, SILTY GRAVEL
WITH SAND
- GP, POORLY GRADED GRAVEL,
POORLY GRADED GRAVEL WITH SAND
- GW, WELL GRADED GRAVEL, WELL
GRADED GRAVEL WITH SAND
- BOULDERS AND COBBLES
- CREEK SEDIMENT
- PEAT/MEADOW MAT

STRATIGRAPHY




- FILL
- SEDIMENTS
- ORGANIC CLAY
- CLAY/SILT
- SILT
- SAND WITH SILT AND GRAVEL
- SAND
- WATER
- PEAT/MEADOW MAT

PHYSICAL OBSERVATIONS

- NAPL SATURATED
- NAPL COATED MATERIAL
- SOLID NAPL
- NAPL BLEBS, GLOBS, SHEEN
- STAINING, ODOR
- INDUSTRIAL IMPACTS - (PETROLEUM OR
OTHER UNNATURAL) SATURATION & SHEENS
- INDUSTRIAL IMPACTS - (PETROLEUM OR
OTHER UNNATURAL) STAINING & ODORS
- WOOD CHIPS/BLUE
DISCOLORATION/SULFUR-LIKE ODOR
- NO OBSERVED IMPACTS



PROFILE LOCATION MAP



Loading Platform Area Investigation
Remedial Investigation Areas 1 and 2
Greenpoint Energy Center Former Manufactured Gas Plant Site
Brooklyn, New York

nationalgrid

GEI Consultants

Project 125180

September 2017

SUBSURFACE PROFILE B

Fig. 3

Attachment 1



GEI Consultants, Inc. P.C.
455 Winding Brook Drive
Suite 201
Glastonbury, CT 06033
(860) 368-5300

CLIENT: National Grid - Greenpoint
PROJECT: Ph. 2/3 RI Additional Investigations
CITY/STATE: Brooklyn, New York
GEI PROJECT NUMBER: 125180

BORING LOG

PAGE
1 of 2

GPEC-MW403

GROUND SURFACE ELEVATION (FT): 7.91 LOCATION: Area 1
NORTHING (FT): 687736 EASTING (FT): 651255 TOTAL DEPTH (FT): 50.0
DRILLED BY: Cascade Drilling / Jon Weeks DATUM VERT. / HORZ.: NAVD 88 / NAD83 NY East Zone
LOGGED BY: G. Holmes DATE START / END: 2/28/2017 - 2/28/2017
DRILLING DETAILS: Sonic Coring / TerraSonic TSI 150CC
WATER LEVEL DEPTHS (FT):
GENERAL NOTE: 0-8 FT BGS vacuum / hand cleared prior to boring advancement.

ELEV. FT.	DEPTH FT.	SAMPLE INFO			STRATA	VISUAL IMPACTS	ODOR	SOIL / BEDROCK DESCRIPTION
		TYPE and NO.	PEN/REC FT./FT.	PID (PPM)				
	0	S1	5/0.9	0.0				(0'- 5') WIDELY GRADED SAND WITH GRAVEL (SW); ~75% sand, fine to coarse, ~20% gravel, fine to coarse, angular to subangular, ~5% fines, non plastic; max. gravel size 2", dry, brown, red brick fragments, wood fragments, FILL, loose.
	5							
	5	S2	5/1.3	0.0				(5'- 10') WIDELY GRADED SAND WITH GRAVEL (SW); ~75% sand, fine to coarse, ~20% gravel, fine to coarse, angular to subangular, ~5% fines, non plastic; max. gravel size 2", dry, brown, red brick fragments, wood fragments, FILL, loose, wet at sample bottom.
	0							
	10	S3	10/6	0.0				(10'- 20') SILTY SAND WITH GRAVEL (SM); ~50% sand, fine to coarse, ~35% fines, low plasticity, ~15% gravel, fine to coarse, angular to subrounded; max. gravel size 3", slight organic-like odor, wet, brown to black, wood fragments, FILL, moderately loose.
	-5							
	15						OLO	
	-10							
	20	S4	4/4	0.0				(20'- 24') WIDELY GRADED SAND WITH GRAVEL (SW); ~60% sand, medium to coarse, ~40% gravel, fine to coarse, angular to subrounded; max. gravel size 3.5", wet, black, cobbles >4.5", red brick fragments, wood fragments, FILL, loose.
	-15							

NOTES:

PEN = PENETRATION LENGTH OF SAMPLER OR CORE BARREL
REC = RECOVERY LENGTH OF SAMPLE
PID = PHOTOIONIZATION DETECTOR READING (PPM)
JHS = JAR HEADSPACE PID READING (PPM)

NA = NOT APPLICABLE Q_p = POCKET PENETROMETER
NM = NOT MEASURED S_v = TORVANE PEAK

ppm = PARTS PER MILLION
IN. = INCHES
FT. = FEET

NLO = NAPHTHALENE LIKE ODOR
PLO = PETROLEUM LIKE ODOR
TLO = TAR LIKE ODOR
CLO = CHEMICAL LIKE ODOR
ALO = ASPHALT LIKE ODOR

CrLO = CREOSOTE LIKE ODOR
OLO = ORGANIC LIKE ODOR
SLO = SULFUR LIKE ODOR
MLO = MUSTY LIKE ODOR

ENVIRONMENTAL BORING LOG - JANUARY 2017 GREENPOINT BORINGS LCM.GPJ GEI TEMPLATE 11-7-13 GDT 8/10/17



GEI Consultants, Inc. P.C.
455 Winding Brook Drive
Suite 201
Glastonbury, CT 06033
(860) 368-5300

CLIENT: National Grid - Greenpoint
PROJECT: Ph. 2/3 RI Additional Investigations
CITY/STATE: Brooklyn, New York
GEI PROJECT NUMBER: 125180

BORING LOG

PAGE
1 of 3

GPEC-MW404

GROUND SURFACE ELEVATION (FT): 8.49 LOCATION: Area 1
NORTHING (FT): 687857 EASTING (FT): 651232 TOTAL DEPTH (FT): 55.0
DRILLED BY: Cascade Drilling / Jon Weeks DATUM VERT. / HORZ.: NAVD 88 / NAD83 NY East Zone
LOGGED BY: G. Holmes DATE START / END: 2/27/2017 - 2/27/2017
DRILLING DETAILS: Sonic Coring / TerraSonic TSI 150CC
WATER LEVEL DEPTHS (FT):
GENERAL NOTE: 0-8 FT BGS vacuum / hand cleared prior to boring advancement.

ELEV. FT.	DEPTH FT.	SAMPLE INFO			STRATA	VISUAL IMPACTS	ODOR	SOIL / BEDROCK DESCRIPTION
		TYPE and NO.	PEN/REC FT./FT.	PID (PPM)				
	0	S1	5/1.1	0.0				(0'- 5') WIDELY GRADED SAND WITH SILT AND GRAVEL (SW-SM); ~70% sand, fine to coarse, ~15% gravel, fine to coarse, angular to subrounded, ~15% fines, non plastic; max. gravel size 2.5", moist, dark brown, red brick fragments, FILL, loose.
	5							
	5	S2	5/1.1	0.0				(5'- 10') WIDELY GRADED SAND WITH SILT AND GRAVEL (SW-SM); ~70% sand, fine to coarse, ~15% gravel, fine to coarse, angular to subrounded, ~15% fines, non plastic; max. gravel size 2.5", wet, dark brown, red brick fragments, FILL, loose.
	10							
	10	S3	5/3.1	0.0				(10'- 15') WIDELY GRADED SAND WITH GRAVEL (SW); ~80% sand, fine to coarse, ~15% gravel, fine to coarse, subangular to subrounded, ~5% fines, non plastic; max. gravel size 2", moderate organic-like odor, dark brown to gray, red brick fragments, cobbles >4.5", FILL, loose.
	15						OLO	
	15	S4	5/1.4	0.0				(15'- 20') WIDELY GRADED SAND WITH GRAVEL (SW); ~80% sand, fine to coarse, ~15% gravel, fine to coarse, subangular to subrounded, ~5% fines, non plastic; max. gravel size 2", moderate organic-like odor, dark brown to gray, red brick fragments, cobbles >4.5", FILL, loose.
	20						OLO	
	20	S5	10/5.6	0.0				(20'- 26.3') WIDELY GRADED SAND WITH GRAVEL (SW); ~80% sand, fine to coarse, ~15% gravel, fine to coarse, subangular to subrounded, ~5% fines, non plastic; max. gravel size 2", moderate organic-like odor, dark brown to gray, red brick fragments, cobbles >4.5", FILL, loose.
	25							
	30							
	35							
	40							
	45							
	50							
	55							

NOTES:

PEN = PENETRATION LENGTH OF SAMPLER OR CORE BARREL
REC = RECOVERY LENGTH OF SAMPLE
PID = PHOTOIONIZATION DETECTOR READING (PPM)
JHS = JAR HEADSPACE PID READING (PPM)

NA = NOT APPLICABLE Q_p = POCKET PENETROMETER
NM = NOT MEASURED N_v = TORVANE PEAK

ppm = PARTS PER MILLION
IN. = INCHES
FT. = FEET

NLO = NAPHTHALENE LIKE ODOR
PLO = PETROLEUM LIKE ODOR
TLO = TAR LIKE ODOR
CLO = CHEMICAL LIKE ODOR
ALO = ASPHALT LIKE ODOR

CrLO = CREOSOTE LIKE ODOR
OLO = ORGANIC LIKE ODOR
SLO = SULFUR LIKE ODOR
MLO = MUSTY LIKE ODOR

ENVIRONMENTAL BORING LOG - JANUARY 2017 GREENPOINT BORINGS LCM.GPJ GEI TEMPLATE 11-7-13 GDT 8/10/17



GEI Consultants, Inc. P.C.
455 Winding Brook Drive
Suite 201
Glastonbury, CT 06033
(860) 368-5300

CLIENT: **National Grid - Greenpoint**
PROJECT: **Ph. 2/3 RI Additional Investigations**
CITY/STATE: **Brooklyn, New York**
GEI PROJECT NUMBER: **125180**

BORING LOG

PAGE
2 of 3

GPEC-MW404

ELEV. FT.	DEPTH FT.	SAMPLE INFO			STRATA	VISUAL IMPACTS	ODOR	SOIL / BEDROCK DESCRIPTION
		TYPE and NO.	PEN/REC FT./FT.	PID (PPM)				
	25						OLO	(26.3'- 30') SILT WITH SAND AND GRAVEL (ML); ~70% fines, non plastic to low plasticity, ~20% gravel, fine to coarse, subangular to subrounded, ~10% sand, fine; max. gravel size 3", slight organic-like odor, moist, gray, moderately loose.
	-20						OLO	
	30	S6	10/1	0.0				(30'- 40') SILT WITH SAND AND GRAVEL (ML); ~70% fines, non plastic to low plasticity, ~20% gravel, fine to coarse, subangular to subrounded, ~10% sand, fine; max. gravel size 3", slight organic-like odor, moist, gray, moderately loose.
	-25							OLO
	35							
	-30							(40'- 45') NO RECOVERY.
	40	S7	5/0	0.0				
	-35							(45'- 55') WIDELY GRADED SAND WITH GRAVEL (SW); ~85% sand, fine to coarse, ~15% gravel, fine to coarse, subangular to subrounded; max. gravel size 2", wet, gray to brown, loose.
	45	S8	10/6.4	0.0				
	-40							
	50							

NOTES:

PEN = PENETRATION LENGTH OF SAMPLER OR CORE BARREL
REC = RECOVERY LENGTH OF SAMPLE
PID = PHOTOIONIZATION DETECTOR READING (PPM)
JHS = JAR HEADSPACE PID READING (PPM)

NA = NOT APPLICABLE
NM = NOT MEASURED

Q_p = POCKET PENETROMETER
S_v = TORVANE PEAK

ppm = PARTS PER MILLION
IN. = INCHES
FT. = FEET

NLO = NAPHTHALENE LIKE ODOR
PLO = PETROLEUM LIKE ODOR
TLO = TAR LIKE ODOR
CLO = CHEMICAL LIKE ODOR
ALO = ASPHALT LIKE ODOR

CrLO = CREOSOTE LIKE ODOR
OLO = ORGANIC LIKE ODOR
SLO = SULFUR LIKE ODOR
MLO = MUSTY LIKE ODOR

ENVIRONMENTAL BORING LOG - JANUARY 2017 GREENPOINT BORINGS LCM.GPJ GEI TEMPLATE 11-7-13.GDT 8/10/17

 GEI Consultants	 GEI Consultants, Inc. P.C. 455 Winding Brook Drive Suite 201 Glastonbury, CT 06033 (860) 368-5300	CLIENT: National Grid - Greenpoint		BORING LOG GPEC-MW404		
		PROJECT: Ph. 2/3 RI Additional Investigations				PAGE 3 of 3
		CITY/STATE: Brooklyn, New York				
		GEI PROJECT NUMBER: 125180				

ELEV. FT.	DEPTH FT.	SAMPLE INFO			STRATA	VISUAL IMPACTS	ODOR	SOIL / BEDROCK DESCRIPTION
		TYPE and NO.	PEN/REC FT./FT.	PID (PPM)				
	55							

End of Boring at 55 feet.
Monitoring well GPEC-MW404 installed.

NOTES:			
PEN = PENETRATION LENGTH OF SAMPLER OR CORE BARREL	ppm = PARTS PER MILLION	NLO = NAPHTHALENE LIKE ODOR	CrLO= CREOSOTE LIKE ODOR
REC = RECOVERY LENGTH OF SAMPLE	IN. = INCHES	PLO = PETROLEUM LIKE ODOR	OLO = ORGANIC LIKE ODOR
PID = PHOTOIONIZATION DETECTOR READING (PPM)	FT. = FEET	TLO = TAR LIKE ODOR	SLO = SULFUR LIKE ODOR
JHS = JAR HEADSPACE PID READING (PPM)		CLO = CHEMICAL LIKE ODOR	MLO = MUSTY LIKE ODOR
NA = NOT APPLICABLE	Qp = POCKET PENETROMETER	ALO = ASPHALT LIKE ODOR	
NM = NOT MEASURED	Sv = TORVANE PEAK		



GEI Consultants, Inc. P.C.
455 Winding Brook Drive
Suite 201
Glastonbury, CT 06033
(860) 368-5300

CLIENT: National Grid - Greenpoint
PROJECT: Ph. 2/3 RI Additional Investigations
CITY/STATE: Brooklyn, New York
GEI PROJECT NUMBER: 125180

BORING LOG

PAGE
1 of 3

GPEC-MW405

GROUND SURFACE ELEVATION (FT): 8.58 LOCATION: Area 1
NORTHING (FT): 687955 EASTING (FT): 651191 TOTAL DEPTH (FT): 70.0
DRILLED BY: Cascade Drilling / Jon Weeks DATUM VERT. / HORZ.: NAVD 88 / NAD83 NY East Zone
LOGGED BY: G. Holmes DATE START / END: 2/27/2017 - 2/28/2017
DRILLING DETAILS: Sonic Coring / TerraSonic TSI 150CC
WATER LEVEL DEPTHS (FT):
GENERAL NOTE: 0-8 FT BGS vacuum / hand cleared prior to boring advancement.

ELEV. FT.	DEPTH FT.	SAMPLE INFO			STRATA	VISUAL IMPACTS	ODOR	SOIL / BEDROCK DESCRIPTION
		TYPE and NO.	PEN/REC FT./FT.	PID (PPM)				
	0	S1	5/1.2	0.0				(0'- 5') WIDELY GRADED SAND WITH SILT AND GRAVEL (SW-SM); ~60% sand, fine to coarse, ~20% gravel, fine to coarse, subrounded to subangular, ~20% fines, non plastic; max. gravel size 2", dry, brown, red brick fragments, debris, FILL, loose.
	5							
	5	S2	5/2.1	0.0				(5'- 10') WIDELY GRADED SAND WITH SILT AND GRAVEL (SW-SM); ~60% sand, fine to coarse, ~20% gravel, fine to coarse, subrounded to subangular, ~20% fines, non plastic; max. gravel size 2", wet, brown, red brick fragments, debris, FILL, loose.
	10							
	10	S3	5/0					(10'- 15') NO RECOVERY.
	15							
	15	S4	5/1.6	0.0				(15'- 20') WIDELY GRADED SAND WITH SILT AND GRAVEL (SW-SM); ~60% sand, fine to coarse, ~30% gravel, fine to coarse, angular to subrounded, ~10% fines, non plastic; max. gravel size 3", wet, brown, red brick fragments, glass, wood, mica, FILL, loose.
	20							
	20	S5	5/1.5	0.0				(20'- 25') WIDELY GRADED GRAVEL WITH SAND (GW); ~90% gravel, fine to coarse, angular to subrounded, ~10% sand, fine to coarse; max. gravel size 3", wet, gray to brown, red brick fragments, wood, FILL, loose.
	25							

NOTES:

PEN = PENETRATION LENGTH OF SAMPLER OR CORE BARREL
REC = RECOVERY LENGTH OF SAMPLE
PID = PHOTOIONIZATION DETECTOR READING (PPM)
JHS = JAR HEADSPACE PID READING (PPM)

NA = NOT APPLICABLE Q_p = POCKET PENETROMETER
NM = NOT MEASURED S_v = TORVANE PEAK

ppm = PARTS PER MILLION
IN. = INCHES
FT. = FEET

NLO = NAPHTHALENE LIKE ODOR
PLO = PETROLEUM LIKE ODOR
TLO = TAR LIKE ODOR
CLO = CHEMICAL LIKE ODOR
ALO = ASPHALT LIKE ODOR

CrLO = CREOSOTE LIKE ODOR
OLO = ORGANIC LIKE ODOR
SLO = SULFUR LIKE ODOR
MLO = MUSTY LIKE ODOR

ENVIRONMENTAL BORING LOG - JANUARY 2017 GREENPOINT BORINGS LCM.GPJ GEI TEMPLATE 11-7-13.GDT 8/10/17



GEI Consultants, Inc. P.C.
455 Winding Brook Drive
Suite 201
Glastonbury, CT 06033
(860) 368-5300

CLIENT: **National Grid - Greenpoint**
PROJECT: **Ph. 2/3 RI Additional Investigations**
CITY/STATE: **Brooklyn, New York**
GEI PROJECT NUMBER: **125180**

BORING LOG

PAGE
2 of 3

GPEC-MW405

ELEV. FT.	DEPTH FT.	SAMPLE INFO			STRATA	VISUAL IMPACTS	ODOR	SOIL / BEDROCK DESCRIPTION
		TYPE and NO.	PEN/REC FT./FT.	PID (PPM)				
	25	S6	5/2.3	0.0				(25'- 28.1') WIDELY GRADED GRAVEL WITH SAND (GW); ~90% gravel, fine to coarse, angular to subrounded, ~10% sand, fine to coarse; max. gravel size 3", wet, gray to brown, red brick fragments, wood, FILL, loose.
	-20							
	30	S7	10/7.5	0.0			NLO	(28.1'- 30') GRAVELLY SILT (ML); ~60% fines, non plastic to low plasticity, ~30% gravel, fine to coarse, angular to subangular, ~10% sand, fine to medium; max. gravel size 3", slight naphthalene-like odor, brown to gray, sheen.
							NLO	(30'- 30.9') GRAVELLY SILT (ML); ~60% fines, non plastic to low plasticity, ~30% gravel, fine to coarse, angular to subangular, ~10% sand, fine to medium; max. gravel size 3", slight naphthalene-like odor, brown to gray, NAPL blebs and globs.
	-25			4.3			NLO	(30.9'- 35.6') ORGANIC CLAY (OL); ~100% fines, low plasticity; moderate naphthalene-like odor, wet, roots, wood fragments, NAPL blebs and globs in top 8", stained black, tight.
	35			1.5				
							OLO	(35.6'- 38') PEAT (PT); moderate organic-like odor, brown, meadow mat, fibrous, roots.
	-30			0.0			NLO	
	40	S8	10/5.25	0.8				(38'- 38.6') WIDELY GRADED GRAVEL WITH SAND (GW); ~70% gravel, fine to coarse, angular to subangular, ~30% sand, fine to coarse; max. gravel size 3", slight naphthalene-like odor, stained black, sheen.
								(38.6'- 40') LEAN CLAY (CL); ~90% fines, low plasticity, ~10% sand, fine; moist, gray, tight.
	-35			0.6			NLO	(40'- 44') WIDELY GRADED SAND WITH SILT AND GRAVEL (SW-SM); ~70% sand, fine to coarse, ~15% gravel, fine to coarse, angular to subrounded, ~15% fines, low plasticity; max. gravel size 3", moderate naphthalene-like odor, wet, stained black, NAPL blebs and globs, loose.
	45			0.8				(44'- 50') WIDELY GRADED SAND (SW); ~90% sand, fine to coarse, ~10% gravel, fine to coarse, subrounded; max. gravel size 3", slight naphthalene-like odor, wet, light brown to gray, loose.
				0.5			NLO	
	-40			0.0				
	50	S9	10/7.75	13.2				
				8.7			NLO	
				14.6				(50'- 59.2') WIDELY GRADED SAND (SW); ~90% sand, fine to coarse, ~10% gravel, fine to coarse, subrounded; max. gravel size 3", slight naphthalene-like odor, wet, light brown to gray, loose.

NOTES:

PEN = PENETRATION LENGTH OF SAMPLER OR CORE BARREL
REC = RECOVERY LENGTH OF SAMPLE
PID = PHOTOIONIZATION DETECTOR READING (PPM)
JHS = JAR HEADSPACE PID READING (PPM)

NA = NOT APPLICABLE Q_p = POCKET PENETROMETER
NM = NOT MEASURED N_v = TORVANE PEAK

ppm = PARTS PER MILLION
IN. = INCHES
FT. = FEET

NLO = NAPHTHALENE LIKE ODOR
PLO = PETROLEUM LIKE ODOR
TLO = TAR LIKE ODOR
CLO = CHEMICAL LIKE ODOR
ALO = ASPHALT LIKE ODOR

CrLO = CREOSOTE LIKE ODOR
OLO = ORGANIC LIKE ODOR
SLO = SULFUR LIKE ODOR
MLO = MUSTY LIKE ODOR



ENVIRONMENTAL BORING LOG - JANUARY 2017 GREENPOINT BORINGS LCM.GPJ GEI TEMPLATE 11-7-13 GDT 8/10/17



GEI Consultants
 GEI Consultants, Inc. P.C.
 455 Winding Brook Drive
 Suite 201
 Glastonbury, CT 06033
 (860) 368-5300

CLIENT: **National Grid - Greenpoint**
 PROJECT: **Ph. 2/3 RI Additional Investigations**
 CITY/STATE: **Brooklyn, New York**
 GEI PROJECT NUMBER: **125180**

BORING LOG
 PAGE 3 of 3
GPEC-MW405

ELEV. FT.	DEPTH FT.	SAMPLE INFO			STRATA	VISUAL IMPACTS	ODOR	SOIL / BEDROCK DESCRIPTION
		TYPE and NO.	PEN/REC FT./FT.	PID (PPM)				
	55			12.1			NLO	(59.2'- 60') SILTY SAND (SM); ~60% sand, fine to medium, ~40% fines, non plastic to low plasticity; wet, light brown to gray, moderately loose. (60'- 70') SILTY SAND (SM); ~60% sand, fine to medium, ~40% fines, non plastic to low plasticity; wet, light brown to gray, moderately loose.
				6.8				
				4.6				
				3.1				
	-50			3.0				
	60	S10	10/4.9	0.0				
	-55							
	65							
	-60							
	70							

End of Boring at 70 feet.
Monitoring well GPEC-MW405 installed.

NOTES:
 PEN = PENETRATION LENGTH OF SAMPLER OR CORE BARREL
 REC = RECOVERY LENGTH OF SAMPLE
 PID = PHOTOIONIZATION DETECTOR READING (PPM)
 JHS = JAR HEADSPACE PID READING (PPM)
 NA = NOT APPLICABLE
 NM = NOT MEASURED

Q_p = POCKET PENETROMETER
 S_v = TORVANE PEAK
 ppm = PARTS PER MILLION
 IN. = INCHES
 FT. = FEET

NLO = NAPHTHALENE LIKE ODOR
 PLO = PETROLEUM LIKE ODOR
 TLO = TAR LIKE ODOR
 CLO = CHEMICAL LIKE ODOR
 ALO = ASPHALT LIKE ODOR
 CrLO= CREOSOTE LIKE ODOR
 OLO = ORGANIC LIKE ODOR
 SLO = SULFUR LIKE ODOR
 MLO = MUSTY LIKE ODOR

ENVIRONMENTAL BORING LOG - JANUARY 2017 GREENPOINT BORINGS LCM.GPJ GEI TEMPLATE 11-7-13 GDT 8/10/17



GEI Consultants, Inc. P.C.
455 Winding Brook Drive
Suite 201
Glastonbury, CT 06033
(860) 368-5300

CLIENT: National Grid - Greenpoint
PROJECT: Ph. 2/3 RI Additional Investigations
CITY/STATE: Brooklyn, New York
GEI PROJECT NUMBER: 125180

BORING LOG

PAGE
1 of 3

GPEC-MW406

GROUND SURFACE ELEVATION (FT): 7.44 LOCATION: Area 2
NORTHING (FT): 688048 EASTING (FT): 651161 TOTAL DEPTH (FT): 70.0
DRILLED BY: Cascade Drilling / Jon Weeks DATUM VERT. / HORZ.: NAVD 88 / NAD83 NY East Zone
LOGGED BY: D. Sharpe DATE START / END: 3/2/2017 - 3/3/2017
DRILLING DETAILS: Sonic Coring / TerraSonic TSI 150CC
WATER LEVEL DEPTHS (FT):
GENERAL NOTE: 0-8 FT BGS vacuum / hand cleared prior to boring advancement.

ELEV. FT.	DEPTH FT.	SAMPLE INFO			STRATA	VISUAL IMPACTS	ODOR	SOIL / BEDROCK DESCRIPTION
		TYPE and NO.	PEN/REC FT./FT.	PID (PPM)				
0	0	S1	10/3.7	0.0				(0'- 4.5') Gravel FILL.
5	5							(4.5'- 8.2') SANDY SILT (ML); ~60% fines, non plastic, ~40% sand, fine to coarse; wet, brown.
0	0							(8.2'- 10') SANDY SILT (ML); ~60% fines, non plastic, ~40% sand, fine to coarse; wet, dark brown.
10	10	S2	10/2.8	0.5				(10'- 14.5') WIDELY GRADED SAND WITH SILT (SW-SM); ~85% sand, fine to coarse, ~10% fines, non plastic, ~5% gravel, fine to coarse; max. gravel size 1.5", moderate naphthalene-like odor, black staining, NAPL blebs, and sheen.
-5	-5			1.3			NLO	
15	15			1.7				(14.5'- 20') SANDY SILT WITH GRAVEL (ML); ~40% fines, non plastic, ~30% gravel, fine to coarse, ~30% sand, fine to coarse; max. gravel size 3", moderate naphthalene-like odor, black staining, NAPL blebs, and sheen.
-10	-10			5.6			NLO	
20	20	S3	10/2.3	0.6				(20'- 30') SILTY SAND WITH GRAVEL (SM); ~50% sand, fine to coarse, ~25% gravel, fine to coarse, ~25% fines, non plastic; max. gravel size 2.5", moderate naphthalene-like odor, wet, gray to black staining.
-15	-15			0.7			NLO	

NOTES:

PEN = PENETRATION LENGTH OF SAMPLER OR CORE BARREL
REC = RECOVERY LENGTH OF SAMPLE
PID = PHOTOIONIZATION DETECTOR READING (PPM)
JHS = JAR HEADSPACE PID READING (PPM)

NA = NOT APPLICABLE Q_p = POCKET PENETROMETER
NM = NOT MEASURED S_v = TORVANE PEAK

ppm = PARTS PER MILLION
IN. = INCHES
FT. = FEET

NLO = NAPHTHALENE LIKE ODOR
PLO = PETROLEUM LIKE ODOR
TLO = TAR LIKE ODOR
CLO = CHEMICAL LIKE ODOR
ALO = ASPHALT LIKE ODOR

CrLO = CREOSOTE LIKE ODOR
OLO = ORGANIC LIKE ODOR
SLO = SULFUR LIKE ODOR
MLO = MUSTY LIKE ODOR

ENVIRONMENTAL BORING LOG - JANUARY 2017 GREENPOINT BORINGS LCM.GPJ GEI TEMPLATE 11-7-13 GDT 8/10/17

 GEI Consultants	 GEI Consultants, Inc. P.C. 455 Winding Brook Drive Suite 201 Glastonbury, CT 06033 (860) 368-5300	CLIENT: National Grid - Greenpoint		BORING LOG GPEC-MW406	
		PROJECT: Ph. 2/3 RI Additional Investigations			
		CITY/STATE: Brooklyn, New York			
		GEI PROJECT NUMBER: 125180			

ELEV. FT.	DEPTH FT.	SAMPLE INFO			STRATA	VISUAL IMPACTS	ODOR	SOIL / BEDROCK DESCRIPTION
		TYPE and NO.	PEN/REC FT./FT.	PID (PPM)				
	55			0.5			NLO	
	-50			0.5				(55.3'- 60') SILTY GRAVEL WITH SAND (GM); ~50% gravel, fine to coarse, ~30% fines, non plastic, ~20% sand, fine to coarse; max. gravel size 2", gray to black.
	60	S7	10/1.7	0.0				(60'- 70') SILTY SAND (SM); ~50% sand, fine to coarse, ~50% fines, non plastic; slight naphthalene-like odor, wet, gray to black.
	-55							
	65						NLO	
	-60							
	70							

End of Boring at 70 feet.
Monitoring well GPEC-MW406 installed.

ENVIRONMENTAL BORING LOG - JANUARY 2017 GREENPOINT BORINGS LCM.GPJ GEI TEMPLATE 11-7-13 GDT 8/10/17

NOTES:

PEN = PENETRATION LENGTH OF SAMPLER OR CORE BARREL	ppm = PARTS PER MILLION	NLO = NAPHTHALENE LIKE ODOR	CrLO= CREOSOTE LIKE ODOR
REC = RECOVERY LENGTH OF SAMPLE	IN. = INCHES	PLO = PETROLEUM LIKE ODOR	OLO = ORGANIC LIKE ODOR
PID = PHOTOIONIZATION DETECTOR READING (PPM)	FT. = FEET	TLO = TAR LIKE ODOR	SLO = SULFUR LIKE ODOR
JHS = JAR HEADSPACE PID READING (PPM)		CLO = CHEMICAL LIKE ODOR	MLO = MUSTY LIKE ODOR
		ALO = ASPHALT LIKE ODOR	
NA = NOT APPLICABLE	Q _p = POCKET PENETROMETER		
NM = NOT MEASURED	S _v = TORVANE PEAK		



GEI Consultants, Inc. P.C.
455 Winding Brook Drive
Suite 201
Glastonbury, CT 06033
(860) 368-5300

CLIENT: National Grid - Greenpoint
PROJECT: Ph. 2/3 RI Additional Investigations
CITY/STATE: Brooklyn, New York
GEI PROJECT NUMBER: 125180

BORING LOG

PAGE
1 of 3

GPEC-MW407

GROUND SURFACE ELEVATION (FT): 7.26 LOCATION: Area 2
NORTHING (FT): 688153 EASTING (FT): 651129 TOTAL DEPTH (FT): 80.0
DRILLED BY: Cascade Drilling / Jon Weeks DATUM VERT. / HORZ.: NAVD 88 / NAD83 NY East Zone
LOGGED BY: G. Holmes DATE START / END: 3/1/2017 - 3/2/2017
DRILLING DETAILS: Sonic Coring / TerraSonic TSI 150CC
WATER LEVEL DEPTHS (FT):
GENERAL NOTE: 0-8 FT BGS vacuum / hand cleared prior to boring advancement.

ELEV. FT.	DEPTH FT.	SAMPLE INFO			STRATA	VISUAL IMPACTS	ODOR	SOIL / BEDROCK DESCRIPTION
		TYPE and NO.	PEN/REC FT./FT.	PID (PPM)				
0		S1	10/1.3	0.0				(0'- 10') SILTY SAND WITH GRAVEL (SM); ~40% sand, fine to coarse, ~30% gravel, fine to coarse, subrounded to angular, ~30% fines, low plasticity; max. gravel size 3", wet, brown, red brick fragments, concrete fragments, FILL, loose.
5								
10		S2	10/2.5	0.0				(10'- 20') SILTY SAND WITH GRAVEL (SM); ~50% sand, fine to medium, ~30% fines, low plasticity, ~20% gravel, fine to coarse, angular to subrounded; max. gravel size 3", wet, brown to gray, red brick fragments, concrete fragments, wood pieces, cobbles up to 4.5", FILL, loose.
15								
20		S3	10/3.2	0.0				(20'- 25.8') WIDELY GRADED SAND (SW); ~95% sand, fine to coarse, ~5% fines, non plastic; wet, gray, trace wood fragments, FILL, loose.
25								
30								
35								
40								
45								
50								
55								
60								
65								
70								
75								
80								

NOTES:

PEN = PENETRATION LENGTH OF SAMPLER OR CORE BARREL
REC = RECOVERY LENGTH OF SAMPLE
PID = PHOTOIONIZATION DETECTOR READING (PPM)
JHS = JAR HEADSPACE PID READING (PPM)

NA = NOT APPLICABLE Q_p = POCKET PENETROMETER
NM = NOT MEASURED S_v = TORVANE PEAK

ppm = PARTS PER MILLION
IN. = INCHES
FT. = FEET

NLO = NAPHTHALENE LIKE ODOR
PLO = PETROLEUM LIKE ODOR
TLO = TAR LIKE ODOR
CLO = CHEMICAL LIKE ODOR
ALO = ASPHALT LIKE ODOR

CrLO = CREOSOTE LIKE ODOR
OLO = ORGANIC LIKE ODOR
SLO = SULFUR LIKE ODOR
MLO = MUSTY LIKE ODOR

ENVIRONMENTAL BORING LOG - JANUARY 2017 GREENPOINT BORINGS LCM.GPJ GEI TEMPLATE 11-7-13 GDT 8/10/17



GEI Consultants, Inc. P.C.
455 Winding Brook Drive
Suite 201
Glastonbury, CT 06033
(860) 368-5300

CLIENT: **National Grid - Greenpoint**
PROJECT: **Ph. 2/3 RI Additional Investigations**
CITY/STATE: **Brooklyn, New York**
GEI PROJECT NUMBER: **125180**

BORING LOG

PAGE
2 of 3

GPEC-MW407

ELEV. FT.	DEPTH FT.	SAMPLE INFO			STRATA	VISUAL IMPACTS	ODOR	SOIL / BEDROCK DESCRIPTION
		TYPE and NO.	PEN/REC FT./FT.	PID (PPM)				
25								(25.8'- 30') WIDELY GRADED GRAVEL (GW); ~90% gravel, coarse, angular to subrounded, ~10% sand, fine to coarse; max. gravel size 3", wet, gray, trace sheen, loose.
-20								
30		S4	10/7.9	0.3				(30'- 34.7') WIDELY GRADED SAND WITH GRAVEL (SW); ~80% sand, fine to coarse, ~15% gravel, fine to coarse, subangular to subrounded, ~5% fines, non plastic; max. gravel size 3", slight naphthalene-like odor, wet, gray, trace sheen, loose.
-25				0.6			NLO	
				1.7				
				3.6				
				4.7				
35				9.9			NLO	(34.7'- 37.5') SANDY SILT WITH GRAVEL (ML); ~50% fines, low plasticity, ~30% sand, fine to coarse, ~20% gravel, fine to coarse, subrounded to subangular; max. gravel size 1.5", strong naphthalene-like odor, wet, black, NAPL-coated, moderately loose.
-30				1.3				
				1.2				
				1.0			NLO	(37.5'- 38.5') SILTY SAND WITH GRAVEL (SM); ~70% sand, fine to coarse, ~15% gravel, fine to coarse, angular to subrounded, ~15% fines, non plastic to low plasticity; max. gravel size 2", slight naphthalene-like odor, wet, brown, shell fragments, loose.
40		S5	10/8	1.9				(38.5'- 40') SILTY SAND (SM); ~85% sand, fine to coarse, ~15% fines, non plastic; slight naphthalene-like odor, wet, black, loose.
-35				2.1				(40'- 50') SILTY SAND (SM); ~85% sand, fine to coarse, ~15% fines, non plastic; slight naphthalene-like odor, wet, black, trace sheen, loose.
				2.3				
				2.0				
45				2.8			NLO	
-40				0.8				
				1.0				
				0.6				
50		S6	10/8.1	1.1				(50'- 60') SILTY SAND (SM); ~85% sand, fine to coarse, ~15% fines, non plastic; slight naphthalene-like odor, wet, black, trace sheen, loose.
-45				2.3			NLO	
				2.7				

NOTES:

PEN = PENETRATION LENGTH OF SAMPLER OR CORE BARREL
REC = RECOVERY LENGTH OF SAMPLE
PID = PHOTOIONIZATION DETECTOR READING (PPM)
JHS = JAR HEADSPACE PID READING (PPM)

NA = NOT APPLICABLE Q_p = POCKET PENETROMETER
NM = NOT MEASURED S_v = TORVANE PEAK

ppm = PARTS PER MILLION
IN. = INCHES
FT. = FEET

NLO = NAPHTHALENE LIKE ODOR
PLO = PETROLEUM LIKE ODOR
TLO = TAR LIKE ODOR
CLO = CHEMICAL LIKE ODOR
ALO = ASPHALT LIKE ODOR

CrLo = CREOSOTE LIKE ODOR
OLO = ORGANIC LIKE ODOR
SLO = SULFUR LIKE ODOR
MLO = MUSTY LIKE ODOR

ENVIRONMENTAL BORING LOG - JANUARY 2017 GREENPOINT BORINGS LCM.GPJ GEI TEMPLATE 11-7-13.GDT 8/10/17

CLIENT: National Grid - Greenpoint
PROJECT: Ph. 2/3 RI Additional Investigations
CITY/STATE: Brooklyn, New York
GEI PROJECT NUMBER: 125180

PAGE
3 of 3

GPEC-MW407

ELEV. FT.	DEPTH FT.	SAMPLE INFO			STRATA	VISUAL IMPACTS	ODOR	SOIL / BEDROCK DESCRIPTION
		TYPE and NO.	PEN/REC FT./FT.	PID (PPM)				
-55				2.6 2.1 1.1 0.8 0.9			NLO	
-60		S7	10/9.6	1.1 1.6 1.1 1.2 1.9			NLO	(60'- 65.6') SILTY SAND (SM); ~85% sand, fine to coarse, ~15% fines, non plastic; slight naphthalene-like odor, wet, black, trace sheen, loose.
-65				2.8 3.8 16.9 16.0			NLO	(65.6'- 68.6') WIDELY GRADED SAND WITH GRAVEL (SW); ~70% sand, fine to coarse, ~30% gravel, fine to coarse, subrounded to subangular; max. gravel size 3", moderate naphthalene-like odor, wet, black, NAPL-coated from 81-99", loose.
-70		S8	10/2.8	0.7			NLO	(68.6'- 69.7') WIDELY GRADED SAND WITH GRAVEL (SW); ~80% sand, fine to coarse, ~20% gravel, fine; moderate naphthalene-like odor, wet, gray, NAPL-coated from 106-112", loose. (69.7'- 70') SANDY SILT (ML); non plastic to low plasticity, ~70% gravel, ~30% sand, fine to medium; slight naphthalene-like odor, wet, tight.
-75				0.6 0.5			NLO	(70'- 80') WIDELY GRADED SAND (SW); ~95% sand, fine to coarse, ~5% fines, non plastic; slight naphthalene-like odor, wet, gray to brown, loose.

End of Boring at 80 feet.
Monitoring well GPEC-MW407 installed.

NOTES:

CrLO= CREOSOTE LIKE ODOR
OLO = ORGANIC LIKE ODOR
SLO = SULFUR LIKE ODOR
MLO = MUSTY LIKE ODOR

NA = NOT APPLICABLE Q_p = POCKET PENETROMETER
NM = NOT MEASURED S_v = TORVANE PEAK



GEI Consultants, Inc. P.C.
455 Winding Brook Drive
Suite 201
Glastonbury, CT 06033
(860) 368-5300

CLIENT: National Grid - Greenpoint
PROJECT: Ph. 2/3 RI Additional Investigations
CITY/STATE: Brooklyn, New York
GEI PROJECT NUMBER: 125180

BORING LOG

PAGE
1 of 2

GPEC-MW408

GROUND SURFACE ELEVATION (FT): 6.93 LOCATION: Area 2
NORTHING (FT): 688218 EASTING (FT): 651101 TOTAL DEPTH (FT): 50.0
DRILLED BY: Cascade Drilling / Jon Weeks DATUM VERT. / HORZ.: NAVD 88 / NAD83 NY East Zone
LOGGED BY: D. Sharpe DATE START / END: 3/2/2017 - 3/2/2017
DRILLING DETAILS: Sonic Coring / TerraSonic TSI 150CC
WATER LEVEL DEPTHS (FT):
GENERAL NOTE: 0-8 FT BGS vacuum / hand cleared prior to boring advancement.

ELEV. FT.	DEPTH FT.	SAMPLE INFO			STRATA	VISUAL IMPACTS	ODOR	SOIL / BEDROCK DESCRIPTION
		TYPE and NO.	PEN/REC FT./FT.	PID (PPM)				
0		S1	10/2.8	0.0				(0'- 10') SILTY GRAVEL WITH SAND (GM); ~55% gravel, fine to coarse, ~30% sand, fine to coarse, ~15% fines, non plastic; max. gravel size 2", dry, black to brown, FILL, wet at sample bottom.
5								
10		S2	5/3.8	0.0				(10'- 10.7') SILTY GRAVEL WITH SAND (GM); ~55% gravel, fine to coarse, ~30% sand, fine to coarse, ~15% fines, non plastic; max. gravel size 2", wet, black to brown, FILL. (10.7'- 15') SANDY SILT WITH GRAVEL (ML); ~70% fines, non plastic, ~15% gravel, fine to coarse, ~15% sand, fine to medium; max. gravel size 3", wet, brown.
15		S3	5/3.9	0.0				(15'- 17.1') WELL GRADED GRAVEL (GW); ~95% gravel, fine to coarse, ~5% fines, non plastic; max. gravel size 2", wet.
20		S4	10/3.2	0.0				(17.1'- 20') SILTY GRAVEL (GM); ~50% gravel, coarse, ~40% fines, non plastic, ~10% sand, fine to coarse; max. gravel size 5", wet, brown, cobbles. (20'- 30') SILTY GRAVEL (GM); ~50% gravel, coarse, ~30% fines, non plastic, ~20% sand, fine to coarse; max. gravel size 5", wet, dark brown, cobbles.

NOTES:

PEN = PENETRATION LENGTH OF SAMPLER OR CORE BARREL
REC = RECOVERY LENGTH OF SAMPLE
PID = PHOTOIONIZATION DETECTOR READING (PPM)
JHS = JAR HEADSPACE PID READING (PPM)

NA = NOT APPLICABLE Q_p = POCKET PENETROMETER
NM = NOT MEASURED S_v = TORVANE PEAK

ppm = PARTS PER MILLION
IN. = INCHES
FT. = FEET

NLO = NAPHTHALENE LIKE ODOR
PLO = PETROLEUM LIKE ODOR
TLO = TAR LIKE ODOR
CLO = CHEMICAL LIKE ODOR
ALO = ASPHALT LIKE ODOR

CrLO = CREOSOTE LIKE ODOR
OLO = ORGANIC LIKE ODOR
SLO = SULFUR LIKE ODOR
MLO = MUSTY LIKE ODOR

ENVIRONMENTAL BORING LOG - JANUARY 2017 GREENPOINT BORINGS LCM.GPJ GEI TEMPLATE 11-7-13 GDT 8/10/17



GEI Consultants, Inc. P.C.
455 Winding Brook Drive
Suite 201
Glastonbury, CT 06033
(860) 368-5300

CLIENT: National Grid - Greenpoint
PROJECT: Ph. 2/3 RI Additional Investigations
CITY/STATE: Brooklyn, New York
GEI PROJECT NUMBER: 125180

BORING LOG

PAGE
1 of 3

GPEC-MW409

GROUND SURFACE ELEVATION (FT): 6.90 LOCATION: Area 2
NORTHING (FT): 688274 EASTING (FT): 651085 TOTAL DEPTH (FT): 80.0
DRILLED BY: Cascade Drilling / R. Gerard-Maillet DATUM VERT. / HORZ.: NAVD 88 / NAD83 NY East Zone
LOGGED BY: G. Holmes DATE START / END: 3/8/2017 - 3/8/2017
DRILLING DETAILS: Sonic Coring / TerraSonic TSI 150CC
WATER LEVEL DEPTHS (FT):
GENERAL NOTE: 0-8 FT BGS vacuum / hand cleared prior to boring advancement.

ELEV. FT.	DEPTH FT.	SAMPLE INFO			STRATA	VISUAL IMPACTS	ODOR	SOIL / BEDROCK DESCRIPTION
		TYPE and NO.	PEN/REC FT./FT.	PID (PPM)				
0		S1	10/0					(0'- 10') NO RECOVERY.
5								
10		S2	10/3.8	0.0				(10'- 15.1') SILTY SAND WITH GRAVEL (SM); ~50% sand, fine to medium, ~30% fines, non plastic to low plasticity, ~20% gravel, fine to coarse, subrounded to subangular; max. gravel size 3", wet, brown to reddish brown, red brick fragments, wood chips, FILL, black ash/staining in bottom 4", tight.
15								(15.1'- 20') WIDELY GRADED GRAVEL WITH SILT AND SAND (GW-GM); ~70% gravel, fine to coarse, angular to subangular, ~20% sand, fine to coarse, ~10% fines, non plastic to low plasticity; max. gravel size 3.5", wet, gray, cobbles up to 4.5", red brick fragments, FILL, loose.
20		S3	10/3.3	0.0				(20'- 25.4') WIDELY GRADED SAND WITH SILT AND GRAVEL (SW-SM); ~70% sand, fine to coarse, ~15% gravel, fine to coarse, angular to subangular, ~15% fines, non plastic; max. gravel size 2", wet, gray to brown, red brick fragments, asphalt pieces, FILL, loose.
25				2.1				

NOTES:

PEN = PENETRATION LENGTH OF SAMPLER OR CORE BARREL
REC = RECOVERY LENGTH OF SAMPLE
PID = PHOTOIONIZATION DETECTOR READING (PPM)
JHS = JAR HEADSPACE PID READING (PPM)

NA = NOT APPLICABLE Q_p = POCKET PENETROMETER
NM = NOT MEASURED S_v = TORVANE PEAK

ppm = PARTS PER MILLION
IN. = INCHES
FT. = FEET

NLO = NAPHTHALENE LIKE ODOR
PLO = PETROLEUM LIKE ODOR
TLO = TAR LIKE ODOR
CLO = CHEMICAL LIKE ODOR
ALO = ASPHALT LIKE ODOR

CrLO = CREOSOTE LIKE ODOR
OLO = ORGANIC LIKE ODOR
SLO = SULFUR LIKE ODOR
MLO = MUSTY LIKE ODOR

ENVIRONMENTAL BORING LOG - JANUARY 2017 GREENPOINT BORINGS LCM.GPJ GEI TEMPLATE 11-7-13 GDT 8/10/17



GEI Consultants
 GEI Consultants, Inc. P.C.
 455 Winding Brook Drive
 Suite 201
 Glastonbury, CT 06033
 (860) 368-5300

CLIENT: **National Grid - Greenpoint**
 PROJECT: **Ph. 2/3 RI Additional Investigations**
 CITY/STATE: **Brooklyn, New York**
 GEI PROJECT NUMBER: **125180**

BORING LOG
 PAGE 2 of 3
GPEC-MW409

ELEV. FT.	DEPTH FT.	SAMPLE INFO			STRATA	VISUAL IMPACTS	ODOR	SOIL / BEDROCK DESCRIPTION
		TYPE and NO.	PEN/REC FT./FT.	PID (PPM)				
	25			1.4				(25.4'- 30') WIDELY GRADED GRAVEL (GW); ~90% gravel, fine to coarse, angular to subangular, ~10% sand, fine to coarse; max. gravel size 3.5", slight naphthalene-like odor, wet, gray to brown, cobbles up to 4.5", red brick fragments, concrete pieces, wood chips, FILL, NAPL blebs.
	-20			3.4			NLO	
	30	S4	10/3.8	76.0				(30'- 36.9') WIDELY GRADED GRAVEL (GW); ~90% gravel, fine to coarse, angular to subangular, ~10% sand, fine to coarse; max. gravel size 3.5", strong naphthalene-like odor, wet, gray to brown, red brick fragments, concrete pieces, wood chips, FILL, saturated with NAPL.
	-25			380.0				
				710.0				
				990.0				
				1140.0			NLO	
	35			840.0				(36.9'- 40') SANDY SILT WITH GRAVEL (ML); ~50% fines, non plastic to low plasticity, ~30% sand, fine to medium, ~20% gravel, fine to coarse, subrounded to subangular; max. gravel size 2.5", moderate naphthalene-like odor, wet, gray to black, trace roots/organics, NAPL coated in top 6", black staining, moderately tight.
				911.0				
				117.0				
	-30			168.0				
				84.0			NLO	
	40	S5	10/10	86.0				(40'- 45.7') WIDELY GRADED SAND (SW); ~85% sand, fine to coarse, ~10% gravel, fine to coarse, subrounded to subangular, ~5% fines, non plastic; max. gravel size 2.5", slight naphthalene-like odor, wet, gray to brown, loose.
	-35			87.0				
				14.0				
				18.0			NLO	
				12.0				
	45			14.0				(45.7'- 47.8') WIDELY GRADED SAND WITH GRAVEL (SW); ~70% sand, fine to coarse, ~30% gravel, fine to coarse, subrounded to subangular; max. gravel size 2.5", wet, brown, loose.
				24.0				
	-40			27.0				
				34.0				
				44.0				
				17.1				(47.8'- 50') SILTY SAND (SM); ~70% sand, fine to coarse, ~30% fines, non plastic; wet, brown, moderately loose.
	50	S6	10/4.8	44.0				(50'- 53.7') SILTY SAND (SM); ~70% sand, fine to coarse, ~30% fines, non plastic; slight naphthalene-like odor, wet, gray to brown, moderately loose.
	-45			19.4				
				33.0			NLO	

NOTES:
 PEN = PENETRATION LENGTH OF SAMPLER OR CORE BARREL
 REC = RECOVERY LENGTH OF SAMPLE
 PID = PHOTOIONIZATION DETECTOR READING (PPM)
 JHS = JAR HEADSPACE PID READING (PPM)

NA = NOT APPLICABLE
 NM = NOT MEASURED

Q_p = POCKET PENETROMETER
 S_v = TORVANE PEAK

ppm = PARTS PER MILLION
 IN. = INCHES
 FT. = FEET

NLO = NAPHTHALENE LIKE ODOR
 PLO = PETROLEUM LIKE ODOR
 TLO = TAR LIKE ODOR
 CLO = CHEMICAL LIKE ODOR
 ALO = ASPHALT LIKE ODOR

CrLO = CREOSOTE LIKE ODOR
 OLO = ORGANIC LIKE ODOR
 SLO = SULFUR LIKE ODOR
 MLO = MUSTY LIKE ODOR



GEI Consultants, Inc. P.C.
455 Winding Brook Drive
Suite 201
Glastonbury, CT 06033
(860) 368-5300

CLIENT: National Grid - Greenpoint
PROJECT: Ph. 2/3 RI Additional Investigations
CITY/STATE: Brooklyn, New York
GEI PROJECT NUMBER: 125180

BORING LOG

PAGE
1 of 2

GPEC-RW409

GROUND SURFACE ELEVATION (FT): 6.71 LOCATION: Area 2
NORTHING (FT): 688281 EASTING (FT): 651080 TOTAL DEPTH (FT): 50.0
DRILLED BY: Cascade Drilling / R. Gerard-Maillet DATUM VERT. / HORIZ.: NAVD 88 / NAD83 NY East Zone
LOGGED BY: G. Holmes DATE START / END: 3/6/2017 - 3/6/2017
DRILLING DETAILS: Sonic Coring / TerraSonic TSI 150CC
WATER LEVEL DEPTHS (FT):
GENERAL NOTE: 0-8 FT BGS vacuum / hand cleared prior to boring advancement.

ELEV. FT.	DEPTH FT.	SAMPLE INFO			STRATA	VISUAL IMPACTS	ODOR	SOIL / BEDROCK DESCRIPTION
		TYPE and NO.	PEN/REC FT./FT.	PID (PPM)				
0		S1	10/0					(0'- 10') NO RECOVERY.
5								
5								
0								
10		S2	10/1.1	0.0				(10'- 20') SILTY SAND WITH GRAVEL (SM); ~50% sand, fine to coarse, ~30% fines, low plasticity, ~20% gravel, fine to coarse, angular to subrounded; max. gravel size 1.5", slight naphthalene-like odor, wet, dark brown, red brick fragments, porcelain fragments, wood chips, FILL, trace sheen, loose.
-5								
15								
-10								
20		S3	10/2.3	26.3				(20'- 25.2') SILTY SAND WITH GRAVEL (SM); ~50% sand, fine to coarse, ~30% fines, low plasticity, ~20% gravel, fine to coarse, angular to subrounded; max. gravel size 1.5", moderate naphthalene-like odor, wet, dark brown, red brick fragments, porcelain fragments, wood chips, FILL, trace black staining, loose.
-15				34.7				
				41.8				

NOTES:

PEN = PENETRATION LENGTH OF SAMPLER OR CORE BARREL
REC = RECOVERY LENGTH OF SAMPLE
PID = PHOTOIONIZATION DETECTOR READING (PPM)
JHS = JAR HEADSPACE PID READING (PPM)

NA = NOT APPLICABLE Q_p = POCKET PENETROMETER
NM = NOT MEASURED S_v = TORVANE PEAK

ppm = PARTS PER MILLION
IN. = INCHES
FT. = FEET

NLO = NAPHTHALENE LIKE ODOR
PLO = PETROLEUM LIKE ODOR
TLO = TAR LIKE ODOR
CLO = CHEMICAL LIKE ODOR
ALO = ASPHALT LIKE ODOR

CrLO = CREOSOTE LIKE ODOR
OLO = ORGANIC LIKE ODOR
SLO = SULFUR LIKE ODOR
MLO = MUSTY LIKE ODOR

ENVIRONMENTAL BORING LOG - JANUARY 2017 GREENPOINT BORINGS LCM.GPJ GEI TEMPLATE 11-7-13 GDT 8/10/17



GEI Consultants, Inc. P.C.
455 Winding Brook Drive
Suite 201
Glastonbury, CT 06033
(860) 368-5300

CLIENT: National Grid - Greenpoint
PROJECT: Ph. 2/3 RI Additional Investigations
CITY/STATE: Brooklyn, New York
GEI PROJECT NUMBER: 125180

BORING LOG

PAGE
1 of 3

GPEC-MW410

GROUND SURFACE ELEVATION (FT): 6.46 LOCATION: Area 2
NORTHING (FT): 688321 EASTING (FT): 651068 TOTAL DEPTH (FT): 55.0
DRILLED BY: Cascade Drilling / Jon Weeks DATUM VERT. / HORZ.: NAVD 88 / NAD83 NY East Zone
LOGGED BY: G. Holmes DATE START / END: 3/1/2017 - 3/1/2017
DRILLING DETAILS: Sonic Coring / TerraSonic TSI 150CC
WATER LEVEL DEPTHS (FT):
GENERAL NOTE: 0-8 FT BGS vacuum / hand cleared prior to boring advancement.

ELEV. FT.	DEPTH FT.	SAMPLE INFO			STRATA	VISUAL IMPACTS	ODOR	SOIL / BEDROCK DESCRIPTION
		TYPE and NO.	PEN/REC FT./FT.	PID (PPM)				
0	0	S1	10/1.3	0.0				(0'- 10') WIDELY GRADED SAND WITH SILT AND GRAVEL (SW-SM); ~60% sand, fine to medium, ~40% gravel, fine to coarse, angular to subangular, ~10% fines, low plasticity; max. gravel size 1.5", wet, brown to black, red brick fragments, porcelain fragments, trace asphalt, FILL, loose.
5	5							
10	10	S2	10/2.5	0.0				(10'- 20') WIDELY GRADED SAND WITH SILT AND GRAVEL (SW-SM); ~60% sand, fine to medium, ~40% gravel, fine to coarse, angular to subangular, ~10% fines, low plasticity; max. gravel size 1.5", wet, brown to gray, red brick fragments, porcelain fragments, trace asphalt, FILL, loose.
15	15							
20	20	S3	10/1.8	0.5				(20'- 30') WIDELY GRADED SAND WITH SILT AND GRAVEL (SW-SM); ~60% sand, fine to medium, ~40% gravel, fine to coarse, angular to subangular, ~10% fines, low plasticity; max. gravel size 1.5", moderate naphthalene-like odor, wet, brown to black, red brick fragments, porcelain fragments, trace asphalt, FILL, sheen and black staining, loose.
25	25						NLO	

NOTES:

PEN = PENETRATION LENGTH OF SAMPLER OR CORE BARREL
REC = RECOVERY LENGTH OF SAMPLE
PID = PHOTOIONIZATION DETECTOR READING (PPM)
JHS = JAR HEADSPACE PID READING (PPM)

NA = NOT APPLICABLE Q_p = POCKET PENETROMETER
NM = NOT MEASURED S_v = TORVANE PEAK

ppm = PARTS PER MILLION
IN. = INCHES
FT. = FEET

NLO = NAPHTHALENE LIKE ODOR
PLO = PETROLEUM LIKE ODOR
TLO = TAR LIKE ODOR
CLO = CHEMICAL LIKE ODOR
ALO = ASPHALT LIKE ODOR

CrLO = CREOSOTE LIKE ODOR
OLO = ORGANIC LIKE ODOR
SLO = SULFUR LIKE ODOR
MLO = MUSTY LIKE ODOR

ENVIRONMENTAL BORING LOG - JANUARY 2017 GREENPOINT BORINGS LCM.GPJ GEI TEMPLATE 11-7-13 GDT 8/10/17



GEI Consultants, Inc. P.C.
455 Winding Brook Drive
Suite 201
Glastonbury, CT 06033
(860) 368-5300

CLIENT: **National Grid - Greenpoint**
PROJECT: **Ph. 2/3 RI Additional Investigations**
CITY/STATE: **Brooklyn, New York**
GEI PROJECT NUMBER: **125180**

BORING LOG

PAGE
2 of 3

GPEC-MW410

ELEV. FT.	DEPTH FT.	SAMPLE INFO			STRATA	VISUAL IMPACTS	ODOR	SOIL / BEDROCK DESCRIPTION
		TYPE and NO.	PEN/REC FT./FT.	PID (PPM)				
25								
-20							NLO	
30		S4	10/6.2	3.0			NLO	(30'- 31.5') WIDELY GRADED SAND WITH SILT AND GRAVEL (SW-SM); ~60% sand, fine to medium, ~40% gravel, fine to coarse, angular to subangular, ~10% fines, low plasticity; max. gravel size 1.5", moderate naphthalene-like odor, wet, brown to black, red brick fragments, porcelain fragments, trace asphalt, FILL, NAPL blebs, loose.
-25				1.3			NLO	(31.5'- 32.8') SILTY SAND WITH GRAVEL (SM); ~70% sand, fine to coarse, ~15% gravel, fine to coarse, subrounded to subangular, ~15% fines, low plasticity; max. gravel size 2", moderate naphthalene-like odor, black, NAPL-coated, loose.
				0.6			NLO	(32.8'- 35.1') SANDY SILT (ML); ~70% fines, low plasticity, ~20% sand, fine, ~10% gravel, fine to coarse, subrounded to subangular; max. gravel size 1", moderate naphthalene-like odor, wet, black, shell fragments, wood chips, sheen and black staining, tight.
35				0.7			NLO	(35.1'- 40') SILT (ML); ~90% fines, low plasticity, ~10% sand, fine; moist, gray, shell fragments, wood chips, tight.
-30				1.4				
				3.8				
				0.4				
				0.0				
40		S5	10/9.3	0.0			NLO	(40'- 43.7') WIDELY GRADED SAND (SW); ~90% sand, fine to coarse, ~5% gravel, fine to medium, subangular to subrounded, ~5% fines, non plastic; max. gravel size 0.75", slight naphthalene-like odor, wet, gray to brown, loose.
-35								
								(43.7'- 50') WIDELY GRADED SAND WITH GRAVEL (SW); ~75% sand, fine to coarse, ~20% gravel, fine to coarse, subrounded to subangular, ~5% fines, non plastic; max. gravel size 2", wet, brown to tan, loose.
45								
-40								
50		S6	5/3.8	0.0				(50'- 52.1') SANDY SILT (ML); ~60% fines, non plastic to low plasticity, ~40% sand, fine; wet, light brown, loose.
-45								(52.1'- 55') SILTY SAND (SM); ~70% sand, fine to medium, ~30% fines, non plastic to low plasticity; wet, light brown, loose.

NOTES:

PEN = PENETRATION LENGTH OF SAMPLER OR CORE BARREL
REC = RECOVERY LENGTH OF SAMPLE
PID = PHOTOIONIZATION DETECTOR READING (PPM)
JHS = JAR HEADSPACE PID READING (PPM)

NA = NOT APPLICABLE Q_p = POCKET PENETROMETER
NM = NOT MEASURED S_v = TORVANE PEAK

ppm = PARTS PER MILLION
IN. = INCHES
FT. = FEET

NLO = NAPHTHALENE LIKE ODOR
PLO = PETROLEUM LIKE ODOR
TLO = TAR LIKE ODOR
CLO = CHEMICAL LIKE ODOR
ALO = ASPHALT LIKE ODOR

CrLO = CREOSOTE LIKE ODOR
OLO = ORGANIC LIKE ODOR
SLO = SULFUR LIKE ODOR
MLO = MUSTY LIKE ODOR

ENVIRONMENTAL BORING LOG - JANUARY 2017 GREENPOINT BORINGS LCM.GPJ GEI TEMPLATE 11-7-13 GDT 8/10/17



GEI Consultants, Inc. P.C.
455 Winding Brook Drive
Suite 201
Glastonbury, CT 06033
(860) 368-5300

CLIENT: **National Grid - Greenpoint**
PROJECT: **Ph. 2/3 RI Additional Investigations**
CITY/STATE: **Brooklyn, New York**
GEI PROJECT NUMBER: **125180**

BORING LOG

PAGE
1 of 2

GPEC-SB414

GROUND SURFACE ELEVATION (FT): **6.87** LOCATION: **Area 2**
NORTHING (FT): **688260** EASTING (FT): **651087** TOTAL DEPTH (FT): **50.0**
DRILLED BY: **Cascade Drilling / R. Gerard-Maillet** DATUM VERT. / HORZ.: **NAVD 88 / NAD83 NY East Zone**
LOGGED BY: **G. Holmes** DATE START / END: **3/10/2017 - 3/10/2017**
DRILLING DETAILS: **Sonic Coring / TerraSonic TSI 150CC**
WATER LEVEL DEPTHS (FT): _____
GENERAL NOTE: **0-8 FT BGS vacuum / hand cleared prior to boring advancement.**

ELEV. FT.	DEPTH FT.	SAMPLE INFO			STRATA	VISUAL IMPACTS	ODOR	SOIL / BEDROCK DESCRIPTION
		TYPE and NO.	PEN/REC FT./FT.	PID (PPM)				
0		S1	10/0					(0'- 10') NO RECOVERY.
5								
10		S2	10/2.9	0.0				(10'- 20') NARROWLY GRADED SAND WITH SILT AND GRAVEL (SP-SM); ~60% sand, fine to medium, ~20% gravel, fine to coarse, angular to subrounded, ~20% fines, non plastic to low plasticity; max. gravel size 3.5", wet, brown, red brick fragments, wood chips, concrete and tile pieces, FILL, loose.
15								
20		S3	10/4.2	0.0				(20'- 23.8') SILTY SAND (SM); ~70% sand, fine to medium, ~30% fines, non plastic; wet, brown, coal fragments, FILL, loose.
25								
30								
35								
40								
45								
50								

NOTES:

PEN = PENETRATION LENGTH OF SAMPLER OR CORE BARREL
REC = RECOVERY LENGTH OF SAMPLE
PID = PHOTOIONIZATION DETECTOR READING (PPM)
JHS = JAR HEADSPACE PID READING (PPM)

NA = NOT APPLICABLE Q_p = POCKET PENETROMETER
NM = NOT MEASURED S_v = TORVANE PEAK

ppm = PARTS PER MILLION
IN. = INCHES
FT. = FEET

NLO = NAPHTHALENE LIKE ODOR
PLO = PETROLEUM LIKE ODOR
TLO = TAR LIKE ODOR
CLO = CHEMICAL LIKE ODOR
ALO = ASPHALT LIKE ODOR

CrLO = CREOSOTE LIKE ODOR
OLO = ORGANIC LIKE ODOR
SLO = SULFUR LIKE ODOR
MLO = MUSTY LIKE ODOR

ENVIRONMENTAL BORING LOG - JANUARY 2017 GREENPOINT BORINGS LCM.GPJ GEI TEMPLATE 11-7-13 GDT 8/10/17



GEI Consultants, Inc. P.C.
455 Winding Brook Drive
Suite 201
Glastonbury, CT 06033
(860) 368-5300

CLIENT: **National Grid - Greenpoint**
PROJECT: **Ph. 2/3 RI Additional Investigations**
CITY/STATE: **Brooklyn, New York**
GEI PROJECT NUMBER: **125180**

BORING LOG

PAGE
2 of 2

GPEC-SB414

ELEV. FT.	DEPTH FT.	SAMPLE INFO			STRATA	VISUAL IMPACTS	ODOR	SOIL / BEDROCK DESCRIPTION
		TYPE and NO.	PEN/REC FT./FT.	PID (PPM)				
	25							(23.8'- 28') WIDELY GRADED GRAVEL WITH SILT AND SAND (GW-GM); ~70% gravel, fine to coarse, angular to subangular, ~20% sand, fine to coarse, ~10% fines, low plasticity; max. gravel size 3", wet, brown, loose.
	-20							
	30	S4	10/4.6	6.5			OLO	(28'- 30') SANDY SILT WITH GRAVEL (ML); ~60% fines, low plasticity, ~20% gravel, fine to coarse, angular to subangular, ~20% sand, fine to medium; max. gravel size 3", slight organic-like odor, black, wood fragments.
	-25			11.4			NLO	(30'- 32.7') NARROWLY GRADED SAND WITH GRAVEL (SP); ~80% sand, fine to medium, ~20% gravel, fine to coarse; strong naphthalene-like odor, wet, stained black with sheen, loose.
				15.1				
				15.6				
				19.4			NLO	(32.7'- 35.5') GRAVELLY SILT (ML); ~70% fines, low plasticity, ~20% gravel, fine to coarse, angular to subrounded, ~10% sand, fine to coarse; max. gravel size 3", strong naphthalene-like odor, wet, black, NAPL-coated with blebs, moderately loose.
	35			10.3				
				7.4				
	-30			8.6			NLO	(35.5'- 40') NARROWLY GRADED SAND WITH GRAVEL (SP); ~80% sand, medium to coarse, ~20% gravel, fine to coarse, angular to subrounded; max. gravel size 2", moderate naphthalene-like odor, wet, black to gray, staining, trace sheen, loose.
				5.2				
				3.9				
	40	S5	10/8.3	6.1				(40'- 43.2') WIDELY GRADED SAND WITH GRAVEL (SW); ~70% sand, fine to coarse, ~25% gravel, fine to coarse, subrounded to subangular, ~5% fines, non plastic; max. gravel size 2", slight naphthalene-like odor, wet, gray to brown, loose.
	-35			3.4			NLO	
				5.5				
				2.4				(43.2'- 47.6') WIDELY GRADED SAND WITH GRAVEL (SW); ~70% sand, fine to coarse, ~25% gravel, fine to coarse, subrounded to subangular, ~5% fines, non plastic; max. gravel size 2", wet, brown, loose.
	45			1.1				
				0.7				
	-40			0.4				
				0.0				(47.6'- 50') SILTY SAND (SM); ~70% sand, fine to medium, ~30% fines, non plastic; wet, brown, moderately loose.
	50							End of Boring at 50 feet.

NOTES:

PEN = PENETRATION LENGTH OF SAMPLER OR CORE BARREL
REC = RECOVERY LENGTH OF SAMPLE
PID = PHOTOIONIZATION DETECTOR READING (PPM)
JHS = JAR HEADSPACE PID READING (PPM)

NA = NOT APPLICABLE Q_p = POCKET PENETROMETER
NM = NOT MEASURED S_v = TORVANE PEAK

ppm = PARTS PER MILLION
IN. = INCHES
FT. = FEET

NLO = NAPHTHALENE LIKE ODOR
PLO = PETROLEUM LIKE ODOR
TLO = TAR LIKE ODOR
CLO = CHEMICAL LIKE ODOR
ALO = ASPHALT LIKE ODOR

CrLO = CREOSOTE LIKE ODOR
OLO = ORGANIC LIKE ODOR
SLO = SULFUR LIKE ODOR
MLO = MUSTY LIKE ODOR

ENVIRONMENTAL BORING LOG - JANUARY 2017 GREENPOINT BORINGS LCM.GPJ GEI TEMPLATE 11-7-13 GDT 8/10/17



GEI Consultants, Inc. P.C.
455 Winding Brook Drive
Suite 201
Glastonbury, CT 06033
(860) 368-5300

CLIENT: **National Grid - Greenpoint**
PROJECT: **Ph. 2/3 RI Additional Investigations**
CITY/STATE: **Brooklyn, New York**
GEI PROJECT NUMBER: **125180**

BORING LOG

PAGE
1 of 2

GPEC-SB415

GROUND SURFACE ELEVATION (FT): **7.02** LOCATION: **Area 2**
NORTHING (FT): **688252** EASTING (FT): **651058** TOTAL DEPTH (FT): **50.0**
DRILLED BY: **Cascade Drilling / R. Gerard-Maillet** DATUM VERT. / HORZ.: **NAVD 88 / NAD83 NY East Zone**
LOGGED BY: **G. Holmes** DATE START / END: **3/9/2017 - 3/9/2017**
DRILLING DETAILS: **Sonic Coring / TerraSonic TSI 150CC**
WATER LEVEL DEPTHS (FT):
GENERAL NOTE: **0-8 FT BGS vacuum / hand cleared prior to boring advancement.**

ELEV. FT.	DEPTH FT.	SAMPLE INFO			STRATA	VISUAL IMPACTS	ODOR	SOIL / BEDROCK DESCRIPTION
		TYPE and NO.	PEN/REC FT./FT.	PID (PPM)				
0	0	S1	10/0					(0'- 10') NO RECOVERY.
5								
5								
0								
10		S2	10/3.8	0.0				(10'- 20') SILTY SAND WITH GRAVEL (SM); ~60% sand, fine to coarse, ~20% gravel, fine to coarse, angular to subrounded, ~20% fines, non plastic to low plasticity; max. gravel size 3", wet, brown, red brick fragments, concrete pieces, large ~10" chunk of wood at sample bottom, FILL, loose.
-5								
15								
-10								
20		S3	10/6.9	0.0				(20'- 28') SILTY SAND WITH GRAVEL (SM); ~60% sand, fine to coarse, ~20% gravel, fine to coarse, angular to subrounded, ~20% fines, non plastic to low plasticity; max. gravel size 3", wet, brown, red brick fragments, concrete pieces, trace coal fragments, FILL, loose.
-15								

NOTES:

PEN = PENETRATION LENGTH OF SAMPLER OR CORE BARREL
REC = RECOVERY LENGTH OF SAMPLE
PID = PHOTOIONIZATION DETECTOR READING (PPM)
JHS = JAR HEADSPACE PID READING (PPM)

NA = NOT APPLICABLE Q_p = POCKET PENETROMETER
NM = NOT MEASURED S_v = TORVANE PEAK

ppm = PARTS PER MILLION
IN. = INCHES
FT. = FEET

NLO = NAPHTHALENE LIKE ODOR
PLO = PETROLEUM LIKE ODOR
TLO = TAR LIKE ODOR
CLO = CHEMICAL LIKE ODOR
ALO = ASPHALT LIKE ODOR

CrLO = CREOSOTE LIKE ODOR
OLO = ORGANIC LIKE ODOR
SLO = SULFUR LIKE ODOR
MLO = MUSTY LIKE ODOR

ENVIRONMENTAL BORING LOG - JANUARY 2017 GREENPOINT BORINGS LCM.GPJ GEI TEMPLATE 11-7-13 GDT 8/10/17

ELEV. FT.	DEPTH FT.	SAMPLE INFO			STRATA	VISUAL IMPACTS	ODOR	SOIL / BEDROCK DESCRIPTION
		TYPE and NO.	PEN/REC FT./FT.	PID (PPM)				
25								
-20								
30		S4	10/8.7	7.1			OLO	(28'- 30') SILT WITH SAND (ML); ~80% fines, non plastic to low plasticity, ~10% gravel, fine to coarse, subrounded to subangular, ~10% sand, fine; max. gravel size 3", slight organic-like odor, wet, brown to reddish brown, tight.
-25				12.6				
				32.7			NLO	(30'- 33.5') ORGANIC SOIL WITH SAND (OL/OH); ~70% fines, low to medium plasticity, ~15% gravel, fine to coarse, angular to subrounded, ~15% sand, fine to medium; max. gravel size 3.5", moderate naphthalene-like odor, wet, organics, roots, fibrous, black to gray staining, NAPL blebs and sheen, tight.
				3.9				
				5.4				
-35				2.3			NLO	(33.5'- 35.6') CLAYEY SAND (SC); ~80% sand, fine to coarse, ~20% fines, low to medium plasticity; moderate naphthalene-like odor, wet, stained black, loose.
				4.8				
-30				1.0				
				2.3			NLO	(35.6'- 38.7') WIDELY GRADED SAND WITH GRAVEL (SW); ~80% sand, fine to coarse, ~15% gravel, fine to coarse, subrounded to subangular, ~5% fines, non plastic; max. gravel size 1", moderate naphthalene-like odor, wet, gray to brown, stained black in top 12", loose.
				2.9				
				2.0				
				1.0			NLO	(38.7'- 40') WIDELY GRADED SAND WITH GRAVEL (SW); ~70% sand, medium to coarse, ~30% gravel, fine to coarse, subrounded to subangular; slight naphthalene-like odor, wet, yellowish brown, loose.
40		S5	10/10	3.5				
-35				1.0			NLO	(40'- 42.8') WIDELY GRADED SAND WITH GRAVEL (SW); ~70% sand, medium to coarse, ~30% gravel, fine to coarse, subrounded to subangular; slight naphthalene-like odor, wet, gray to brown, loose.
				1.1				
-45				0.8				(42.8'- 46.25') WIDELY GRADED SAND WITH GRAVEL (SW); ~80% sand, fine to coarse, ~15% gravel, fine to coarse, subrounded to subangular, ~5% fines, non plastic; max. gravel size 2.5", wet, brown, loose.
-40				0.6				
				0.4				(46.25'- 47.8') SILTY SAND (SM); ~70% sand, fine to medium, ~30% fines, non plastic; wet, brown, moderately loose.
50								(47.8'- 50') WIDELY GRADED SAND (SW); ~95% sand, fine to coarse, ~5% fines, non plastic; wet, brown, loose.

NOTES:

PEN = PENETRATION LENGTH OF SAMPLER OR CORE BARREL
REC = RECOVERY LENGTH OF SAMPLE
PID = PHOTOIONIZATION DETECTOR READING (PPM)
JHS = JAR HEADSPACE PID READING (PPM)

ppm = PARTS PER MILLION
IN. = INCHES
FT. = FEET

NLO = NAPHTHALENE LIKE ODOR
PLO = PETROLEUM LIKE ODOR
TLO = TAR LIKE ODOR
CLO = CHEMICAL LIKE ODOR
ALO = ASPHALT LIKE ODOR

CrLO= CREOSOTE LIKE ODOR
OLO = ORGANIC LIKE ODOR
SLO = SULFUR LIKE ODOR
MLO = MUSTY LIKE ODOR

NA = NOT APPLICABLE Q_p = POCKET PENETROMETER
NM = NOT MEASURED S_v = TORVANE PEAK



GEI Consultants, Inc. P.C.
455 Winding Brook Drive
Suite 201
Glastonbury, CT 06033
(860) 368-5300

CLIENT: National Grid - Greenpoint
PROJECT: Ph. 2/3 RI Additional Investigations
CITY/STATE: Brooklyn, New York
GEI PROJECT NUMBER: 125180

BORING LOG

PAGE
1 of 2

GPEC-SB416

GROUND SURFACE ELEVATION (FT): 7.12 LOCATION: Area 2
NORTHING (FT): 688271 EASTING (FT): 651052 TOTAL DEPTH (FT): 50.0
DRILLED BY: Cascade Drilling / R. Gerard-Maillet DATUM VERT. / HORZ.: NAVD 88 / NAD83 NY East Zone
LOGGED BY: G. Holmes DATE START / END: 3/9/2017 - 3/9/2017
DRILLING DETAILS: Sonic Coring / TerraSonic TSI 150CC
WATER LEVEL DEPTHS (FT):
GENERAL NOTE: 0-8 FT BGS vacuum / hand cleared prior to boring advancement.

ELEV. FT.	DEPTH FT.	SAMPLE INFO			STRATA	VISUAL IMPACTS	ODOR	SOIL / BEDROCK DESCRIPTION
		TYPE and NO.	PEN/REC FT./FT.	PID (PPM)				
0	0	S1	10/0					(0'- 10') NO RECOVERY.
5	5							
10	10	S2	10/2.7	0.0				(10'- 20') NARROWLY GRADED SAND WITH SILT AND GRAVEL (SP-SM); ~70% sand, fine to medium, ~20% gravel, fine to coarse, angular to subrounded, ~10% fines, non plastic; max. gravel size 1.75", dry, brown, red brick fragments, asphalt pieces, concrete pieces, FILL, loose.
15	15							
20	20	S3	10/3.3	0.0				(20'- 24.9') SILTY SAND (SM); ~70% sand, fine to medium, ~25% fines, non plastic, ~5% gravel, fine; wet, brown, FILL, loose.
25	25							
30	30							
35	35							
40	40							
45	45							
50	50							

NOTES:

PEN = PENETRATION LENGTH OF SAMPLER OR CORE BARREL
REC = RECOVERY LENGTH OF SAMPLE
PID = PHOTOIONIZATION DETECTOR READING (PPM)
JHS = JAR HEADSPACE PID READING (PPM)

NA = NOT APPLICABLE Q_p = POCKET PENETROMETER
NM = NOT MEASURED S_v = TORVANE PEAK

ppm = PARTS PER MILLION
IN. = INCHES
FT. = FEET

NLO = NAPHTHALENE LIKE ODOR
PLO = PETROLEUM LIKE ODOR
TLO = TAR LIKE ODOR
CLO = CHEMICAL LIKE ODOR
ALO = ASPHALT LIKE ODOR

CrLO = CREOSOTE LIKE ODOR
OLO = ORGANIC LIKE ODOR
SLO = SULFUR LIKE ODOR
MLO = MUSTY LIKE ODOR

ENVIRONMENTAL BORING LOG - JANUARY 2017 GREENPOINT BORINGS LCM.GPJ GEI TEMPLATE 11-7-13 GDT 8/10/17

ELEV. FT.	DEPTH FT.	SAMPLE INFO			STRATA	VISUAL IMPACTS	ODOR	SOIL / BEDROCK DESCRIPTION
		TYPE and NO.	PEN/REC FT./FT.	PID (PPM)				
25								(24.9'- 30') WIDELY GRADED SAND WITH SILT AND GRAVEL (SW-SM); ~70% sand, fine to coarse, ~15% gravel, fine to coarse, subrounded to angular, ~15% fines, non plastic to low plasticity; max. gravel size 3.5", wet, brown, red brick fragments, concrete pieces, FILL, loose.
-20								
30		S4	10/7.7	3.3				
				8.1				(30'- 37') ORGANIC CLAY (OL); ~90% fines, low to medium plasticity, ~10% sand, fine; moderate naphthalene-like odor, wet, brown to gray, organics and roots, black staining, NAPL blebs, tight.
-25				14.5				
				44.1				
				19.4			NLO	
				16.8				
35				63.5				(37'- 39.5') NARROWLY GRADED SAND WITH GRAVEL (SP); ~75% sand, medium to coarse, ~25% gravel, fine to coarse, subrounded to subangular; max. gravel size 3", moderate naphthalene-like odor, wet, black to gray, NAPL blebs, black staining, loose.
				52.0				
				23.2				
-30				14.0				
				8.9			NLO	
				9.2				(39.5'- 40') NARROWLY GRADED SAND WITH GRAVEL (SP); ~75% sand, medium to coarse, ~25% gravel, fine to coarse, subrounded to subangular; max. gravel size 3", slight naphthalene-like odor, wet, gray, trace black staining, loose.
40		S5	10/10	3.3			NLO	
				8.3				(40'- 44.7') NARROWLY GRADED SAND (SP); ~100% sand, medium to coarse; moderate naphthalene-like odor, wet, gray, loose.
-35				9.9				
				5.4			NLO	
				6.1				
				5.2				
45				2.4			NLO	(44.7'- 45.5') NARROWLY GRADED SAND WITH GRAVEL (SP); ~60% sand, medium to coarse, ~40% gravel, fine to coarse, subrounded to subangular; max. gravel size 2", moderate naphthalene-like odor, wet, gray, loose.
				1.8				
-40				1.7				
				1.8				
				1.4				
50								(45.5'- 48.9') WIDELY GRADED SAND WITH GRAVEL (SW); ~70% sand, fine to coarse, ~25% gravel, fine to coarse, subrounded to subangular, ~5% fines, non plastic; max. gravel size 2", wet, brown, loose.
								(48.9'- 50') SILTY SAND (SM); non plastic, ~70% sand, fine to medium, ~30% gravel; wet, brown, loose.
								End of Boring at 50 feet.

NOTES:

PEN = PENETRATION LENGTH OF SAMPLER OR CORE BARREL
REC = RECOVERY LENGTH OF SAMPLE
PID = PHOTOIONIZATION DETECTOR READING (PPM)
JHS = JAR HEADSPACE PID READING (PPM)

ppm = PARTS PER MILLION
IN. = INCHES
FT. = FEET

NLO = NAPHTHALENE LIKE ODOR
PLO = PETROLEUM LIKE ODOR
TLO = TAR LIKE ODOR
CLO = CHEMICAL LIKE ODOR
ALO = ASPHALT LIKE ODOR

CrLO= CREOSOTE LIKE ODOR
OLO = ORGANIC LIKE ODOR
SLO = SULFUR LIKE ODOR
MLO = MUSTY LIKE ODOR

NA = NOT APPLICABLE Q_p = POCKET PENETROMETER
NM = NOT MEASURED S_v = TORVANE PEAK



GEI Consultants, Inc. P.C.
455 Winding Brook Drive
Suite 201
Glastonbury, CT 06033
(860) 368-5300

CLIENT: National Grid - Greenpoint
PROJECT: Ph. 2/3 RI Additional Investigations
CITY/STATE: Brooklyn, New York
GEI PROJECT NUMBER: 125180

BORING LOG

PAGE
1 of 2

GPEC-SB417

GROUND SURFACE ELEVATION (FT): 6.60 LOCATION: Area 2
NORTHING (FT): 688303 EASTING (FT): 651073 TOTAL DEPTH (FT): 50.0
DRILLED BY: Cascade Drilling / R. Gerard-Maillet DATUM VERT. / HORZ.: NAVD 88 / NAD83 NY East Zone
LOGGED BY: G. Holmes DATE START / END: 3/9/2017 - 3/9/2017
DRILLING DETAILS: Sonic Coring / TerraSonic TSI 150CC
WATER LEVEL DEPTHS (FT):
GENERAL NOTE: 0-8 FT BGS vacuum / hand cleared prior to boring advancement.

ELEV. FT.	DEPTH FT.	SAMPLE INFO			STRATA	VISUAL IMPACTS	ODOR	SOIL / BEDROCK DESCRIPTION
		TYPE and NO.	PEN/REC FT./FT.	PID (PPM)				
0	0	S1	10/0					(0'- 10') NO RECOVERY.
5								
5								
0								
10		S2	10/1.9	0.0				(10'- 13') SILTY SAND WITH GRAVEL (SM); ~60% sand, fine to medium, ~25% fines, non plastic to low plasticity, ~15% gravel, fine to coarse, angular to subrounded; max. gravel size 3", wet, brown, red brick fragments, concrete pieces, coal fragments, tile pieces, FILL, loose.
-5								(13'- 20') WIDELY GRADED GRAVEL WITH SAND (GW); ~85% gravel, fine to coarse, angular to subrounded, ~15% sand, fine to coarse; max. gravel size 3", wet, brown, red brick fragments, tile pieces, FILL, loose.
15								
-10								
20		S3	10/6.1	0.0				(20'- 23.7') WIDELY GRADED GRAVEL WITH SAND (GW); ~85% gravel, fine to coarse, angular to subrounded, ~15% sand, fine to coarse; max. gravel size 3", wet, brown, red brick fragments, tile pieces, FILL, loose.
-15								

NOTES:

PEN = PENETRATION LENGTH OF SAMPLER OR CORE BARREL
REC = RECOVERY LENGTH OF SAMPLE
PID = PHOTOIONIZATION DETECTOR READING (PPM)
JHS = JAR HEADSPACE PID READING (PPM)

NA = NOT APPLICABLE Q_p = POCKET PENETROMETER
NM = NOT MEASURED S_v = TORVANE PEAK

ppm = PARTS PER MILLION
IN. = INCHES
FT. = FEET

NLO = NAPHTHALENE LIKE ODOR
PLO = PETROLEUM LIKE ODOR
TLO = TAR LIKE ODOR
CLO = CHEMICAL LIKE ODOR
ALO = ASPHALT LIKE ODOR

CrLO = CREOSOTE LIKE ODOR
OLO = ORGANIC LIKE ODOR
SLO = SULFUR LIKE ODOR
MLO = MUSTY LIKE ODOR

ENVIRONMENTAL BORING LOG - JANUARY 2017 GREENPOINT BORINGS LCM.GPJ GEI TEMPLATE 11-7-13 GDT 8/10/17

ELEV. FT.	DEPTH FT.	SAMPLE INFO			STRATA	VISUAL IMPACTS	ODOR	SOIL / BEDROCK DESCRIPTION
		TYPE and NO.	PEN/REC FT./FT.	PID (PPM)				
25								(23.7'- 27') SILTY GRAVEL (GM); ~60% gravel, fine to coarse, angular to subangular, ~40% fines, low plasticity; max. gravel size 3.5", wet, gray to black, red brick fragments, coal, black ash, FILL, black staining, tight.
-20				0.4 0.8 1.0 1.8			NLO	(27'- 30') WIDELY GRADED GRAVEL WITH SILT AND SAND (GW-GM); ~70% gravel, fine to coarse, angular to subrounded, ~20% sand, fine to medium, ~10% fines, non plastic; max. gravel size 3.5", slight naphthalene-like odor, wet, red brick fragments, coal, black ash, FILL, black staining, trace sheen, loose.
30		S4	10/3.1	10.0 6.8 8.9 6.6			NLO	(30'- 34.9') SILT WITH GRAVEL (ML); ~80% fines, low plasticity, ~20% gravel, fine to coarse, angular to subrounded; max. gravel size 3", moderate naphthalene-like odor, wet, black, wood chunks, red brick fragments, FILL, NAPL coating, blebs, tight.
-25				2.1 3.4 1.7 1.4 1.1			NLO	(34.9'- 36.8') NARROWLY GRADED SAND WITH GRAVEL (SP); ~80% sand, medium to coarse, ~20% gravel, fine to coarse, subrounded to subangular; max. gravel size 2", moderate naphthalene-like odor, wet, black, loose.
35							NLO	(36.8'- 40') WIDELY GRADED SAND WITH SILT (SW-SM); ~90% sand, fine to coarse, ~10% fines, non plastic; slight naphthalene-like odor, wet, brown, loose.
-30							NLO	(40'- 42.8') WIDELY GRADED SAND (SW); ~95% sand, fine to coarse, ~5% fines, non plastic; slight naphthalene-like odor, wet, gray to brown, loose.
40		S5	10/5.7	1.7 1.0 0.7 0.4 0.0				(42.8'- 46.8') WIDELY GRADED SAND (SW); ~95% sand, fine to coarse, ~5% fines, non plastic; wet, brown, loose.
-35								(46.8'- 50') SILTY SAND (SM); ~60% sand, fine to medium, ~40% fines, non plastic; wet, brown, moderately tight.
45								
-40								
50								End of Boring at 50 feet.

NOTES:

PEN = PENETRATION LENGTH OF SAMPLER OR CORE BARREL
REC = RECOVERY LENGTH OF SAMPLE
PID = PHOTOIONIZATION DETECTOR READING (PPM)
JHS = JAR HEADSPACE PID READING (PPM)

ppm = PARTS PER MILLION
IN. = INCHES
FT. = FEET

NLO = NAPHTHALENE LIKE ODOR
PLO = PETROLEUM LIKE ODOR
TLO = TAR LIKE ODOR
CLO = CHEMICAL LIKE ODOR
ALO = ASPHALT LIKE ODOR

CrLO= CREOSOTE LIKE ODOR
OLO = ORGANIC LIKE ODOR
SLO = SULFUR LIKE ODOR
MLO = MUSTY LIKE ODOR

NA = NOT APPLICABLE Q_p = POCKET PENETROMETER
NM = NOT MEASURED S_v = TORVANE PEAK



GEI Consultants, Inc. P.C.
455 Winding Brook Drive
Suite 201
Glastonbury, CT 06033
(860) 368-5300

CLIENT: National Grid - Greenpoint
PROJECT: Ph. 2/3 RI Additional Investigation
CITY/STATE: Brooklyn, New York
GEI PROJECT NUMBER: 125180

BORING LOG

PAGE
1 of 2

GPEC-SB404A

GROUND SURFACE ELEVATION (FT): 8.05 LOCATION: Area 1
NORTHING (FT): 687830 EASTING (FT): 651238 TOTAL DEPTH (FT): 50.0
DRILLED BY: Cascade Drilling / Evan Morais DATUM VERT. / HORZ.: NAVD 88 / NAD83 NY East Zone
LOGGED BY: G. Holmes DATE START / END: 5/10/2017 - 5/10/2017
DRILLING DETAILS: Geoprobe 7822DT Track Mounted Rig
WATER LEVEL DEPTHS (FT): _____
GENERAL NOTE: _____

ELEV. FT.	DEPTH FT.	SAMPLE INFO			STRATA	VISUAL IMPACTS	ODOR	SOIL / BEDROCK DESCRIPTION
		TYPE and NO.	PEN/REC FT./FT.	PID (PPM)				
0	0							(0'- 8') Vacuum / Hand Cleared.
5	5							
10	10	S1	2/2	0.0				(8'- 10') SILTY SAND WITH GRAVEL (SM); ~50% sand, fine to coarse, ~30% fines, non plastic, ~20% gravel, fine to coarse, angular to subangular; max. gravel size 2", moist, brown, asphalt, red brick, and concrete fragments, loose, FILL.
15	15	S2	5/5	0.0				(10'- 15') SILTY SAND (SM); ~50% sand, fine to coarse, ~40% fines, non plastic to low plasticity, ~10% gravel, fine, angular to subangular; max. gravel size 0.25", wet, brown to black, red brick fragments, wood chips/chunks, loose, FILL. Groundwater at 10' bgs.
20	20	S3	5/4.2	0.0				(15'- 19.3') SILTY SAND (SM); ~50% sand, fine to coarse, ~40% fines, non plastic to low plasticity, ~10% gravel, fine, angular to subangular; max. gravel size 0.25", wet, brown to black, red brick fragments, wood chips/chunks, loose, FILL.
25	25	S4	5/2.8	0.0				(19.3'- 20') SANDY CLAY WITH GRAVEL (CL); ~40% fines, low to medium plasticity, ~30% gravel, fine to coarse, angular to subangular, ~30% sand, fine to coarse; max. gravel size 1.75", wet, black to dark brown, black staining, trace sheen, trace black ash, loose, FILL.
							OLO	(20'- 22.9') WIDELY GRADED SAND (SW); ~95% sand, fine to coarse, ~5% fines, non plastic; slight organic-like odor, wet, brown, loose, FILL.
							OLO	(22.9'- 25') SANDY GRAVEL (GW); ~70% gravel, fine to coarse, angular to subrounded, ~30% sand, fine to coarse; max. gravel size

NOTES:

PEN = PENETRATION LENGTH OF SAMPLER OR CORE BARREL
REC = RECOVERY LENGTH OF SAMPLE
PID = PHOTOIONIZATION DETECTOR READING (PPM)
JHS = JAR HEADSPACE PID READING (PPM)

NA = NOT APPLICABLE Q_p = POCKET PENETROMETER
NM = NOT MEASURED S_v = TORVANE PEAK

ppm = PARTS PER MILLION
IN. = INCHES
FT. = FEET

NLO = NAPHTHALENE LIKE ODOR
PLO = PETROLEUM LIKE ODOR
TLO = TAR LIKE ODOR
CLO = CHEMICAL LIKE ODOR
ALO = ASPHALT LIKE ODOR

CrLO = CREOSOTE LIKE ODOR
OLO = ORGANIC LIKE ODOR
SLO = SULFUR LIKE ODOR
MLO = MUSTY LIKE ODOR

ENVIRONMENTAL BORING LOG GREENPOINT BORINGS LOADING PLATFORM ADDITIONAL GH.GPJ GEI TEMPLATE 11-7-13.GDT 7/5/17

CrLO= CREOSOTE LIKE ODOR
OLO = ORGANIC LIKE ODOR
SLO = SULFUR LIKE ODOR
MLO = MUSTY LIKE ODOR



GEI Consultants, Inc. P.C.
455 Winding Brook Drive
Suite 201
Glastonbury, CT 06033
(860) 368-5300

CLIENT: National Grid - Greenpoint
PROJECT: Ph. 2/3 RI Additional Investigation
CITY/STATE: Brooklyn, New York
GEI PROJECT NUMBER: 125180

BORING LOG

PAGE
1 of 2

GPEC-SB405A

GROUND SURFACE ELEVATION (FT): 9.96 LOCATION: Area 1
NORTHING (FT): 687900 EASTING (FT): 651204 TOTAL DEPTH (FT): 50.0
DRILLED BY: Cascade Drilling / Evan Morais DATUM VERT. / HORZ.: NAVD 88 / NAD83 NY East Zone
LOGGED BY: G. Holmes DATE START / END: 5/16/2017 - 5/16/2017
DRILLING DETAILS: Geoprobe 7822DT Track Mounted Rig
WATER LEVEL DEPTHS (FT): _____
GENERAL NOTE: Plastic liner split and stuck in the casing on the 35'-40' bgs interval.

ELEV. FT.	DEPTH FT.	SAMPLE INFO			STRATA	VISUAL IMPACTS	ODOR	SOIL / BEDROCK DESCRIPTION
		TYPE and NO.	PEN/REC FT./FT.	PID (PPM)				
0	0							(0'- 8') Vacuum / Hand Cleared. Black staining observed.
5	5							
		S1	2/0.8	0.0				(8'- 10') WIDELY GRADED SAND WITH GRAVEL AND SILT (SW-SM); ~60% sand, fine to coarse, ~30% gravel, fine to coarse, angular to subrounded, ~10% fines, non plastic; max. gravel size 1.5", wet, brown, red brick fragments, loose, FILL.
0	10	S2	5/3.8	0.0				(10'- 11.7') SILTY SAND WITH GRAVEL (SM); ~40% sand, fine to coarse, ~30% gravel, fine to coarse, angular to subrounded, ~30% fines, non plastic to low plasticity; max. gravel size 1", wet, brown, red brick and concrete fragments, loose, FILL.
							NLO	(11.7'- 14.2') SANDY CLAY WITH GRAVEL (CL); ~50% fines, low to medium plasticity, ~30% sand, fine to coarse, ~20% gravel, fine to coarse, angular to subrounded; max. gravel size 1", slight naphthalene-like odor, wet, gray to black, black staining, organics, roots, tight.
-5	15	S3	5/1.3	0.0				(14.2'- 15') SANDY CLAY (CL); ~60% fines, low to medium plasticity, ~30% sand, fine to coarse, ~10% gravel, fine to coarse, subangular to subrounded; max. gravel size 2", wet, gray, tight.
								(15'- 20') SILTY SAND WITH GRAVEL (SM); ~50% sand, fine to coarse, ~30% gravel, fine to coarse, angular to subrounded, ~20% fines, non plastic to low plasticity; max. gravel size 2", wet, brown to black, trace black staining, trace sheen on water, loose.
-10	20	S4	5/2.2	0.0				(20'- 25') SILTY SAND (SM); ~70% sand, fine to coarse, ~20% fines, non plastic to low plasticity, ~10% gravel, fine, angular to subrounded; max. gravel size 0.25", moderate organic-like odor, wet, brown, trace sheen on water, loose.
				0.0				
				0.0				
				0.0				
				8.7			OLO	
	25							

NOTES:

PEN = PENETRATION LENGTH OF SAMPLER OR CORE BARREL
REC = RECOVERY LENGTH OF SAMPLE
PID = PHOTOIONIZATION DETECTOR READING (PPM)
JHS = JAR HEADSPACE PID READING (PPM)

NA = NOT APPLICABLE Q_p = POCKET PENETROMETER
NM = NOT MEASURED S_v = TORVANE PEAK

ppm = PARTS PER MILLION
IN. = INCHES
FT. = FEET

NLO = NAPHTHALENE LIKE ODOR
PLO = PETROLEUM LIKE ODOR
TLO = TAR LIKE ODOR
CLO = CHEMICAL LIKE ODOR
ALO = ASPHALT LIKE ODOR

CrLO = CREOSOTE LIKE ODOR
OLO = ORGANIC LIKE ODOR
SLO = SULFUR LIKE ODOR
MLO = MUSTY LIKE ODOR

ENVIRONMENTAL BORING LOG GREENPOINT BORINGS LOADING PLATFORM ADDITIONAL GH.GPJ GEI TEMPLATE 11-7-13.GDT 7/5/17



GEI Consultants, Inc. P.C.
455 Winding Brook Drive
Suite 201
Glastonbury, CT 06033
(860) 368-5300

CLIENT: National Grid - Greenpoint
PROJECT: Ph. 2/3 RI Additional Investigation
CITY/STATE: Brooklyn, New York
GEI PROJECT NUMBER: 125180

BORING LOG

PAGE
1 of 2

GPEC-SB406A

GROUND SURFACE ELEVATION (FT): 8.75 LOCATION: Area 2
NORTHING (FT): 687997 EASTING (FT): 651173 TOTAL DEPTH (FT): 50.0
DRILLED BY: Cascade Drilling / Evan Morais DATUM VERT. / HORZ.: NAVD 88 / NAD83 NY East Zone
LOGGED BY: G. Holmes DATE START / END: 5/11/2017 - 5/11/2017
DRILLING DETAILS: Geoprobe 7822DT Track Mounted Rig
WATER LEVEL DEPTHS (FT): _____
GENERAL NOTE: _____

ELEV. FT.	DEPTH FT.	SAMPLE INFO			STRATA	VISUAL IMPACTS	ODOR	SOIL / BEDROCK DESCRIPTION
		TYPE and NO.	PEN/REC FT./FT.	PID (PPM)				
0	0							(0'- 8') Vacuum / Hand Cleared.
5	5							
0	0	S1	2/0.8	0.0				(8'- 10') SILTY SAND WITH GRAVEL (SM); ~60% sand, fine to medium, ~20% gravel, fine to coarse, angular to subangular, ~20% fines, non plastic; max. gravel size 1.5", moist, brown, red brick and asphalt fragments, tight, FILL.
10	10	S2	5/2.3	0.0			PLO	(10'- 15') SILTY SAND WITH GRAVEL (SM); ~60% sand, fine to medium, ~20% gravel, fine to coarse, angular to subangular, ~20% fines, non plastic; max. gravel size 1.5", moderate petroleum-like odor, wet, brown, sheen, trace black staining, red brick and asphalt fragments, loose, FILL.
-5	-5							
15	15	S3	5/5	0.0			PLO	(15'- 20') SILTY SAND WITH GRAVEL (SM); ~50% sand, fine to coarse, ~30% fines, non plastic to low plasticity, ~20% gravel, fine to coarse, angular to subrounded; max. gravel size 1.25", slight petroleum-like odor, wet, brown, black staining, red brick, glass, and wood fragments, loose, FILL.
-10	-10							
20	20	S4	5/3.5	0.8 0.8 0.7 0.5 0.5 0.0 0.0			PLO	(20'- 23.9') WIDELY GRADED SAND WITH SILT (SW-SM); ~85% sand, fine to coarse, ~10% fines, non plastic, ~5% gravel, fine, subrounded to subangular; max. gravel size 0.25", slight petroleum-like odor, wet, brown, trace sheen, loose.
-15	-15							
25	25							(23.9'- 25') SANDY GRAVEL (GW); ~75% gravel, fine to coarse, angular to subrounded, ~25% sand, fine to coarse; max. gravel size

NOTES:

PEN = PENETRATION LENGTH OF SAMPLER OR CORE BARREL
REC = RECOVERY LENGTH OF SAMPLE
PID = PHOTOIONIZATION DETECTOR READING (PPM)
JHS = JAR HEADSPACE PID READING (PPM)

NA = NOT APPLICABLE Q_p = POCKET PENETROMETER
NM = NOT MEASURED S_v = TORVANE PEAK

ppm = PARTS PER MILLION
IN. = INCHES
FT. = FEET

NLO = NAPHTHALENE LIKE ODOR
PLO = PETROLEUM LIKE ODOR
TLO = TAR LIKE ODOR
CLO = CHEMICAL LIKE ODOR
ALO = ASPHALT LIKE ODOR

CrLO = CREOSOTE LIKE ODOR
OLO = ORGANIC LIKE ODOR
SLO = SULFUR LIKE ODOR
MLO = MUSTY LIKE ODOR

ENVIRONMENTAL BORING LOG GREENPOINT BORINGS LOADING PLATFORM ADDITIONAL GH.GPJ GEI TEMPLATE 11-7-13.GDT 7/5/17



GEI Consultants, Inc. P.C.
455 Winding Brook Drive
Suite 201
Glastonbury, CT 06033
(860) 368-5300

CLIENT: National Grid - Greenpoint
PROJECT: Ph. 2/3 RI Additional Investigation
CITY/STATE: Brooklyn, New York
GEI PROJECT NUMBER: 125180

BORING LOG

PAGE
1 of 2

GPEC-SB407A

GROUND SURFACE ELEVATION (FT): 7.10 LOCATION: Area 2
NORTHING (FT): 688086 EASTING (FT): 651114 TOTAL DEPTH (FT): 50.0
DRILLED BY: Cascade Drilling / Evan Morais DATUM VERT. / HORZ.: NAVD 88 / NAD83 NY East Zone
LOGGED BY: G. Holmes DATE START / END: 5/15/2017 - 5/15/2017
DRILLING DETAILS: Geoprobe 7822DT Track Mounted Rig
WATER LEVEL DEPTHS (FT): _____
GENERAL NOTE: _____

ELEV. FT.	DEPTH FT.	SAMPLE INFO			STRATA	VISUAL IMPACTS	ODOR	SOIL / BEDROCK DESCRIPTION
		TYPE and NO.	PEN/REC FT./FT.	PID (PPM)				
0	0							(0'- 8') Vacuum / Hand Cleared.
5	5							
10	10	S1	2/0.8	0.0				(8'- 10') SILTY SAND (SM); ~60% sand, fine to coarse, ~35% fines, non plastic, ~5% gravel, fine to coarse, angular to subangular; max. gravel size 0.75", wet, brown, red brick and asphalt fragments, loose, FILL.
15	15	S2	5/5	0.0				(10'- 15') SILTY SAND WITH GRAVEL (SM); ~50% sand, fine to coarse, ~30% fines, non plastic to low plasticity, ~20% gravel, fine to coarse, angular to subangular; max. gravel size 1.25", wet, brown to dark brown, trace sheen on water, red brick and wood fragments, loose, FILL.
20	20	S3	5/5	0.0				(15'- 20') SILTY SAND WITH GRAVEL (SM); ~50% sand, fine to coarse, ~30% fines, non plastic to low plasticity, ~20% gravel, fine to coarse, angular to subangular; max. gravel size 1.25", wet, brown to dark brown, trace sheen on water, trace black staining, red brick and wood fragments, loose, FILL.
25	25	S4	5/5	1.2 0.5 0.7 7.0 24.4 4.0 2.7 2.3			PLO	(20'- 21.2') SILTY SAND WITH GRAVEL (SM); ~50% sand, fine to coarse, ~30% fines, non plastic to low plasticity, ~20% gravel, fine to coarse, angular to subangular; max. gravel size 1.25", moderate petroleum-like odor, wet, brown to dark brown, NAPL blebs, sheen, trace black staining, red brick and wood fragments, loose, FILL.
							PLO	(21.2'- 22.3') CLAY (CL); medium plasticity; moderate petroleum-like odor, wet, gray, NAPL blebs, sheen, tight.
							PLO	(22.3'- 22.8') SANDY CLAY (CL); ~70% fines, low to medium plasticity, ~30% sand, fine to coarse; moderate petroleum-like odor,
							PLO	

NOTES:

PEN = PENETRATION LENGTH OF SAMPLER OR CORE BARREL
REC = RECOVERY LENGTH OF SAMPLE
PID = PHOTOIONIZATION DETECTOR READING (PPM)
JHS = JAR HEADSPACE PID READING (PPM)

NA = NOT APPLICABLE Q_p = POCKET PENETROMETER
NM = NOT MEASURED S_v = TORVANE PEAK

ppm = PARTS PER MILLION
IN. = INCHES
FT. = FEET

NLO = NAPHTHALENE LIKE ODOR
PLO = PETROLEUM LIKE ODOR
TLO = TAR LIKE ODOR
CLO = CHEMICAL LIKE ODOR
ALO = ASPHALT LIKE ODOR

CrLO = CREOSOTE LIKE ODOR
OLO = ORGANIC LIKE ODOR
SLO = SULFUR LIKE ODOR
MLO = MUSTY LIKE ODOR

ENVIRONMENTAL BORING LOG GREENPOINT BORINGS LOADING PLATFORM ADDITIONAL GH.GPJ GEI TEMPLATE 11-7-13.GDT 7/17/17

 GEI Consultants GEI Consultants, Inc. P.C. 455 Winding Brook Drive Suite 201 Glastonbury, CT 06033 (860) 368-5300		CLIENT: <u>National Grid - Greenpoint</u> PROJECT: <u>Ph. 2/3 RI Additional Investigation</u> CITY/STATE: <u>Brooklyn, New York</u> GEI PROJECT NUMBER: <u>125180</u>		BORING LOG PAGE 2 of 2 GPEC-SB407A				
ELEV. FT.	DEPTH FT.	SAMPLE INFO			STRATA	VISUAL IMPACTS	ODOR	SOIL / BEDROCK DESCRIPTION
		TYPE and NO.	PEN/REC FT./FT.	PID (PPM)				
	25	S5	5/3.7	0.0				wet, black, NAPL blebs, sheen, black staining, loose. (22.8'- 23') PEAT (PT); moderate petroleum-like odor, brown to black, sheen, meadow mat, organics, roots,. (23'- 25') WIDELY GRADED SAND WITH SILT (SW-SM); ~80% sand, fine to coarse, ~10% gravel, fine to coarse, subangular to subrounded, ~10% fines, non plastic; max. gravel size 1", moderate petroleum-like odor, wet, black, NAPL blebs, sheen, black staining, loose.
	30	S6	5/5	0.0				(25'- 30') WIDELY GRADED SAND WITH GRAVEL (SW); ~75% sand, fine to coarse, ~20% gravel, fine to coarse, angular to subrounded, ~5% fines, non plastic; max. gravel size 1.5", wet, brown to black, black staining, trace shell fragments, loose. (30'- 35') WIDELY GRADED SAND (SW); ~95% sand, fine to coarse, ~5% fines, non plastic; wet, gray, loose.
	35	S7	5/5	0.0				(35'- 40') WIDELY GRADED SAND (SW); ~95% sand, fine to coarse, ~5% fines, non plastic; wet, gray, loose.
	40	S8	5/5	0.0				(40'- 45') WIDELY GRADED SAND (SW); ~95% sand, fine to coarse, ~5% fines, non plastic; wet, gray to brown, loose.
	45	S9	5/3.7	0.0				(45'- 47.4') WIDELY GRADED SAND (SW); ~95% sand, fine to coarse, ~5% fines, non plastic; wet, brown to gray, loose.
	50							(47.4'- 48.2') WIDELY GRADED SAND WITH GRAVEL (SW); ~65% sand, fine to coarse, ~30% gravel, fine to coarse, subrounded to subangular, ~5% fines, non plastic; max. gravel size 1.25", wet, brown, loose. (48.2'- 50') WIDELY GRADED SAND (SW); ~95% sand, fine to coarse, ~5% fines, non plastic; wet, brown, loose. End of Boring at 50 feet. Grout to surface.

NOTES:

PEN = PENETRATION LENGTH OF SAMPLER OR CORE BARREL	ppm = PARTS PER MILLION	NLO = NAPHTHALENE LIKE ODOR	CrLO = CREOSOTE LIKE ODOR
REC = RECOVERY LENGTH OF SAMPLE	IN. = INCHES	PLO = PETROLEUM LIKE ODOR	OLO = ORGANIC LIKE ODOR
PID = PHOTOIONIZATION DETECTOR READING (PPM)	FT. = FEET	TLO = TAR LIKE ODOR	SLO = SULFUR LIKE ODOR
JHS = JAR HEADSPACE PID READING (PPM)		CLO = CHEMICAL LIKE ODOR	MLO = MUSTY LIKE ODOR
NA = NOT APPLICABLE	Q _p = POCKET PENETROMETER	ALO = ASPHALT LIKE ODOR	
NM = NOT MEASURED	S _v = TORVANE PEAK		



GEI Consultants, Inc. P.C.
455 Winding Brook Drive
Suite 201
Glastonbury, CT 06033
(860) 368-5300

CLIENT: National Grid - Greenpoint
PROJECT: Ph. 2/3 RI Additional Investigation
CITY/STATE: Brooklyn, New York
GEI PROJECT NUMBER: 125180

BORING LOG

PAGE
1 of 2

GPEC-SB408A

GROUND SURFACE ELEVATION (FT): 6.80 LOCATION: Area 2
NORTHING (FT): 688177 EASTING (FT): 651086 TOTAL DEPTH (FT): 50.0
DRILLED BY: Cascade Drilling / Evan Morais DATUM VERT. / HORZ.: NAVD 88 / NAD83 NY East Zone
LOGGED BY: G. Holmes DATE START / END: 6/8/2017 - 6/8/2017
DRILLING DETAILS: Geoprobe 7822DT Track Mounted Rig
WATER LEVEL DEPTHS (FT): _____
GENERAL NOTE: _____

ELEV. FT.	DEPTH FT.	SAMPLE INFO			STRATA	VISUAL IMPACTS	ODOR	SOIL / BEDROCK DESCRIPTION
		TYPE and NO.	PEN/REC FT./FT.	PID (PPM)				
0	0							(0'- 8') Vacuum / Hand Cleared. Black staining observed.
5	5							
10	10	S1	2/1.2	0.0				(8'- 10') SILTY SAND WITH GRAVEL (SM); ~50% sand, fine to coarse, ~30% fines, non plastic, ~20% gravel, fine to coarse, angular to subrounded; max. gravel size 1.5", wet, brown to dark brown, red brick, concrete, and wood fragments, loose, FILL.
15	15	S2	5/4.8	0.0				(10'- 15') SILTY SAND WITH GRAVEL (SM); ~50% sand, fine to coarse, ~30% fines, non plastic, ~20% gravel, fine to coarse, angular to subrounded; max. gravel size 1.5", wet, brown to dark brown, red brick, concrete, and wood fragments, loose, FILL.
20	20	S3	5/5	0.0				(15'- 19.2') SILTY SAND WITH GRAVEL (SM); ~50% sand, fine to coarse, ~30% fines, non plastic, ~20% gravel, fine to coarse, angular to subrounded; max. gravel size 1.5", wet, brown to dark brown, red brick, concrete, and wood fragments, loose, FILL.
25	25	S4	5/3.6	0.0			NLO	(19.2'- 20') CLAYEY SAND WITH GRAVEL (SC); ~50% sand, fine to medium, ~30% fines, low plasticity, ~20% gravel, fine to coarse, angular to subangular; max. gravel size 1", slight naphthalene-like odor, wet, brown to black, black staining, red brick and asphalt fragments, trace roots/organics, tight, FILL.
								(20'- 23.4') CLAYEY SAND WITH GRAVEL (SC); ~50% sand, fine to medium, ~30% fines, low plasticity, ~20% gravel, fine to coarse, angular to subangular; max. gravel size 1", wet, brown to black, black staining near base, red brick and asphalt fragments, trace roots/organics, tight, FILL.
								(23.4'- 25') WIDELY GRADED SAND WITH SILT (SW-SM); ~80%

NOTES:

PEN = PENETRATION LENGTH OF SAMPLER OR CORE BARREL
REC = RECOVERY LENGTH OF SAMPLE
PID = PHOTOIONIZATION DETECTOR READING (PPM)
JHS = JAR HEADSPACE PID READING (PPM)

NA = NOT APPLICABLE Q_p = POCKET PENETROMETER
NM = NOT MEASURED S_v = TORVANE PEAK

ppm = PARTS PER MILLION
IN. = INCHES
FT. = FEET

NLO = NAPHTHALENE LIKE ODOR
PLO = PETROLEUM LIKE ODOR
TLO = TAR LIKE ODOR
CLO = CHEMICAL LIKE ODOR
ALO = ASPHALT LIKE ODOR

CrLO = CREOSOTE LIKE ODOR
OLO = ORGANIC LIKE ODOR
SLO = SULFUR LIKE ODOR
MLO = MUSTY LIKE ODOR

ENVIRONMENTAL BORING LOG GREENPOINT BORINGS LOADING PLATFORM ADDITIONAL GH.GPJ GEI TEMPLATE 11-7-13.GDT 7/17/17



GEI Consultants, Inc. P.C.
455 Winding Brook Drive
Suite 201
Glastonbury, CT 06033
(860) 368-5300

CLIENT: **National Grid - Greenpoint**
PROJECT: **Ph. 2/3 RI Additional Investigation**
CITY/STATE: **Brooklyn, New York**
GEI PROJECT NUMBER: **125180**

BORING LOG

PAGE
2 of 2

GPEC-SB408A

ELEV. FT.	DEPTH FT.	SAMPLE INFO			STRATA	VISUAL IMPACTS	ODOR	SOIL / BEDROCK DESCRIPTION
		TYPE and NO.	PEN/REC FT./FT.	PID (PPM)				
25		S5	5/5	0.0				sand, fine to coarse, ~15% fines, non plastic, ~5% gravel, fine to coarse, angular; max. gravel size 0.75", wet, black, black staining, trace sheen, slag, red brick and wood fragments, loose. (25'- 27.7') WIDELY GRADED SAND WITH SILT (SW-SM); ~80% sand, fine to coarse, ~15% fines, non plastic, ~5% gravel, fine to coarse, angular; max. gravel size 0.75", slight naphthalene-like odor, wet, brown to black, trace black staining, trace sheen, slag, red brick and wood fragments, loose. (27.7'- 30') SANDY CLAY (CL); ~80% fines, medium plasticity, ~20% sand, fine to coarse; strong naphthalene-like odor, wet, gray to black, black staining, sheen, trace NAPL blebs, wood fragments, organics, coarse sand lense at 29.7', tight. (30'- 31.3') CLAYEY SAND WITH GRAVEL (SC); ~60% sand, fine to coarse, ~20% gravel, fine to coarse, angular to subrounded, ~20% fines, medium plasticity; max. gravel size 1.5", moderate naphthalene-like odor, wet, brown to black, black staining, wood fragments. (31.3'- 35') WIDELY GRADED SAND WITH GRAVEL (SW); ~60% sand, fine to coarse, ~40% gravel, fine to coarse, subangular to subrounded; max. gravel size 1.75", wet, dark brown, loose. (35'- 40') WIDELY GRADED SAND (SW); ~95% sand, fine to coarse, ~5% gravel, fine, subrounded; max. gravel size 0.25", wet, tan to light gray, loose. (40'- 45') WIDELY GRADED SAND (SW); ~90% sand, fine to coarse, ~5% gravel, fine, subrounded, ~5% fines, non plastic; max. gravel size 0.25", wet, gray to brown, loose. (45'- 49.2') WIDELY GRADED SAND (SW); ~90% sand, fine to coarse, ~5% gravel, fine, subrounded, ~5% fines, non plastic; max. gravel size 0.25", wet, gray to brown, loose. (49.2'- 50') NARROWLY GRADED SAND WITH SILT (SP-SM); ~90% sand, fine to medium, ~10% fines, non plastic; wet, tan, loose. End of Boring at 50 feet. Grout to surface.
-20				0.0			NLO	
				0.0				
				0.8				
				33.2			NLO	
				82.8				
				56.2				
-30		S6	5/5	21.6			NLO	
				0.6				
-25				0.0				
				0.0				
				0.0				
				0.0				
-35		S7	5/5	0.0				
-40		S8	5/4.4	0.0				
-45		S9	5/4.6	0.0				
-50								

NOTES:

PEN = PENETRATION LENGTH OF SAMPLER OR CORE BARREL
REC = RECOVERY LENGTH OF SAMPLE
PID = PHOTOIONIZATION DETECTOR READING (PPM)
JHS = JAR HEADSPACE PID READING (PPM)

NA = NOT APPLICABLE Q_p = POCKET PENETROMETER
NM = NOT MEASURED S_v = TORVANE PEAK

ppm = PARTS PER MILLION
IN. = INCHES
FT. = FEET

NLO = NAPHTHALENE LIKE ODOR
PLO = PETROLEUM LIKE ODOR
TLO = TAR LIKE ODOR
CLO = CHEMICAL LIKE ODOR
ALO = ASPHALT LIKE ODOR

CrLo = CREOSOTE LIKE ODOR
OLO = ORGANIC LIKE ODOR
SLO = SULFUR LIKE ODOR
MLO = MUSTY LIKE ODOR

ENVIRONMENTAL BORING LOG GREENPOINT BORINGS LOADING PLATFORM ADDITIONAL GH.GPJ GEI TEMPLATE 11-7-13.GDT 7/17/17


GROUNDWATER OBSERVATION WELL REPORT				GPEC-MW403	
Project <u>Greenpoint Energy Center</u>				PG. <u>1</u> OF <u>1</u> Boring No. <u>GPEC-MW403</u> Location <u>Area 1</u> Project No. <u>125180-3-1302</u>	
Location <u>Brooklyn, New York</u>					
Client <u>National Grid</u>					
Contractor <u>Cascade Drilling</u>		Driller <u>Jon Weeks</u>			
Inspected by <u>George Holmes</u>		Date Started <u>2/28/17</u>			
Checked by <u>Chris Morris</u>		Date Completed <u>2/28/17</u>			

SURVEY N <u>687735.5</u> DATUM E <u>651255.2</u>		LENGTH OF SURFACE CASING ABOVE GROUND SURFACE (FT) <u>0.0 (flush-mounted)</u>	
GROUND ELEVATION <u>7.91</u>		LENGTH OF RISER PIPE ABOVE GROUND SURFACE (FT) <u>0.0 (flush-mounted)</u>	
GENERAL SOIL CONDITIONS (Not to Scale)		THICKNESS OF SURFACE SEAL BELOW GROUND SURFACE, IF ANY (FT) <u>1'</u>	TYPE OF SURFACE SEAL (indicate any additional seals) <u>#2 sand</u>
	Fill	ID OF SURFACE CASING (IN) <u>NA</u> TYPE OF SURFACE CASING <u>NA</u>	
	Peat (~26-29')	DEPTH BOTTOM OF CASING (FT) <u>1'</u>	
	Silty Sand	RISER PIPE DIAMETER(IN) <u>2"</u> TYPE OF RISER PIPE <u>Sch 40 PVC</u>	
	Sand	DIAMETER OF BOREHOLE (IN) <u>6"</u> TYPE OF BACKFILL AROUND RISER PIPE <u>cement/bentonite grout</u>	
		DEPTH TOP OF SEAL, IF ANY (FT) <u>28.5</u> TYPE OF SEAL <u>bentonite pellets</u> DEPTH BOTTOM OF SEAL (FT) <u>30.5</u>	
		DEPTH TOP OF PERVIOUS SECTION <u>33.5</u> TYPE OF PERVIOUS SECTION <u>sch 40 PVC</u> DESCRIBE OPENINGS <u>0.020 slot</u> PERVIOUS SECTION DIAMETER (IN) <u>2"</u>	
		TYPE OF BACKFILL AROUND PERVIOUS SECTION <u># 2 Sand</u>	
		DEPTH BOTTOM OF PERVIOUS SECTION (FT) <u>43.5</u>	
		DEPTH BOTTOM OF SAND COLUMN (FT) <u>45.0</u>	
		ELEV./DEPTH TOP OF SEAL, IF ANY (FT) <u>45.0</u> TYPE OF SEAL <u>bentonite pellets</u> ELEV./DEPTH BOTTOM OF SEAL (FT) <u>50.0</u>	
		TYPE OF BACKFILL BELOW PERVIOUS SECTION, IF ANY <u>Bentonite pellets</u>	

GROUNDWATER OBSERVATION WELL REPORT				GPEC-MW404	
Project <u>Greenpoint Energy Center</u>				PG. <u>1</u> OF <u>1</u> Boring No. <u>GPEC-MW404</u> Location <u>Area 1</u> Project No. <u>125180-3-1302</u>	
Location <u>Brooklyn, New York</u>					
Client <u>National Grid</u>					
Contractor <u>Cascade Drilling</u>		Driller <u>Jon Weeks</u>			
Inspected by <u>George Holmes</u>		Date Started <u>2/27/17</u>			
Checked by <u>Chris Morris</u>		Date Completed <u>2/27/17</u>			

SURVEY N <u>687856.8</u> DATUM E <u>651232.1</u>			
GROUND ELEVATION <u>8.49</u>			
GENERAL SOIL CONDITIONS (Not to Scale)	Fill		LENGTH OF SURFACE CASING ABOVE GROUND SURFACE (FT) 0.0 (flush-mounted)
			LENGTH OF RISER PIPE ABOVE GROUND SURFACE (FT) 0.0 (flush-mounted)
			THICKNESS OF SURFACE SEAL BELOW GROUND SURFACE, IF ANY (FT) 1'
			TYPE OF SURFACE SEAL (indicate any additional seals) #2 sand
			ID OF SURFACE CASING (IN) NA TYPE OF SURFACE CASING NA
			DEPTH BOTTOM OF CASING (FT) 1'
			RISER PIPE DIAMETER(IN) 2" TYPE OF RISER PIPE Sch 40 PVC
			DIAMETER OF BOREHOLE (IN) 6"
			TYPE OF BACKFILL AROUND RISER PIPE cement/bentonite grout
			DEPTH TOP OF SEAL, IF ANY (FT) 30.5 TYPE OF SEAL bentonite pellets DEPTH BOTTOM OF SEAL (FT) 33.0
			DEPTH TOP OF PERVIOUS SECTION 35.0
			TYPE OF PERVIOUS SECTION sch 40 PVC DESCRIBE OPENINGS 0.020 slot PERVIOUS SECTION DIAMETER (IN) 2"
			TYPE OF BACKFILL AROUND PERVIOUS SECTION # 2 Sand
			DEPTH BOTTOM OF PERVIOUS SECTION (FT) 45.0
			DEPTH BOTTOM OF SAND COLUMN (FT) 45.0
		ELEV./DEPTH TOP OF SEAL, IF ANY (FT) 45.0 TYPE OF SEAL ELEV./DEPTH BOTTOM OF SEAL (FT) 55.0	
		TYPE OF BACKFILL BELOW PERVIOUS SECTION, IF ANY Bentonite pellets	

GROUNDWATER OBSERVATION WELL REPORT				GPEC-MW405	
Project <u>Greenpoint Energy Center</u>				PG. <u>1</u> OF <u>1</u> Boring No. <u>GPEC-MW405</u> Location <u>Area 1</u> Project No. <u>125180-3-1302</u>	
Location <u>Brooklyn, New York</u>					
Client <u>National Grid</u>					
Contractor <u>Cascade Drilling</u>		Driller <u>Jon Weeks</u>			
Inspected by <u>George Holmes</u>		Date Started <u>2/27/17</u>			
Checked by <u>Chris Morris</u>		Date Completed <u>2/28/17</u>			

SURVEY N <u>687954.8</u> DATUM E <u>651191.1</u>		LENGTH OF SURFACE CASING ABOVE GROUND SURFACE (FT) <u>0.0 (flush-mounted)</u>	
GROUND ELEVATION <u>8.58</u>		LENGTH OF RISER PIPE ABOVE GROUND SURFACE (FT) <u>0.0 (flush-mounted)</u>	
GENERAL SOIL CONDITIONS (Not to Scale)	Fill		THICKNESS OF SURFACE SEAL BELOW GROUND SURFACE, IF ANY (FT) <u>1'</u> TYPE OF SURFACE SEAL (indicate any additional seals) <u>#2 sand</u>
	Silt and Clay		ID OF SURFACE CASING (IN) <u>NA</u> TYPE OF SURFACE CASING <u>NA</u>
			DEPTH BOTTOM OF CASING (FT) <u>1'</u>
	Peat (~35.5-38)		RISER PIPE DIAMETER(IN) <u>2"</u> TYPE OF RISER PIPE <u>Sch 40 PVC</u>
	Silt, Sand and Gravel		DIAMETER OF BOREHOLE (IN) <u>6"</u> TYPE OF BACKFILL AROUND RISER PIPE <u>cement/bentonite grout</u>
			DEPTH TOP OF SEAL, IF ANY (FT) <u>35.5</u> TYPE OF SEAL <u>bentonite pellets</u> DEPTH BOTTOM OF SEAL (FT) <u>37.5</u>
			DEPTH TOP OF PERVIOUS SECTION <u>40.0</u>
			TYPE OF PERVIOUS SECTION <u>sch 40 PVC</u> DESCRIBE OPENINGS <u>0.020 slot</u> PERVIOUS SECTION DIAMETER (IN) <u>2"</u>
			TYPE OF BACKFILL AROUND PERVIOUS SECTION <u># 2 Sand</u>
			DEPTH BOTTOM OF PERVIOUS SECTION (FT) <u>50.0</u>
			DEPTH BOTTOM OF SAND COLUMN (FT) <u>50.0</u>
			ELEV./DEPTH TOP OF SEAL, IF ANY (FT) <u>50.0</u> TYPE OF SEAL <u>bentonite pellets</u> ELEV./DEPTH BOTTOM OF SEAL (FT) <u>70.0</u>
			TYPE OF BACKFILL BELOW PERVIOUS SECTION, IF ANY <u>Bentonite pellets</u>

GROUNDWATER OBSERVATION WELL REPORT

GPEC-MW406

Project Greenpoint Energy Center

Location Brooklyn, New York

Client National Grid

Contractor Cascade Drilling

Driller Jon Weeks

Inspected by David Sharpe

Date Started 3/2/17

Checked by Chris Morris

Date Completed 3/3/17

PG. 1 OF 1

Boring No. GPEC-MW406

Location Area 2

Project No. 125180-3-1302

SURVEY N 688047.5
DATUM E 651161.0

GROUND
ELEVATION 7.44

GENERAL SOIL CONDITIONS (Not to Scale)

Fill

Silt and Sand

Gravel

Silty Sand

LENGTH OF SURFACE CASING ABOVE GROUND SURFACE (FT)	0.0 (flush-mounted)
LENGTH OF RISER PIPE ABOVE GROUND SURFACE (FT)	0.0 (flush-mounted)
THICKNESS OF SURFACE SEAL BELOW GROUND SURFACE, IF ANY (FT)	1'
TYPE OF SURFACE SEAL (indicate any additional seals)	#2 sand
ID OF SURFACE CASING (IN)	NA
TYPE OF SURFACE CASING	NA
DEPTH BOTTOM OF CASING (FT)	1'
RISER PIPE DIAMETER(IN)	2"
TYPE OF RISER PIPE	Sch 40 PVC
DIAMETER OF BOREHOLE (IN)	6"
TYPE OF BACKFILL AROUND RISER PIPE	cement/bentonite grout
DEPTH TOP OF SEAL, IF ANY (FT)	51.0
TYPE OF SEAL	bentonite pellets
DEPTH BOTTOM OF SEAL (FT)	55.0
DEPTH TOP OF PERVIOUS SECTION	55.0
TYPE OF PERVIOUS SECTION	sch 40 PVC
DESCRIBE OPENINGS	0.020 slot
PERVIOUS SECTION DIAMETER (IN)	2"
TYPE OF BACKFILL AROUND PERVIOUS SECTION	# 2 Sand
DEPTH BOTTOM OF PERVIOUS SECTION (FT)	60.0
DEPTH BOTTOM OF SAND COLUMN (FT)	60.0
ELEV./DEPTH TOP OF SEAL, IF ANY (FT)	60.0
TYPE OF SEAL	
ELEV./DEPTH BOTTOM OF SEAL (FT)	70.0
TYPE OF BACKFILL BELOW PERVIOUS SECTION, IF ANY	Bentonite pellets

NOTES:



GROUNDWATER OBSERVATION WELL REPORT

GPEC-MW407

Project Greenpoint Energy Center

Location Brooklyn, New York

Client National Grid

Contractor Cascade Drilling

Driller Jon Weeks

Inspected by George Holmes

Date Started 3/1/17

Checked by Chris Morris

Date Completed 3/2/17

PG. 1 OF 1

Boring No. GPEC-MW407

Location Area 2

Project No. 125180-3-1302

SURVEY N 688153.0

DATUM E 651129.4

GROUND
ELEVATION 7.26

Fill

Silt, sand and gravel

GENERAL SOIL CONDITIONS (Not to Scale)

LENGTH OF SURFACE CASING ABOVE GROUND SURFACE (FT)	0.0 (flush-mounted)
LENGTH OF RISER PIPE ABOVE GROUND SURFACE (FT)	0.0 (flush-mounted)
THICKNESS OF SURFACE SEAL BELOW GROUND SURFACE, IF ANY (FT)	1'
TYPE OF SURFACE SEAL (indicate any additional seals)	#2 sand
ID OF SURFACE CASING (IN)	NA
TYPE OF SURFACE CASING	NA
DEPTH BOTTOM OF CASING (FT)	1'
RISER PIPE DIAMETER(IN)	2"
TYPE OF RISER PIPE	Sch 40 PVC
DIAMETER OF BOREHOLE (IN)	6"
TYPE OF BACKFILL AROUND RISER PIPE	cement/bentonite grout
DEPTH TOP OF SEAL, IF ANY (FT)	55.0
TYPE OF SEAL	bentonite pellets
DEPTH BOTTOM OF SEAL (FT)	57.5
DEPTH TOP OF PERVIOUS SECTION	60.0
TYPE OF PERVIOUS SECTION	sch 40 PVC
DESCRIBE OPENINGS	0.020 slot
PERVIOUS SECTION DIAMETER (IN)	2"
TYPE OF BACKFILL AROUND PERVIOUS SECTION	# 2 Sand
DEPTH BOTTOM OF PERVIOUS SECTION (FT)	70.0
DEPTH BOTTOM OF SAND COLUMN (FT)	70.0
ELEV./DEPTH TOP OF SEAL, IF ANY (FT)	70.0
TYPE OF SEAL	
ELEV./DEPTH BOTTOM OF SEAL (FT)	80.0
TYPE OF BACKFILL BELOW PERVIOUS SECTION, IF ANY	Bentonite pellets

NOTES:



GROUNDWATER OBSERVATION WELL REPORT

GPEC-MW408

Project Greenpoint Energy Center

Location Brooklyn, New York

Client National Grid

Contractor Cascade Drilling

Driller Jon Weeks

Inspected by David Sharpe

Date Started 3/2/17

Checked by Chris Morris

Date Completed 3/2/17

PG. 1 OF 1

Boring No. GPEC-MW408

Location Area 2

Project No. 125180-3-1302

SURVEY N 688217.6

DATUM E 651101.4

GROUND
ELEVATION 6.93

GENERAL SOIL CONDITIONS (Not to Scale)

Fill

Silt, sand and gravel


Silty Sand

LENGTH OF SURFACE CASING ABOVE GROUND SURFACE (FT)	0.0 (flush-mounted)
LENGTH OF RISER PIPE ABOVE GROUND SURFACE (FT)	0.0 (flush-mounted)
THICKNESS OF SURFACE SEAL BELOW GROUND SURFACE, IF ANY (FT)	1'
TYPE OF SURFACE SEAL (indicate any additional seals)	#2 sand
ID OF SURFACE CASING (IN)	NA
TYPE OF SURFACE CASING	NA
DEPTH BOTTOM OF CASING (FT)	1'
RISER PIPE DIAMETER(IN)	2"
TYPE OF RISER PIPE	Sch 40 PVC
DIAMETER OF BOREHOLE (IN)	6"
TYPE OF BACKFILL AROUND RISER PIPE	cement/bentonite grout
DEPTH TOP OF SEAL, IF ANY (FT)	31.0
TYPE OF SEAL	bentonite pellets
DEPTH BOTTOM OF SEAL (FT)	33.0
DEPTH TOP OF PERVIOUS SECTION	35.0
TYPE OF PERVIOUS SECTION	sch 40 PVC
DESCRIBE OPENINGS	0.020 slot
PERVIOUS SECTION DIAMETER (IN)	2"
TYPE OF BACKFILL AROUND PERVIOUS SECTION	# 2 Sand
DEPTH BOTTOM OF PERVIOUS SECTION (FT)	45.0
DEPTH BOTTOM OF SAND COLUMN (FT)	45.0
ELEV./DEPTH TOP OF SEAL, IF ANY (FT)	45.0
TYPE OF SEAL	
ELEV./DEPTH BOTTOM OF SEAL (FT)	50.0
TYPE OF BACKFILL BELOW PERVIOUS SECTION, IF ANY	Bentonite pellets

NOTES:




GROUNDWATER OBSERVATION WELL REPORT				GPEC-MW409	
Project <u>Greenpoint Energy Center</u>				PG. <u>1</u> OF <u>1</u> Boring No. <u>GPEC-MW409</u> Location <u>Area 2</u> Project No. <u>125180-3-1302</u>	
Location <u>Brooklyn, New York</u>					
Client <u>National Grid</u>					
Contractor <u>Cascade Drilling</u>		Driller <u>Jon Weeks</u>			
Inspected by <u>George Holmes</u>		Date Started <u>3/8/17</u>			
Checked by <u>Chris Morris</u>		Date Completed <u>3/8/17</u>			

SURVEY N <u>688274.2</u> DATUM E <u>651085.0</u>					LENGTH OF SURFACE CASING ABOVE GROUND SURFACE (FT)	<u>0.0 (flush-mounted)</u>	
GENERAL SOIL CONDITIONS (Not to Scale) GROUND ELEVATION <u>6.90</u>  Fill Silt, sand and gravel Silty Sand Sand and Gravel					LENGTH OF RISER PIPE ABOVE GROUND SURFACE (FT)		<u>0.0 (flush-mounted)</u>
					THICKNESS OF SURFACE SEAL BELOW GROUND SURFACE, IF ANY (FT)		<u>1'</u>
					TYPE OF SURFACE SEAL (indicate any additional seals)		<u>#2 sand</u>
					ID OF SURFACE CASING (IN) TYPE OF SURFACE CASING		<u>NA</u> <u>NA</u>
					DEPTH BOTTOM OF CASING (FT)		<u>1'</u>
					RISER PIPE DIAMETER (IN) TYPE OF RISER PIPE		<u>2"</u> <u>Sch 40 PVC</u>
					DIAMETER OF BOREHOLE (IN)		<u>6"</u>
					TYPE OF BACKFILL AROUND RISER PIPE		<u>cement/bentonite grout</u>
					DEPTH TOP OF SEAL, IF ANY (FT) TYPE OF SEAL DEPTH BOTTOM OF SEAL (FT)		<u>36.0</u> <u>bentonite pellets</u> <u>38.0</u>
DEPTH TOP OF PERVIOUS SECTION		<u>40.0</u>					
TYPE OF PERVIOUS SECTION DESCRIBE OPENINGS PERVIOUS SECTION DIAMETER (IN)		<u>sch 40 PVC</u> <u>0.020 slot</u> <u>2"</u>					
TYPE OF BACKFILL AROUND PERVIOUS SECTION		<u># 2 Sand</u>					
DEPTH BOTTOM OF PERVIOUS SECTION (FT)		<u>50.0</u>					
DEPTH BOTTOM OF SAND COLUMN (FT)		<u>50.0</u>					
ELEV./DEPTH TOP OF SEAL, IF ANY (FT) TYPE OF SEAL ELEV./DEPTH BOTTOM OF SEAL (FT)		<u>50.0</u> <u>80.0</u>					
TYPE OF BACKFILL BELOW PERVIOUS SECTION, IF ANY		<u>Bentonite pellets</u>					

GROUNDWATER OBSERVATION WELL REPORT				GPEC-RW409	
Project	Greenpoint Energy Center			PG. <u>1</u> OF <u>1</u>	
Location	Brooklyn, New York			Boring No.	GPEC-RW409
Client	National Grid			Location	Area 2
Contractor	Cascade Drilling	Driller	Jon Weeks		
Inspected by	George Holmes	Date Started	3/8/17		
Checked by	Chris Morris	Date Completed	3/8/17	Project No.	125180-3-1302

SURVEY N 688280.5 DATUM E 651080.3 GROUND ELEVATION 6.71	Fill Silt, sand and gravel Silty sand	GENERAL SOIL CONDITIONS (Not to Scale)		<table style="width: 100%; border-collapse: collapse;"> <tr> <td style="border-bottom: 1px solid black;">LENGTH OF SURFACE CASING ABOVE GROUND SURFACE (FT)</td> <td style="border-bottom: 1px solid black; text-align: right;">0.0 (flush-mounted)</td> </tr> <tr> <td style="border-bottom: 1px solid black;">LENGTH OF RISER PIPE ABOVE GROUND SURFACE (FT)</td> <td style="border-bottom: 1px solid black; text-align: right;">0.0 (flush-mounted)</td> </tr> <tr> <td style="border-bottom: 1px solid black;">THICKNESS OF SURFACE SEAL BELOW GROUND SURFACE, IF ANY (FT)</td> <td style="border-bottom: 1px solid black; text-align: right;">1'</td> </tr> <tr> <td style="border-bottom: 1px solid black;">TYPE OF SURFACE SEAL (indicate any additional seals)</td> <td style="border-bottom: 1px solid black; text-align: right;">#2 sand</td> </tr> <tr> <td style="border-bottom: 1px solid black;">ID OF SURFACE CASING (IN)</td> <td style="border-bottom: 1px solid black; text-align: right;">NA</td> </tr> <tr> <td style="border-bottom: 1px solid black;">TYPE OF SURFACE CASING</td> <td style="border-bottom: 1px solid black; text-align: right;">NA</td> </tr> <tr> <td style="border-bottom: 1px solid black;">DEPTH BOTTOM OF CASING (FT)</td> <td style="border-bottom: 1px solid black; text-align: right;">1'</td> </tr> <tr> <td style="border-bottom: 1px solid black;">RISER PIPE DIAMETER (IN)</td> <td style="border-bottom: 1px solid black; text-align: right;">6"</td> </tr> <tr> <td style="border-bottom: 1px solid black;">TYPE OF RISER PIPE</td> <td style="border-bottom: 1px solid black; text-align: right;">Sch 40 PVC</td> </tr> <tr> <td style="border-bottom: 1px solid black;">DIAMETER OF BOREHOLE (IN)</td> <td style="border-bottom: 1px solid black; text-align: right;">6"</td> </tr> <tr> <td style="border-bottom: 1px solid black;">TYPE OF BACKFILL AROUND RISER PIPE</td> <td style="border-bottom: 1px solid black; text-align: right;">cement/bentonite grout</td> </tr> <tr> <td style="border-bottom: 1px solid black;">DEPTH TOP OF SEAL, IF ANY (FT)</td> <td style="border-bottom: 1px solid black; text-align: right;">20.5</td> </tr> <tr> <td style="border-bottom: 1px solid black;">TYPE OF SEAL</td> <td style="border-bottom: 1px solid black; text-align: right;">bentonite pellets</td> </tr> <tr> <td style="border-bottom: 1px solid black;">DEPTH BOTTOM OF SEAL (FT)</td> <td style="border-bottom: 1px solid black; text-align: right;">23.0</td> </tr> <tr> <td style="border-bottom: 1px solid black;">DEPTH TOP OF PERVIOUS SECTION</td> <td style="border-bottom: 1px solid black; text-align: right;">29.0</td> </tr> <tr> <td style="border-bottom: 1px solid black;">TYPE OF PERVIOUS SECTION</td> <td style="border-bottom: 1px solid black; text-align: right;">SS</td> </tr> <tr> <td style="border-bottom: 1px solid black;">DESCRIBE OPENINGS</td> <td style="border-bottom: 1px solid black; text-align: right;">0.020 slot</td> </tr> <tr> <td style="border-bottom: 1px solid black;">PERVIOUS SECTION DIAMETER (IN)</td> <td style="border-bottom: 1px solid black; text-align: right;">6"</td> </tr> <tr> <td style="border-bottom: 1px solid black;">TYPE OF BACKFILL AROUND PERVIOUS SECTION</td> <td style="border-bottom: 1px solid black; text-align: right;"># 2 Sand</td> </tr> <tr> <td style="border-bottom: 1px solid black;">DEPTH BOTTOM OF PERVIOUS SECTION (FT)</td> <td style="border-bottom: 1px solid black; text-align: right;">39.0</td> </tr> <tr> <td style="border-bottom: 1px solid black;">DEPTH BOTTOM OF SUMP (FT)</td> <td style="border-bottom: 1px solid black; text-align: right;">44.0</td> </tr> <tr> <td style="border-bottom: 1px solid black;">ELEV./DEPTH TOP OF SEAL, IF ANY (FT)</td> <td style="border-bottom: 1px solid black; text-align: right;">39.0</td> </tr> <tr> <td style="border-bottom: 1px solid black;">TYPE OF SEAL</td> <td style="border-bottom: 1px solid black; text-align: right;">Bentonite slurry</td> </tr> <tr> <td style="border-bottom: 1px solid black;">ELEV./DEPTH BOTTOM OF SEAL (FT)</td> <td style="border-bottom: 1px solid black; text-align: right;">44.0</td> </tr> <tr> <td style="border-bottom: 1px solid black;">TYPE OF BACKFILL BELOW PERVIOUS SECTION, IF ANY</td> <td style="border-bottom: 1px solid black; text-align: right;">Bentonite pellets</td> </tr> </table>	LENGTH OF SURFACE CASING ABOVE GROUND SURFACE (FT)	0.0 (flush-mounted)	LENGTH OF RISER PIPE ABOVE GROUND SURFACE (FT)	0.0 (flush-mounted)	THICKNESS OF SURFACE SEAL BELOW GROUND SURFACE, IF ANY (FT)	1'	TYPE OF SURFACE SEAL (indicate any additional seals)	#2 sand	ID OF SURFACE CASING (IN)	NA	TYPE OF SURFACE CASING	NA	DEPTH BOTTOM OF CASING (FT)	1'	RISER PIPE DIAMETER (IN)	6"	TYPE OF RISER PIPE	Sch 40 PVC	DIAMETER OF BOREHOLE (IN)	6"	TYPE OF BACKFILL AROUND RISER PIPE	cement/bentonite grout	DEPTH TOP OF SEAL, IF ANY (FT)	20.5	TYPE OF SEAL	bentonite pellets	DEPTH BOTTOM OF SEAL (FT)	23.0	DEPTH TOP OF PERVIOUS SECTION	29.0	TYPE OF PERVIOUS SECTION	SS	DESCRIBE OPENINGS	0.020 slot	PERVIOUS SECTION DIAMETER (IN)	6"	TYPE OF BACKFILL AROUND PERVIOUS SECTION	# 2 Sand	DEPTH BOTTOM OF PERVIOUS SECTION (FT)	39.0	DEPTH BOTTOM OF SUMP (FT)	44.0	ELEV./DEPTH TOP OF SEAL, IF ANY (FT)	39.0	TYPE OF SEAL	Bentonite slurry	ELEV./DEPTH BOTTOM OF SEAL (FT)	44.0	TYPE OF BACKFILL BELOW PERVIOUS SECTION, IF ANY	Bentonite pellets
LENGTH OF SURFACE CASING ABOVE GROUND SURFACE (FT)	0.0 (flush-mounted)																																																					
LENGTH OF RISER PIPE ABOVE GROUND SURFACE (FT)	0.0 (flush-mounted)																																																					
THICKNESS OF SURFACE SEAL BELOW GROUND SURFACE, IF ANY (FT)	1'																																																					
TYPE OF SURFACE SEAL (indicate any additional seals)	#2 sand																																																					
ID OF SURFACE CASING (IN)	NA																																																					
TYPE OF SURFACE CASING	NA																																																					
DEPTH BOTTOM OF CASING (FT)	1'																																																					
RISER PIPE DIAMETER (IN)	6"																																																					
TYPE OF RISER PIPE	Sch 40 PVC																																																					
DIAMETER OF BOREHOLE (IN)	6"																																																					
TYPE OF BACKFILL AROUND RISER PIPE	cement/bentonite grout																																																					
DEPTH TOP OF SEAL, IF ANY (FT)	20.5																																																					
TYPE OF SEAL	bentonite pellets																																																					
DEPTH BOTTOM OF SEAL (FT)	23.0																																																					
DEPTH TOP OF PERVIOUS SECTION	29.0																																																					
TYPE OF PERVIOUS SECTION	SS																																																					
DESCRIBE OPENINGS	0.020 slot																																																					
PERVIOUS SECTION DIAMETER (IN)	6"																																																					
TYPE OF BACKFILL AROUND PERVIOUS SECTION	# 2 Sand																																																					
DEPTH BOTTOM OF PERVIOUS SECTION (FT)	39.0																																																					
DEPTH BOTTOM OF SUMP (FT)	44.0																																																					
ELEV./DEPTH TOP OF SEAL, IF ANY (FT)	39.0																																																					
TYPE OF SEAL	Bentonite slurry																																																					
ELEV./DEPTH BOTTOM OF SEAL (FT)	44.0																																																					
TYPE OF BACKFILL BELOW PERVIOUS SECTION, IF ANY	Bentonite pellets																																																					
NOTES:																																																						

GROUNDWATER OBSERVATION WELL REPORT				GPEC-MW410	
Project	Greenpoint Energy Center			PG. <u>1</u> OF <u>1</u>	
Location	Brooklyn, New York			Boring No.	GPEC-MW410
Client	National Grid			Location	Area 2
Contractor	Cascade Drilling	Driller	Jon Weeks		
Inspected by	George Holmes	Date Started	3/8/17		
Checked by	Chris Morris	Date Completed	3/8/17	Project No.	125180-3-1302

SURVEY N 688320.9 DATUM E 651067.5 GROUND ELEVATION 6.46	GENERAL SOIL CONDITIONS (Not to Scale) Fill Silt, sand and gravel Silty Sand	 LENGTH OF SURFACE CASING ABOVE GROUND SURFACE (FT) LENGTH OF RISER PIPE ABOVE GROUND SURFACE (FT) THICKNESS OF SURFACE SEAL BELOW GROUND SURFACE, IF ANY (FT) TYPE OF SURFACE SEAL (indicate any additional seals) ID OF SURFACE CASING (IN) TYPE OF SURFACE CASING DEPTH BOTTOM OF CASING (FT) RISER PIPE DIAMETER (IN) TYPE OF RISER PIPE DIAMETER OF BOREHOLE (IN) TYPE OF BACKFILL AROUND RISER PIPE DEPTH TOP OF SEAL, IF ANY (FT) TYPE OF SEAL DEPTH BOTTOM OF SEAL (FT) DEPTH TOP OF PERVIOUS SECTION TYPE OF PERVIOUS SECTION DESCRIBE OPENINGS PERVIOUS SECTION DIAMETER (IN) TYPE OF BACKFILL AROUND PERVIOUS SECTION DEPTH BOTTOM OF PERVIOUS SECTION (FT) DEPTH BOTTOM OF SAND COLUMN (FT) ELEV./DEPTH TOP OF SEAL, IF ANY (FT) TYPE OF SEAL ELEV./DEPTH BOTTOM OF SEAL (FT) TYPE OF BACKFILL BELOW PERVIOUS SECTION, IF ANY 0.0 (flush-mounted) 0.0 (flush-mounted) 1' #2 sand NA NA 1' 2" Sch 40 PVC 6" cement/bentonite grout 20.5 bentonite pellets 23.0 25.0 sch 40 PVC 0.020 slot 2" # 2 Sand 35.0 35.0 35.0 55.0 Bentonite pellets
NOTES:		

Attachment 2

Low-Flow Groundwater Sampling Form

Project number and name GPEC R1 Phase 2/3 Additional Investigation Sampling personnel G. Holmes Sample date 3/24/17 Well ID GPEC-MW403

Well location description: Along bulkhead near saltwater pump house

Well Construction

Well diameter 2"

Well measurement point Top of casing

Roadbox condition Good

Well screen interval 33.5-43.5

Well depth 42.85

Sampling Information

Initial depth to water 7.15 Time: 1440

Sample intake depth 38.5'

Pump type and ID QED MP-50 Bladder Pump

Stabilized flow rate 0.4 L/min

Stabilized flow rate = flow rate with no further drawdown

Samples Collected

VOCs 8260 ☒

SVOCs 8270 ☒

VPH ☐

EPH ☐

Metals ☒

PCBs ☒

Other ☐

Field values at time of sample collection:

Time: 1600

Depth to water: 6.90

Sp. Cond. 1.40 mS/cm

DO 0.50 mg/L

ORP -154 mV

pH 7.06 s.u.

Temp. 14.93 °C

Turb. 2.5 NTU

Cumulative Time (min.)	Volume (gal)	Water depth (ft)	Temp. (°C)	Sp. Cond. (mS/cm)	D.O. (mg/L)	pH (s.u.)	ORP (mV)	Turb. (NTU)
Typical Groundwater Values			5 to 15	0.05 to 5	0 to 4	5 to 7	-100 to +50	aim for <10
1450	0		11.58	1.07	9.60	7.36	-126	164
1455	2		13.44	1.43	1.90	7.07	-138	168
1500	4	7.06	13.88	1.43	1.01	7.06	-149	78.4
1505	6		13.96	1.43	0.83	7.06	-152	50.8
1510	8		14.10	1.42	0.71	7.06	-154	33.3
1515	10	7.01	14.34	1.41	0.66	7.06	-154	24.1
1520	12		14.43	1.41	0.63	7.06	-154	16.1
1525	14		14.81	1.40	0.61	7.04	-153	10.2
1530	16	6.96	14.91	1.40	0.56	7.05	-154	8.8
1535	18		14.87	1.40	0.55	7.05	-153	6.8
1540	20		14.89	1.40	0.53	7.06	-153	5.6
1545	22		14.85	1.40	0.52	7.05	-154	4.1
1550	24		14.91	1.40	0.51	7.05	-154	3.2
1555	26	6.90	14.93	1.40	0.50	7.06	-154	2.5

Sample Information:

Sample ID GPEC-MW403

Sample Time: 1600

Color: clear

Turbidity: low

Field Filtered YES / NO

Analyses: _____

Filter type: _____

Odor/Sheen/NAPL NLO

Duplicate Collected YES / NO

If yes, duplicate ID: _____

Purge water disposal?

to ground

drummed

other: fractank

Well Volume Conversion:

Diam. (in) Factor (gal/ft)

1	0.04
1.5	0.09
2	0.16
4	0.65
6	1.50

well volume =

$3.14 \times (r)^2 \times 7.48 \text{ gal/ft}$

where r = 1.2 diameter in ft

Stabilization Criteria:

Sp. Cond. +/- 3%

DO +/- 10%

ORP +/- 10 mV

pH +/- 0.1 Std Units

Temp. +/- 3%

Turb. +/- 10% if values > 1 NTU

Guidance:

- 1 Position tubing at midpoint of saturated screened interval
- 2 Minimize drop in water level and purge until parameters are stable
- 3 Disconnect flow thru cell during sampling
- 4 Call Project Manager if issues arise (e.g. stabilization takes more than 2 hrs, well goes dry, odd data).
- 5 For VPH and VOC samples, if stabilization flow rate is less than 200 ml/min, contact PM

Notes:

Low-Flow Groundwater Sampling Form

Project number and name GPEC R1 Phase 2/3 Additional Investigation Sampling personnel G. Holmes Sample date 3/28/17 Well ID GPEC-MW404

Well location description: Along bulkhead to SE of Stores Bldg

Well Construction

Well diameter 2"

Well measurement point Top of casing

Roadbox condition Good

Well screen interval 35-45

Well depth 44.89

Sampling Information

Initial depth to water 6.35 Time: 0718

Sample intake depth 40'

Pump type and ID QED MP-50 Bladder Pump

Stabilized flow rate 0.5 L/min

Stabilized flow rate = flow rate with no further drawdown

Samples Collected

VOCs 8260 ☒

SVOCs 8270 ☒

VPH ☐

EPH ☐

Metals ☒

PCBs ☒

Other ☐

Field values at time of sample collection:

Time: 0835

Depth to water:

Sp. Cond. 1.51 mS/cm

6.35

DO 1.41 mg/L

ORP -133 mV

pH 7.30 s.u.

Temp. 12.49 °C

Turb. 5.6 NTU

Cumulative Time (min.)	Volume (gal)	Water depth (ft)	Temp. (°C)	Sp. Cond. (mS/cm)	D.O. (mg/L)	pH (s.u.)	ORP (mV)	Turb. (NTU)
Typical Groundwater Values			5 to 15	0.05 to 5	0 to 4	5 to 7	-100 to +500	aim for <10
0725	0		10.72	1.02	5.60	6.76	-118	341
0730	2.50		12.75	1.60	2.34	7.32	-168	660
0735	5.00	6.35	12.74	1.61	1.67	7.36	-182	345
0740	7.50		12.74	1.58	1.46	7.35	-170	161
0745	10.00		12.77	1.56	1.56	7.35	-162	93.0
0750	12.50	6.35	12.85	1.55	1.35	7.33	-154	59.9
0755	15.00		12.82	1.52	1.29	7.32	-144	21.4
0800	17.50		12.89	1.52	1.29	7.32	-141	15.0
0805	20.00	6.35	12.91	1.52	1.29	7.31	-141	12.6
0810	22.50		12.77	1.52	1.24	7.30	-140	8.5
0815	25.00		12.69	1.51	1.31	7.31	-136	8.3
0820	27.50	6.35	12.63	1.51	1.33	7.30	-136	5.7
0825	30.00		12.63	1.51	1.36	7.30	-134	5.9
0830	32.50		12.49	1.51	1.41	7.30	-133	5.6

Notes:

Sample Information:

PPT

Sample ID GPEC-MW404

Sample Time: 0835

Color: Clear

Turbidity: Low

Field Filtered YES / NO

Analyses:

Filter type:

Odor/Sheen/NAPL slight NLO

Duplicate Collected YES / NO

If yes, duplicate ID:

Purge water disposal?

to ground

drummed

other: Free Tank

Well Volume Conversion:

Diam. (in)	Factor (gal/ft)
1	0.04
1.5	0.09
2	0.16
4	0.65
6	1.50

well volume =

$3.14 \times (r)^2 \times 7.48 \text{ gal/ft}$

where r = 1/2 diameter in ft

Stabilization Criteria:

Sp. Cond. +/- 3%

DO +/- 10%

ORP +/- 10 mV

pH +/- 0.1 Std Units

Temp. +/- 3%

Turb. +/- 10% if values >1 NTU

Guidance:

- 1 Position tubing at midpoint of saturated screened interval
- 2 Minimize drop in water level and purge until parameters are stable
- 3 Disconnect flow thru cell during sampling
- 4 Call Project Manager if issues arise (e.g. stabilization takes more than 2 hrs, well goes dry, odd data).
- 5 For VPH and VOC samples, if stabilization flow rate is less than 200 ml/min, contact PM

Low-Flow Groundwater Sampling Form

Project number and name: GPEC R1 Phase 2/3 Additional Investigation Sampling personnel: G. Holmes Sample date: 3/28/17 Well ID: GPEC-MW405

Well location description: Along Bulkhead to E of storage bldg

Well Construction: 2"

Well diameter: 2"

Well measurement point: Top of casing

Roadbox condition: Good

Well screen interval: 40-50

Well depth: 49.46

Sampling Information

Initial depth to water: 6.46 Time: 0856

Sample intake depth: 45'

Pump type and ID: QED MP-50 Bladder Pump

Stabilized flow rate: 0.4 L/min

Stabilized flow rate = flow rate with no further drawdown

Samples Collected

VOCs 8260: ☒

SVOCs 8270: ☒

VPH: ☐

EPH: ☐

Metals: ☒

PCBs: ☒

Other: ☐

Field values at time of sample collection:

Time: 1025 Depth to water: 6.31

Sp. Cond.: 2.07 mS/cm

DO: 0.58 mg/L

ORP: -178 mV

pH: 7.27 s.u.

Temp.: 13.18 °C

Turb.: 21.3 NTU

Cumulative Time (min.)	Volume (gal)	Water depth (ft)	Temp. (°C)	Sp. Cond. (mS/cm)	D.O. (mg/L)	pH (s.u.)	ORP (mV)	Turb. (NTU)	Salinity PPT
Typical Groundwater Values			5 to 15	0.05 to 5	0 to 4	5 to 7	-100 to +500	aim for <10	
0700	0		12.67	2.38	9.09	7.34	-202	71.000	1.2
0705	2	6.38	12.77	2.19	2.28	7.29	-190	964	1.1
0710	4		12.86	2.14	1.78	7.28	-178	462	1.1
0715	6		12.98	2.09	1.34	7.26	-171	179	1.1
0720	8		12.97	2.06	1.29	7.27	-166	78.1	1.0
0725	10	6.28	13.11	2.06	1.23	7.26	-166	62.0	1.0
0730	12		13.07	2.06	1.19	7.27	-166	53.8	1.0
0735	14		13.09	2.05	1.30	7.26	-162	38.1	1.0
0740	16	6.25	13.17	2.05	1.18	7.26	-164	32.2	1.0
0745	18		13.14	2.05	1.03	7.25	-166	26.9	1.0
0750	20		13.15	2.08	0.90	7.26	-170	22.0	1.1
0755	22		13.17	2.08	0.78	7.26	-174	24.6	1.1
1000	24	6.29	13.17	2.08	0.70	7.27	-175	36.2	1.1
1005	26		13.09	2.08	0.66	7.27	-175	38.7	1.1
1010	28		13.13	2.07	0.63	7.27	-176	21.4	1.1
1015	30		13.17	2.07	0.60	7.27	-177	22.9	1.0
1020	32		13.18	2.07	0.58	7.27	-178	21.3	1.1

Sample Information:

Sample ID: GPEC-MW405

Sample Time: 1025

Color: clear

Turbidity: Low

Field Filtered YES / NO: Analyses:

Filter type: NLO

Odor/Sheen/NAPL: NLO

Duplicate Collected YES / NO:

If yes, duplicate ID:

Purge water disposal? to ground drummed other: frac Tank

Well Volume Conversion:

Diam. (in)	Factor (gal/ft)
1	0.04
1.5	0.09
2	0.16
4	0.65
6	1.50

well volume =
 $3.14 \times (r)^2 \times 7.48 \text{ gal/ft}$
 where r = 1/2 diameter in ft

Stabilization Criteria:

Sp. Cond. +/- 3%
 DO +/- 10%
 ORP +/- 10 mV
 pH +/- 0.1 Std Units
 Temp. +/- 3%
 Turb. +/- 10% if values >1 NTU

Guidance:

- 1 Position tubing at midpoint of saturated screened interval
- 2 Minimize drop in water level and purge until parameters are stable
- 3 Disconnect flow thru cell during sampling
- 4 Call Project Manager if issues arise (e.g. stabilization takes more than 2 hrs, well goes dry, odd data).
- 5 For VPH and VOC samples, if stabilization flow rate is less than 200 ml/min, contact PM

Notes:

Project number and name GPEC Phase 2/3 (2) Additional Sampling personnel G. Holmes Sample date 3/27/17 Well ID GPEC-MW406

Well Construction	
Well diameter	2"
Well measurement point	Top of casing
Roadbox condition	Good
Well screen interval	55-60
Well depth	59.10

Sampling Information		Samples Collected
Initial depth to water	<u>5.02</u> Time: <u>0738</u>	VOCs 8260
Sample intake depth	<u>57.5'</u>	SVOCs 8270
Pump type and ID	<u>QED MP-50 Bladder Pump</u>	VPH
Stabilized flow rate	<u>0.56/min</u>	EPH
Stabilized flow rate = flow rate with no further drawdown		Metals

- ☐ VOCs 8260
- ☐ SVOCs 8270
- ☐ VPH
- ☐ EPH
- ☐ Metals
- ☐ PCBs
- ☐ Other

Time:	<u>0840</u>	Depth to water:	<u>4.94</u>
Sp. Cond.	<u>2.31</u> mS/cm		
DO	<u>1.48</u> mg/L		
ORP	<u>-123</u> mV		
pH	<u>7.14</u> s.u.		
Temp.	<u>11.59</u> °C		
Turb.	<u>0.0</u> NTU		

[illegible]

Notes:

Sample ID GPEC-MW406

Sample Time: 0840

Color: clear

Turbidity: None

Field Filtered YES / NO Analyses: _____

Filter type: _____

Odor/Sheen/NAPL NLO

Duplicate Collected YES / NO

If yes, duplicate ID: _____

Purge water disposal? to ground drummed

Diam. (in)	Factor (gal/ft)
1	0.04
1.5	0.09
2	0.16
4	0.65
6	1.50

well volume =
 $3.14 \times (r)^2 \times 7.48 \text{ gal/ft}$
 where $r = 1/2 \text{ diameter in ft}$

Sp.Cond. +/- 3%
DO +/- 10%
ORP +/- 10 mV
pH +/- 0.1 Std Units
Temp. +/- 3%
Turb. +/- 10% if values >1 NTU

- 1 Position tubing at midpoint of saturated screened interval
- 2 Minimize drop in water level and purge until parameters are stable
- 3 Disconnect flow thru cell during sampling
- 4 Call Project Manager if issues arise (e.g. stabilization takes more than 2 hrs, well goes dry, odd data).
- 5 For VPH and VOC samples, if stabilization flow rate is less than 200 ml/min, contact PM

Low-Flow Groundwater Sampling Form

Project number and name GPEC R1 Phase 2/3 Additional Sampling personnel G. Holmes Sample date 3/27/17 Well ID GPEC-MW407

Well location description: Along bulkhead to E of storage yard Investigation

Well Construction

Well diameter 2"Well measurement point Top of casingRoadbox condition GoodWell screen interval 60-70Well depth 69.61

Sampling Information

Initial depth to water 5.07 Time: 0918Sample intake depth 65'Pump type and ID QED MP-50 Bladder PumpStabilized flow rate 0.46/min

Stabilized flow rate = flow rate with no further drawdown

Samples Collected

VOCs 8260 ☒SVOCs 8270 ☒VPH ☐EPH ☐Metals ☒PCBs ☒Other ☐

Field values at time of sample collection:

Time: 1045Depth to water: 5.01Sp. Cond. 2.62 mS/cmDO 1.28 mg/LORP -141 mVpH 7.32 s.u.Temp. 10.12 °CTurb. 3.3 NTU

Cumulative Time (min.)	Volume (gal) ²	Water depth (ft)	Temp. (°C)	Sp. Cond. (mS/cm)	D.O. (mg/L)	pH (s.u.)	ORP (mV)	Turb. (NTU)
Typical Groundwater Values			5 to 15	0.05 to 5	0 to 4	5 to 7	-100 to +500	aim for <10
0925	0		8.68	2.49	14.23	7.42	-131	424
0930	2		9.12	2.80	2.40	7.39	-153	324
0935	4		9.36	2.76	1.74	7.39	-155	175
0940	6	5.13	9.50	2.75	1.38	7.40	-151	102
0945	8		9.54	2.70	1.60	7.42	-148	60.8
0950	10		9.96	2.69	1.48	7.37	-148	41.7
0955	12		9.74	2.68	1.38	7.36	-146	32.7
1000	14	5.21	10.00	2.67	1.40	7.36	-145	24.2
1005	16		10.03	2.68	1.22	7.37	-146	17.9
1010	18		10.01	2.67	1.19	7.38	-147	13.1
1015	20		9.96	2.67	1.19	7.37	-146	10.9
1020	22	5.11	10.08	2.66	1.20	7.37	-145	7.9
1025	24		10.07	2.66	1.25	7.37	-145	6.4
1030	26		10.02	2.65	1.27	7.36	-144	4.7
1035	28		10.08	2.65	1.24	7.36	-143	4.3
1040	30		10.12	2.62	1.28	7.32	-141	3.3

Sol. mty / Sample Information:

PPT

Sample ID GPEC-MW407Sample Time: 1045Color: clearTurbidity: low

Field Filtered YES / NO

Analyses: _____

Filter type: _____

Odor/Sheen/NAPL NLO

Duplicate Collected YES / NO

If yes, duplicate ID: _____

Purge water disposal?

to ground

drummed

other: Free Tank

Well Volume Conversion:

Diam. (in) Factor (gal/ft)

1 0.04

1.5 0.09

2 0.16

4 0.65

6 1.50

well volume =

3.14 x (r)² x 7.48 gal/ft

where r = 1/2 diameter in ft

Stabilization Criteria:

Sp. Cond. +/- 3%

DO +/- 10%

ORP +/- 10 mV

pH +/- 0.1 Std Units

Temp. +/- 3%

Turb. +/- 10% if values >1 NTU

Notes:

Guidance:

- 1 Position tubing at midpoint of saturated screened interval
- 2 Minimize drop in water level and purge until parameters are stable
- 3 Disconnect flow thru cell during sampling
- 4 Call Project Manager if issues arise (e.g. stabilization takes more than 2 hrs, well goes dry, odd data).
- 5 For VPH and VOC samples, if stabilization flow rate is less than 200 ml/min, contact PM

Low-Flow Groundwater Sampling Form

Project number and name GPEC 121 Phase 2/3 Addition Sampling personnel G. Holmes Sample date 3/27/17 Well ID GPEC-MW408

Well location description: Along bulkhead to E of storage yard

Well Construction 2"
Well diameter 2"
Well measurement point Top of casing
Roadbox condition Good
Well screen interval 35-45
Well depth 44.00

Investigation
Sampling Information

Initial depth to water 5.38 Time: 1143
Sample intake depth 40
Pump type and ID QED MP-50 Bladder Pump
Stabilized flow rate 0.54/min
Stabilized flow rate = flow rate with no further drawdown

Samples Collected

VOCs 8260 ☒
SVOCs 8270 ☒
VPH ☐
EPH ☒
Metals ☒
PCBs ☒
Other ☐

Field values at time of sample collection:

Time: 1345 Depth to water: 5.77
Sp. Cond. 1.15 mS/cm
DO 0.45 mg/L
ORP -161 mV
pH 7.59 s.u.
Temp. 12.97 °C
Turb. 0.0 NTU

Cumulative Time (min.)	Volume (gal)	Water depth (ft)	Temp. (°C)	Sp. Cond. (mS/cm)	D.O. (mg/L)	pH (s.u.)	ORP (mV)	Turb. (NTU)	Salinity (ppt)
Typical Groundwater Values									
1150	0		9.45	4.78	11.58	7.42	-97	300	2.7
1155	2.50		11.07	5.96	2.19	7.49	-147	227	3.2
1200	5.00	5.47	11.17	5.89	1.66	7.50	-151	155	3.2
1205	7.50		11.52	5.75	1.15	7.49	-155	61.4	3.1
1210	10.00		12.13	5.58	0.91	7.47	-157	13.4	3.0
1215	12.50	5.55	12.08	5.49	0.81	7.47	-158	2.7	2.9
1220	15.00		12.22	5.38	0.78	7.47	-158	0.0	2.9
1225	17.50		12.59	5.19	0.71	7.46	-158	0.0	2.8
1230	20.00	5.60	12.78	4.97	0.69	7.46	-157	0.0	2.6
1235	22.50		12.81	4.61	0.61	7.45	-157	0.0	2.5
1240	25.00		12.82	4.25	0.60	7.45	-157	0.0	2.2
1245	27.50		12.74	3.70	0.56	7.46	-156	0.0	1.9
1250	30.00	5.71	12.85	3.24	0.54	7.48	-157	0.0	1.7
1255	32.50		12.79	2.88	0.55	7.50	-158	0.0	1.5
1300	35.00		12.91	2.43	0.51	7.52	-159	0.0	1.2
1305	37.50	5.80	12.94	1.88	0.50	7.55	-161	0.0	0.9
1310	40.00		12.91	1.63	0.49	7.57	-161	0.0	0.8
1315	42.50		12.97	1.50	0.48	7.58	-160	0.0	0.8
1320	45.00		12.99	1.36	0.48	7.58	-161	0.0	0.7
1325	47.50	5.79	12.87	1.21	0.47	7.59	-160	0.0	0.6
1330	50.00		12.88	1.17	0.47	7.55	-161	0.0	0.6
1335	52.50		12.95	1.16	0.46	7.58	-160	0.0	0.6
1340	55.00		12.97	1.15	0.45	7.59	-161	0.0	0.6

Sample Information:

Sample ID GPEC-MW408
Sample Time: 1345
Color: clear
Turbidity: none
Field Filtered YES / NO ☐ Analyses: ☐
Filter type: ☐
Odor/Sheen/NAPL NLO
Duplicate Collected YES / NO ☐
If yes, duplicate ID: ☐
Purge water disposal? ☐ to ground ☐ drummed ☒ other: Frac Tank

Well Volume Conversion:

Diam. (in)	Factor (gal/ft)
1	0.04
1.5	0.09
2	0.16
4	0.65
6	1.50

well volume =
 $3.14 \times (r)^2 \times 7.48 \text{ gal/ft}$
where $r = 1/2$ diameter in ft

Stabilization Criteria:

Sp. Cond. +/- 3%
DO +/- 10%
ORP +/- 10 mV
pH +/- 0.1 Std Units
Temp. +/- 3%
Turb. +/- 10% if values > 1 NTU

Guidance:

- 1 Position tubing at midpoint of saturated screened interval
- 2 Minimize drop in water level and purge until parameters are stable
- 3 Disconnect flow thru cell during sampling
- 4 Call Project Manager if issues arise (e.g. stabilization takes more than 2 hrs, well goes dry, odd data).
- 5 For VPH and VOC samples, if stabilization flow rate is less than 200 ml/min, contact PM

Notes:

Low-Flow Groundwater Sampling Form

Project number and name GPEC Phase 2/3 RI Additional Sampling personnel G. Holmes Sample date 3/24/17 Well ID GPEC-MW409

Well location description: Along Bulkhead Investigation
in storage area

Well Construction

Well diameter 2"
Well measurement point Top of casing
Roadbox condition Good
Well screen interval 40-50
Well depth 49.53

Sampling Information

Initial depth to water 5.70 Time: 0956
Sample intake depth 45'
Pump type and ID RED MP-50 Bladder Pump
Stabilized flow rate 0.4 L/min
Stabilized flow rate = flow rate with no further drawdown

Samples Collected

VOCs 8260 ☒
SVOCs 8270 ☒
VPH ☐
EPH ☐
Metals ☒
PCBs ☒
Other ☒

Field values at time of sample collection:

Time: 1105 Depth to water: 5.86
Sp. Cond. 0.823 mS/cm
DO 0.44 mg/L
ORP -254 mV
pH 7.52 s.u.
Temp. 13.25 °C
Turb. 0.0 NTU

Cumulative Time (min.)	Volume (gal)	Water depth (ft)	Temp. (°C)	Sp. Cond. (mS/cm)	D.O. (mg/L)	pH (s.u.)	ORP (mV)	Turb. (NTU)
Typical Groundwater Values			5 to 15	0.05 to 5	0 to 4	5 to 7	-100 to +500	aim for <10
1005	0		11.04	1.21	8.75	8.19	-216	145
1010	2	5.83	12.07	0.944	2.11	7.71	-222	24.4
1015	4		12.67	0.859	1.33	7.63	-224	5.0
1020	6	5.87	12.88	0.841	1.04	7.60	-227	1.3
1025	8		13.03	0.835	0.87	7.58	-230	1.1
1030	10		12.99	0.829	0.73	7.56	-234	0.2
1035	12		13.15	0.827	0.63	7.55	-240	0.0
1040	14	5.86	13.21	0.825	0.58	7.54	-243	0.0
1045	16		13.15	0.824	0.53	7.54	-248	0.0
1050	18		13.27	0.825	0.48	7.53	-250	0.0
1055	20	5.87	13.23	0.824	0.46	7.53	-252	0.0
1100	22		13.25	0.823	0.44	7.52	-254	0.0

Notes:

Sample Information:

Sample ID GPEC-MW409
Sample Time: 1105
Color: clear
Turbidity: None
Field Filtered YES / NO Analyses:
Filter type: slight NLO
Odor/Sheen/NAPL slight NLO
Duplicate Collected YES / NO YES
If yes, duplicate ID: GPEC-MW-XX-032417
Purge water disposal? to ground drummed other: Free Tank

Well Volume Conversion:

Diam. (in)	Factor (gal/ft)
1	0.04
1.5	0.09
2	0.16
4	0.65
6	1.50

well volume =

$3.14 \times (r)^2 \times 7.48$ gal/ft
where r = 1/2 diameter in ft

Stabilization Criteria:

Sp. Cond. +/- 3%
DO +/- 10%
ORP +/- 10 mV
pH +/- 0.1 Std Units
Temp. +/- 3%
Turb. +/- 10% if values >1 NTU

Guidance:

- 1 Position tubing at midpoint of saturated screened interval
- 2 Minimize drop in water level and purge until parameters are stable
- 3 Disconnect flow thru cell during sampling
- 4 Call Project Manager if issues arise (e.g. stabilization takes more than 2 hrs, well goes dry, odd data).
- 5 For VPH and VOC samples, if stabilization flow rate is less than 200 ml/min, contact PM

Low-Flow Groundwater Sampling Form

Project number and name: GPEC RI Phase 2/3 Additional Investigation Sampling personnel: G. Holme Sample date: 3/27/17 Well ID: GPEC-MW410

Well location description: Along bulkhead just S of LNG fence

Well Construction: 2"

Well diameter: 2"

Well measurement point: Top of casing

Roadbox condition: Good

Well screen interval: 25-35

Well depth: 34.53

Sampling Information

Initial depth to water: 6.58 Time: 1353

Sample intake depth: 30'

Pump type and ID: QED MP-50 Bladder Pump

Stabilized flow rate: 0.5 L/min → 0.44/m

Stabilized flow rate = flow rate with no further drawdown

Samples Collected

VOCs 8260 ☒

SVOCs 8270 ☒

VPH ☐

EPH ☐

Metals ☒

PCBs ☒

Other ☐

Field values at time of sample collection:

Time: 1500 Depth to water: 8.41

Sp. Cond. 19.2 mS/cm

DO 0.41 mg/L

ORP -322 mV

pH 7.09 s.u.

Temp. 13.22 °C

Turb. 0.0 NTU

Cumulative Time (min.)	Volume (gal)	Water depth (ft)	Temp. (°C)	Sp. Cond. (mS/cm)	D.O. (mg/L)	pH (s.u.)	ORP (mV)	Turb. (NTU)
Typical Groundwater Values								
1400	0		12.95	9.87	5.82	7.34	-72	8.76
1405	2.50		12.79	19.2	1.14	7.09	-181	12.2
1410	5.00	7.53	12.76	20.4	0.83	7.13	-211	24.6
1415	7.50		12.75	20.3	0.71	7.16	-235	6.8
1420	10.00	5.0	12.62	19.8	0.63	7.15	-257	0.0
1425	11.50		12.68	19.9	0.58	7.14	-284	0.0
1430	13.50	7.73	12.78	20.3	0.52	7.13	-306	0.0
1435	15.50		12.88	20.2	0.46	7.12	-313	0.0
1440	17.50		13.11	19.7	0.46	7.11	-318	0.0
1445	19.50	8.07	13.15	19.5	0.41	7.10	-320	0.0
1450	21.50		13.18	19.6	0.39	7.09	-323	0.0
1455	23.50		13.22	19.2	0.41	7.09	-322	0.0

Notes: Dropped down pumping rate to 0.44/m @ 1415

Sample Information:

Sample ID: GPEC-MW410

Sample Time: GH 1600 1500

Color: clear

Turbidity: None

Field Filtered YES / NO: Analyses:

Filter type:

Odor/Sheen/NAPL: Strong OIL

Duplicate Collected YES / NO:

If yes, duplicate ID:

Purge water disposal? to ground drummed other: frac Tank

Well Volume Conversion:

Diam. (in)	Factor (gal/ft)
1	0.04
1.5	0.09
2	0.13
4	0.65
6	1.53

well volume =
 $3.14 \times (r)^2 \times 7.48 \text{ gal/ft}$
 where r = 1/2 diameter in ft

Stabilization Criteria:

Sp. Cond. +/- 3%
 DO +/- 10%
 ORP +/- 10 mV
 pH +/- 0.1 Std Units
 Temp. +/- 3%
 Turb. +/- 10% if values >1 NTU

Guidance:

- 1 Position tubing at midpoint of saturated screened interval
- 2 Minimize drop in water level and purge until parameters are stable
- 3 Disconnect flow thru cell during sampling
- 4 Call Project Manager if issues arise (e.g. stabilization takes more than 2 hrs, well goes dry, odd data).
- 5 For VPH and VOC samples, if stabilization flow rate is less than 200 ml/min, contact PM

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION

Division of Environmental Remediation, Remedial Bureau C

625 Broadway, 11th Floor, Albany, NY 12233-7014

P: (518) 402-9662 | F: (518) 402-9679

www.dec.ny.gov

June 26th, 2018

Mr. Brian Birmingham, P.E.
National Grid
Site Investigation and Remediation
287 Maspeth Avenue
Brooklyn, NY 11211

Re: Loading Platform Area Investigation Report
Greenpoint Energy Center Former Manufactured Gas Plant (MGP)
Brooklyn, Kings County, New York
Site ID# 224052


Mr. Birmingham,

The New York State Department of Environmental Conservation (Department) has reviewed National Grid's January 2018 Loading Platform Area Investigation Report for the Greenpoint Energy Center Former MGP Site (224052). As you are aware, the investigation was completed in response to concerns brought about by the Department in a November 23, 2016 letter regarding a possible seep of non-aqueous phase liquid (NAPL) that may be emanating from the site.

Upon review of the report, the Department concurs with the conclusion that mobile NAPL does not appear to be present in the loading platform area adjacent to Newtown Creek. However, the Department does not necessarily conclude that the observed contamination was related to an off-site related source as stated in the report. While this is certainly plausible, the Department believes it is also possible that the contamination could be related to historic site related NAPL deposits in the creek that may have been disturbed and mobilized to the creek surface through ebullition or some other means.

The scope of the investigation has addressed the Department's concerns related to the alleged NAPL seep. As such, the absorbent booms that were deployed in the area may be removed. Please contact me at 518-402-9589 or by email at john.miller@dec.ny.gov with any questions or comments.

Sincerely,



John B. Miller, P.E.
Project Manager



Department of
Environmental
Conservation

ec: G. Cross (DER)
D. Hettrick (DOH)
Chris Morris (GEI)
William Ryan (National Grid)

January 11, 2017

Mr. Henry Willems
New York State Department of Environmental Conservation
MGP Remedial Section, Division of Environmental Remediation
Bureau of Western Remedial Action, 11th Floor
625 Broadway
Albany, New York 12233-7017

Re: Loading Platform Area Investigation Work Plan
Remedial Investigation Areas 1 and 2
Greenpoint Energy Center Former Manufactured Gas Plant
287 Maspeth Avenue, Brooklyn, New York
Site No. 224052

Dear Mr. Willems:

The following work plan has been drafted in an effort to determine the source of non-aqueous phase liquid (NAPL) seepage observed from the southern portion of the Greenpoint Energy Center (the Site) loading platform and to increase the potential for NAPL recovery on the Site in the adjacent upland area. The scope of work is based on your November 23, 2016 letter (received November 28), as well as your response to our December 8, 2016 letter pertaining to additional investigation at the Greenpoint Energy Center (GPEC).

In order to investigate the source of the reported NAPL seepage from the southern portion of the GPEC loading platform area, the advancement of eight additional soil borings is proposed for the area. The locations of the proposed borings are shown on **Figure 1**. In addition to the proposed soil borings, a monitoring well is proposed at each of the soil boring locations. The screen zones were selected based on their proximity to identified NAPL-impacted zones but may be modified based on the field findings. The borings will be advanced to a minimum of El. -40 (12 feet below the original design dredge depth at El. -28), or to the bottom of the planned well screen intervals (also shown on Figure 1), whichever is deeper. This depth corresponds to approximately 28 feet below the current mudline along the facing of the dock structure at El. -12. Should potentially recoverable NAPL be identified in any of these locations, a recovery well (as discussed further below) may be installed instead of, or along with the planned monitoring well.

Based on the results of the soil boring observations and provided that potentially recoverable NAPL is identified, six-inch recovery wells with well screens targeting potential NAPL recovery zones will be installed. The recovery wells will be installed with stainless steel wire-wrapped screens (0.020-inch slots) and Schedule 40 PVC risers. The current data from the boreholes previously advanced in this area indicate that the most likely NAPL recovery zone will be in the approximately El. -40. However, if shallower potentially mobile NAPL is encountered we will construct the wells to target that interval. Two recovery wells are planned for installation at the most likely NAPL

Mr. Henry Willems
New York State Department of Environmental Conservation
January 11, 2017
Page 2

recovery locations; however, the installation of additional recovery wells will be evaluated as warranted.

The soil borings will be advanced and the monitoring and potential recovery wells installed using rotary-sonic techniques. The soil borings and monitoring wells will be installed in accordance with the approved Phase 2/3 Remedial Investigation Work Plan (RIWP). Well development, investigative-derived waste (IDW) management and the implementation of a community air monitoring program (CAMP) will also be conducted in accordance with the RIWP.

No analytical soil samples are planned for collection. The monitoring wells will be sampled following development.

Schedule

Upon approval the field program will be scheduled along with field work included in the recently approved "Additional Investigation Work Plan", dated December 19, 2016. We anticipate commencement of the field program shortly after approval, but will provide notification a minimum of one week prior to mobilization.

If you have any questions or require additional information, please feel free to contact me at 516-545-2586 or by e-mail at william.ryan@nationalgrid.com.

Sincerely,


A handwritten signature in black ink, appearing to read "Chris M..." with a small "for" written below the first name.

William J. Ryan
Project Manager

Enclosures

cc: D. Hetrick (NYSDOH)
G. Cross (NYSDEC)

\\mcl1v-fs01\Data2\Tech\Projects\National Grid\Greenpoint\INVESTIGATIONS\Phase2_3 RI\Additional Investigation\Greenpoint LP Area Work Plan.docx



WELL ID	DEPTH (FT. BGS)
GPEC-MW403	35-45
GPEC-MW404	35-45
GPEC-MW405	55-65
GPEC-MW406	35-45
GPEC-MW407	55-65
GPEC-MW408	35-45
GPEC-MW409	70-80
GPEC-MW410	45-55

LEGEND

●

PROPOSED SOIL BORING/
MONITORING WELL LOCATION

○

BORING LOCATION

IMPACTS

●

NAPL SATURATED

●

NAPL COATED MATERIAL

●

NAPL BLEBS, GLOBS, SHEEN

●

STAINING, ODOR

●

INDUSTRIAL IMPACTS- (PETROLEUM
SATURATION OR OTHER UNNATURAL)
SATURATION AND SHEENS

●

INDUSTRIAL IMPACTS- (PETROLEUM
OR OTHER UNNATURAL)
STAINING & ODORS

●

WOOD CHIPS/BLUE DISCOLORATIONS
/SULFUR-LIKE ODOR

●

NO OBSERVED IMPACTS

—

SITE BOUNDARY


—

PHASE 1 INVESTIGATION

—

PHASE 2 INVESTIGATION

SOURCES:
1. AERIAL PHOTOGRAPH 2014 GOOGLE EARTH PRO.



Phase 2/3 Remedial Investigation Workplan
Greenpoint Energy Center
Brooklyn, New York

LOADING PLATFORM AREA
INVESTIGATION
WORK PLAN

Project 125180

January 2017

Fig. 1

From: [Ryan, William](#)
To: [Morris, Chris](#)
Cc: [Campbell, Thomas J.](#); [Terry, David](#)
Subject: FW: EXT || Greenpoint Loading Platform Area remedial Investigation work plan
Date: Monday, February 13, 2017 2:50:03 PM

Chris,
Please see email from DEC below.
Bill

From: Willems, Henry T (DEC) [mailto:henry.willems@dec.ny.gov]
Sent: Monday, February 13, 2017 1:59 PM
To: Ryan, William
Cc: Cross, Gardiner (DEC)
Subject: EXT || Greenpoint Loading Platform Area remedial Investigation work plan

Bil,
I have reviewed the work plan for the subject investigation. It is satisfactory and hereby approved.

Please note that following the review of data collected during this phase of the investigation, further investigation of the dock area may be required to determine the source of the observed discharge.

Please notify me 10 days prior to mobilization for field activities.

Hank

This e-mail, and any attachments are strictly confidential and intended for the addressee(s) only. The content may also contain legal, professional or other privileged information. If you are not the intended recipient, please notify the sender immediately and then delete the e-mail and any attachments. You should not disclose, copy or take any action in reliance on this transmission.

You may report the matter by contacting us via our [UK Contacts Page](#) or our [US Contacts Page](#) (accessed by clicking on the appropriate link)

Please ensure you have adequate virus protection before you open or detach any documents from this transmission. National Grid plc and its affiliates do not accept any liability for viruses. An e-mail reply to this address may be subject to monitoring for operational reasons or lawful business practices.

For the registered information on the UK operating companies within the National Grid group please use the attached link:

<http://www.nationalgrid.com/corporate/legal/registeredoffices.htm>